Question	Answer	Marks	Partial Marks
16	168π	**4**	**B3** for answer 168 OR **M3** for $\pi\times6^2+\frac{1}{2}\times4\pi\times6^2+2\pi\times6\times5$ oe OR To a maximum of 2 marks ignoring extra areas added or subtracted **M1** for $\pi\times6^2$ **M1** for $\frac{1}{2}\times4\times\pi\times6^2$ oe **M1** for $2\times\pi\times6\times5$
17(a)	25	**2**	**M1** for $\left(\sqrt[3]{125}\right)^2$ or $\sqrt[3]{125^2}$ or $\left(5^3\right)^{\frac{2}{3}}$ or **B1** for $\sqrt[3]{125}=5$
17(b)	[±] $\frac{1}{32}$	**2**	**M1** for $\frac{1}{2^5}$ or 32^{-1} or $\frac{1}{\sqrt{1024}}$
18(a)	$3\sqrt{3}$ cao	**2**	**M1** for $\frac{9}{\sqrt{3}}\times\frac{\sqrt{3}}{\sqrt{3}}$ oe
18(b)	[c =] –1 [k =] 14	**2**	**B1** for each or for 3 correct terms from $5+15\sqrt{2}-\sqrt{2}-3\sqrt{2}\sqrt{2}$ oe
19(a)	$\frac{5b}{2}$ cao final answer	**2**	**B1** for $\frac{15ab}{6a}$ or better seen
19(b)	$\frac{2p+3t}{4}$ cao final answer	**2**	**M1** for adding two correct fractions with a common denominator e.g. $\frac{4p}{8}+\frac{6t}{8}$
19(c)	$\frac{8-x}{(x-2)(x+1)}$ or $\frac{8-x}{x^2-x-2}$ cao final answer	**3**	**B1** for $2(x+1)-3(x-2)$ or better isw **B1** for common denominator $(x-2)(x+1)$ oe isw