Question	Answer	Marks	Partial Marks
21(b)	(0, 1) (2, –3)	**4**	**B3** for one correct coordinate or for two correct values of x following $3x^2 - 6x$ oe seen in (b) or **M2** for [3]$x(x - 2)$ [= 0] or $\frac{--6 \pm \sqrt{(-6)^2 - 4 \times 3 \times 0}}{2 \times 3}$ [= 0] oe OR **M1** for *their* $\frac{dy}{dx} = 0$ or stating $\frac{dy}{dx} = 0$ **M1** for correct method to solve *their* quadratic
22(a)	11	**1**	
22(b)	$\frac{x-5}{2}$	**2**	**M1** for correct first step $x = 2y + 5$ or $y - 5 = 2x$ or $\frac{y-5}{2} = x$ or $\frac{y}{2} = x + \frac{5}{2}$
22(c)	14	**3**	**M2** for $x - 4 = (25 - 5) \div 2$ oe or better or $2x - 8 = 25 - 5$ oe or better or **M1** for $2(x - 4) + 5 = 25$
22(d)	25	**2**	**M1** for h(2) or 5^2
23(a)	0	**1**	

Question	Answer	Marks	Partial Marks
23(b)	[x =] $\frac{4n}{\sqrt{3}}$ or $\frac{4n\sqrt{3}}{3}$ oe	**5**	**B4** for correct explicit expression to find x e.g. $x = \frac{2n}{\cos 30}$ or $x = \frac{2n}{\frac{\sqrt{3}}{2}}$ oe OR **M3** for correct explicit method to find x with 2 trig functions e.g. $x = \frac{n \div \sin 30}{\cos 30}$ oe or a correct implicit method with one trig function e.g. cos 30 = $\frac{2n}{x}$ oe OR **B2** for hypotenuse of lower triangle = $2n$ or **M2** for any correct implicit method with 2 trig functions e.g. cos 30 = $\frac{n \div \sin 30}{x}$ oe OR **M1** for seeing any correct trig value from sin 30 or cos 60 = 0.5, cos 30 or sin 60 = $\frac{\sqrt{3}}{2}$ or tan 30 = $\frac{\sqrt{3}}{3}$ oe or for hypotenuse of lower triangle = $\frac{n}{\sin 30}$ oe
24(a)(i)	19.5	**1**	
24(a)(ii)	[a =] b – 5 oe	**3**	**M1** for 3 = $\frac{27-12}{b-a}$ oe **M1** for 3(b – a) = 27 – 12 or better e.g. [a =] b – $\frac{27-12}{3}$