Question	Answer	Marks	Partial Marks
12(b)	160 nfww	**1**	**FT** 3 × *their* 50 + 10
13	Fully correct net	**3**	**B2** for the two correct rectangles, in either order below the given face **and** two 3,4,5 triangles, one on each side or **B1** for 1 correct rectangle in either place below the given face or for two 3, 4, 5 triangles, one each side
14	10	**3**	**B2** for any two correct angles identified from *BDF* = 85, *FDE* = 70 and *DFE* = 100 or **B1** for any one of them OR **B1** for *AED* = 55 and **B1** for *CEF* = 115
15	900	**3**	**M2** for $\frac{120}{2}\times(10+3+2)$ oe or **M1** for $\frac{120}{2}$ [$\times k$] (k = 1, 3 or 10)
16	6.5×10^{-2}, 9.857×10^{-2}, 1.54×10^{1}, 3.5×10^{2}	**2**	**B1** for 3 in the correct order or **M1** for 0.09857, 350, 15.4, 0.065 oe
17	66	**2**	**M1** for $\frac{8+14}{2}\times 6$ oe
18	$\frac{2}{3}$ cao	**3**	**M2** for $\frac{17}{6}\times\frac{4}{17}$ or **M1** for $\frac{\textit{their}17}{6}\times\frac{4}{\textit{their}17}$ or **B1** for $\frac{17}{6}$ or $\frac{17}{4}$ or $\frac{4}{17}$ Alternative : **M2** for $\frac{34}{12}\div\frac{51}{12}$ or **M1** for $\frac{\textit{their}\,34}{12}\div\frac{\textit{their}\,51}{12}$
19(a)	Fully correct reflection, points (−4, 5) (−5, 5) (−4, 4) (−5, 4) (−4, 2)	**2**	**B1** for a correct reflection in $x = k$ or $y = -1$
19(b)	Fully correct rotation, points (−2, −2) (−2, −4) (−2, −5) (−3, −5) (−3, −4)	**2**	**B1** for a correct rotation of 180° about the wrong centre

Question	Answer	Marks	Partial Marks
19(c)	Translation $\begin{pmatrix} 2 \\ -6 \end{pmatrix}$	**2**	**B1** for each
20(a)		**2**	**B1** for at least 8 elements in the correct place
20(b)	1, 3	**1**	**FT** *their* **(a)**
20(c)	6	**1**	**FT** *their* **(a)**
21	$2x^6$ final answer	**2**	**B1** for kx^6 or $2x^c$ as final answer or $2x^6$ seen and spoilt
22	120	**2**	**M1** for 180 − (360 ÷ 6) oe or $\frac{(6-2)\times 180}{6}$ oe
23	$4a + 20b = 130$ oe $6a + 15b = 105$ oe	**2**	**B1** for each
	[a =] 2.5 [b =] 6	**4**	**M1FT** for correctly equating one set of coefficients **M1FT** for correct method to eliminate one variable **A1** for $a = 2.5$ **A1** for $b = 6$ If A0 scored, **SC1** for two positive costs which satisfy one of the original conditions
24	54	**1**	
25(a)	$x^2 - 3x - 10$ final answer	**2**	**B1** for $x^2 - 5x + 2x - 10$ with at least 3 terms correct
25(b)	$5x(x^2 + 2)$ final answer	**2**	**B1** for $5(x^3 + 2x)$ or $x(5x^2 + 10)$ or $5x(x^2 + 2)$ seen and spoilt
26	16.315 16.325	**2**	**B1** for each If 0 scored, **SC1** for both correct but reversed
27(a)	$6n - 4$ oe final answer	**2**	**B1** for $6n + c$ or $kn - 4$ ($k \neq 0$) or $6n - 4$ seen and spoilt