Question	Answer	Marks	Partial Marks
1	0.0001	**1**	Allow 1×10^{-4} or 1/10000
2	57.40 cao	**1**	
3	275	**1**	
4	38	**2**	**M1** for 180 – 61 – 81 or for angle [BAC =] 180 – 2 × 61 or better soi by 58 or for angle [BAD =] 180 – 61 – (180 – 81) or better soi by 20
5	1700	**1**	
6	$6\frac{2}{3}$ oe	**2**	**M1** for figs 666 or 667
7(a)	$\begin{pmatrix} 27 \\ -12 \end{pmatrix}$	**2**	**B1** for $\begin{pmatrix} 27 \\ k \end{pmatrix}$ or for $\begin{pmatrix} k \\ -12 \end{pmatrix}$
7(b)	13	**2**	**M1** for $(-12)^2 + 5^2$ oe soi by 169
8	$9 + 4.5\pi$ oe	**3**	**M2** for $\frac{9\pi}{2}$ oe or **M1** for 9π oe
9(a)	–3	**1**	
9(b)	$22 - 5n$ oe final answer	**2**	**B1** for $k - 5n$ or for $22 - kn$ $k \neq 0$ as final answer or for $22 - 5n$ oe seen then further incorrect working
10	$6\frac{1}{6}$ cao	**3**	**B2** for $\frac{37}{6}$ or **M2** for $\frac{16}{6} + \frac{21}{6}$ or for $5\frac{4}{6} + \frac{3}{6}$ or **M1** for $\frac{8}{3} + \frac{7}{2}$ or for $2 + 3 + \frac{2}{3} + \frac{1}{2}$
11	16	**2**	**B1** for 4 seen
12(a)	1.42×10^{-11}	**2**	**B1** for figs 142 or 10^{-12} seen
12(b)	5.72×10^{7}	**2**	**M1** for figs 572

© Cambridge University Press & Assessment 2022

Question	Answer	Marks	Partial Marks
22	$\frac{16}{\sqrt{3}}$ or $\frac{16\sqrt{3}}{3}$	4	**B1** for $\cos 30 = \frac{\sqrt{3}}{2}$ **M2** for $\frac{8}{\cos 30}$ or **M1** for $\frac{8}{x} = \cos 30$
23	$\frac{25 - x}{(x - 4)(x + 3)}$ oe final answer	3	**M1** for denominator $(x – 4)(x + 3)$ or $x^2 – x – 12$ **B1** for $3(x + 3) – 4(x – 4)$ seen
24(a)	$(x – 2)^2 + 3$	2	**M1** for $(x – 2)^2$ seen
24(b)	(2, 3)	1	**FT** *their* **(a)**
25	$\frac{15}{2}$ oe	3	**M2** for $\frac{9}{x} = \frac{6}{5}$ oe or $x^2 = \frac{25}{36} \times 9^2$ oe or better or **M1** for $\sqrt{\frac{36}{25}}$ or $\sqrt{\frac{25}{36}}$ oe or better or for $\left(\frac{9}{x}\right)^2 = \frac{36}{25}$ or $\left(\frac{x}{9}\right)^2 = \frac{25}{36}$ oe or better
26(a)	Correct sketch and –2, 0 and 3 indicated on x-axis with graph going beyond intersections with x-axis  	3	**B2** for correct sketch without labels or **B1** for any positive cubic with two turning points
26(b)	$x^3 – x^2 – 6x$	3	**B2** for $x(x^2 + 2x – 3x – 6)$ or $(x^2 + 2x)(x – 3)$ or $(x + 2)(x^2 – 3x)$ or **B1** for $x^2 + 2x – 3x – 6$ or $x^2 + 2x$ or $x^2 – 3x$

© Cambridge University Press & Assessment 2022