Question	Answer	Marks	Partial Marks
13	20	**2**	**M1** for $\frac{360}{180-162}$ or for $\frac{180(n-2)}{n} = 162$
14	One of the following 4, 10, 10, 12, 14 5, 10, 10, 10, 15 6, 8, 10, 10, 16	**4**	**B3** for 3 of the 4 conditions met or **B2** for 2 met or **B1** for 1 met e.g. total = 50
15	Rotation 90° clockwise oe (4, 3)	**3**	**B1** for each
16(a)(i)	30	**1**	
16(a)(ii)	20	**2**	**B1** for [u.q. =] 37 or for [l.q. =] 17
16(a)(iii)	39	**2**	**B1** for 320 seen
16(a)(iv)	34 to 38	**2**	**B1** for 362 to 366 seen
16(b)	Correct histogram, correct widths, heights 8 cm, 12.4 cm, 1.9 cm	**3**	**B1** for each column If 0 scored **SC1** for frequency densities 8, 12.4, 1.9 seen
17(a)(i)	34	**1**	
17(a)(ii)	106	**1**	
17(a)(iii)	72	**1**	**FT** *their* **(a)(ii)** – *their* **(a)(i)** or 106 – *their* **(a)(i)**
17(b)	6.6	**2**	**M1** for $\frac{4.5}{9} = \frac{3.3}{XD}$ oe
18(a)(i)	9	**1**	
18(a)(ii)	21	**1**	**FT** from *their* **(a)(i)**
18(b)	$\frac{3-x}{2}$ oe final answer	**2**	**M1** for $y + 2x = 3$ or for $\frac{y}{2} = \frac{3}{2} - x$ or for $x = 3 - 2y$
18(c)	$-\frac{1}{2}$ oe	**3**	**B2** for $4x + 6 + 3 = 7$ or better or **M1** for $2(2x + 3) + 3$ [= 7]
18(d)	32	**2**	**M1** for [x =] h(5)

© Cambridge University Press & Assessment 2022

Question	Answer	Marks	Partial Marks
22	$\frac{16}{\sqrt{3}}$ or $\frac{16\sqrt{3}}{3}$	4	**B1** for $\cos 30 = \frac{\sqrt{3}}{2}$ **M2** for $\frac{8}{\cos 30}$ or **M1** for $\frac{8}{x} = \cos 30$
23	$\frac{25 - x}{(x - 4)(x + 3)}$ oe final answer	3	**M1** for denominator $(x – 4)(x + 3)$ or $x^2 – x – 12$ **B1** for $3(x + 3) – 4(x – 4)$ seen
24(a)	$(x – 2)^2 + 3$	2	**M1** for $(x – 2)^2$ seen
24(b)	(2, 3)	1	**FT** *their* **(a)**
25	$\frac{15}{2}$ oe	3	**M2** for $\frac{9}{x} = \frac{6}{5}$ oe or $x^2 = \frac{25}{36} \times 9^2$ oe or better or **M1** for $\sqrt{\frac{36}{25}}$ or $\sqrt{\frac{25}{36}}$ oe or better or for $\left(\frac{9}{x}\right)^2 = \frac{36}{25}$ or $\left(\frac{x}{9}\right)^2 = \frac{25}{36}$ oe or better
26(a)	Correct sketch and –2, 0 and 3 indicated on x-axis with graph going beyond intersections with x-axis  	3	**B2** for correct sketch without labels or **B1** for any positive cubic with two turning points
26(b)	$x^3 – x^2 – 6x$	3	**B2** for $x(x^2 + 2x – 3x – 6)$ or $(x^2 + 2x)(x – 3)$ or $(x + 2)(x^2 – 3x)$ or **B1** for $x^2 + 2x – 3x – 6$ or $x^2 + 2x$ or $x^2 – 3x$

© Cambridge University Press & Assessment 2022