Möbii³us Skill Library Extension — Repo Snippets v0.1

`git4emet/doinbetter` :: `audits/skills/2026-05-skill-quad-parse/_libraries/repo-snippets/`

> **Companion to:** the four-skill audit (`algorithmic-art` / `mcp-builder` / `mobius-vocabulary` / `skill-creator`)
> **Source:** 13 user-uploaded archives + 1 external inspiration document (Monochrome Mobius game guide)
> **Method:** every archive parsed for shares · specs · questions · commentary. Verb-domain mapped to ports 8009-8016. Tier (INNER / INTRA / INTER) declared.
> **TOFAR:** envelope hash pending on commit.

📜 Roster

#	Snippet	Type	Tier
01	`everybuddy-code-atlas-v0_1`	python+openapi+skill	INTRA
02	`BOX_bundle_v1`	bundle (cube engine + n8n MCP + facets bootloader)	INTRA→INNER
03	`mobiius_docker_hive_merge_v0_1_lite`	docker scaffold + FastAPI hive	INTRA
04	`mobiius_unified_skill_index_v0_2`	indices + report (CSV/JSON manifests)	INTRA
05	`mobiius_understandings_current_batch`	report + container map	INTRA
06	`functional_linguistics_merge_output`	DeepSeek rehydration → graph + HUD	INTRA

#	Snippet	Type	Tier
07	`https_link_compile`	URL atlas (3,177 unique links, 772 domains)	INTER
08	`deepseek_data-2026-05-02`	DeepSeek raw export (16 conv / 949 frags)	INNER
09	`SCUBAStream`	runtime kernel skeleton (Flask + ethics clamp + ledger)	INTRA
10	`superdense_core_v0_1`	Python scaffold (archives + fullerene_field + slits_sparks + unify_all)	INTRA
11	`oem`	NASA SBIR drafting transcript	INTRA
12	`Oohm`	live binder review + drop-in JSON fix	INTRA
13	`conceptSplatOptimizing.eml`	self-mail: organizational eigenzeit / process bionics notes	INNER
14	`_external/monochrome-mobius-skill-reference`	third-party JRPG (Aquaplus 2022) — skill-system pattern only	INTER

Totals: 13 own-authored + 1 external = 14 library entries.

🌳 Tree

```
_libraries/
└── repo-snippets/
```

```
    ├── README.md                                    ← roster +
integration rules
    ├── _index/
    │   ├── archive-roster.md                         ← table above with
full file counts
    │   ├── grammatical-diagrams.md                   ← one diagram per
snippet
    │   └── verb-domain-overlay.md                    ← which snippets
bind to which verb
    │
    ├── 01_everybuddy-code-atlas-v0_1/entry.md
    ├── 02_BOX_bundle_v1/entry.md
    ├── 03_mobiius_docker_hive_merge/entry.md
    ├── 04_mobiius_unified_skill_index/entry.md
    ├── 05_mobiius_understandings/entry.md
    ├── 06_functional_linguistics_merge/entry.md
    ├── 07_https_link_compile/entry.md
    ├── 08_deepseek_data-2026-05-02/entry.md
    ├── 09_SCUBAStream/entry.md
    ├── 10_superdense_core_v0_1/entry.md
    ├── 11_oem/entry.md
    ├── 12_Oohm/entry.md
    ├── 13_conceptSplatOptimizing/entry.md
    └── _external/
        └── monochrome-mobius-skill-reference.md
```

🌳 Grammatical diagrams (single-page, all 14)

```
01 everybuddy-code-atlas
   atlas ── harvests ── (code + secrets + classification)
        │      │              └─→ to: harvest_manifest.csv +
sample.json
        │      └── via classify.py · secrets.py · harvest.py
        └── nests: examples/{fastapi_seed_reception, atbash_router,
                             lightweight_ipad_panel,
mumhouse_inventory,
                             static_hud}, skills/skillz-
parser/SKILL.md,
                  openapi/seed_reception.openapi.yaml

02 BOX_bundle_v1
   bundle ── packs ── (CubeEngine + n8n MCP + Wheel HUD + facets)
        │      │              └─→ to: BOX_manifest.json (sha256+size)
        │      └── via cube_engine.py · n8n_mcp.py · wheel_server.py
        └── canon nest: PULSE_LOCK / FIRST_LUNG / CONVERGENCE / SEASEER
/
                        VIZI_ORB / FACETS_ARCHIVE_WIRING
```

```
03 mobiius_docker_hive
   hive ── ingests-readonly ── (mounted archives → SQLite + FTS)
        │      │              └─→ to: /merge/scan, /search,
/world/state, /hud
        │      └── classified by Functional Linguistics 4-case
(A/B/C/D)
        └── route law: raw_surface → functional_linguistics →
verb_engine →
            domain_slits → WE map → photonic_vocab → symphonizer →
            seven_gates → MCP runtime → HUD → TOFAR → CRED

04 unified_skill_index
   index ── promotes ── (10 unified skills from 237 mounted + 2491
archive members)
        │      │              └─→ to: unified_skill_index.{csv,json}
        │      └── modifiers: dedupe by SHA-256, no execute, no move
        └── promoted: Guardian · TOFAR · TriBuffer · TinyBox ·
HUD/Binder ·
            AET-GSOC · Dynamic MCP · Source Atlas · Triadic Symbol ·
Hazard Forecast

05 understandings_current_batch
   batch ── characterizes ── (16 containers / 473 files / 218 text /
229 image)
        │      │              └─→ to: UNDERSTANDINGS_REPORT.md +
manifests
        │      └── extracts headings, signals, dominant motifs per
container
        └── notable containers: Buddy_SkillCore_AllInOne, MotiiV8,
TwistVoxelCanvas,
            VibeStream, fizXdBn8mcAPilE, fizbox_demo, follow_on_pack,
fractal_wrapper

06 functional_linguistics_merge
   merge ── rehydrates ── (DeepSeek 16 conv / 949 fragments)
        │      │              └─→ to: graph.json · graph.mmd ·
report.md · hud.html
        │      └── motifs:
verb_engine·source_fidelity·we_map·seven_gates·photonic_vocab·symphonize
r·mcp_runtime
        └── canonical merge law: raw_surface → ... → TOFAR → CRED
(same as #03)

07 https_link_compile
   compile ── extracts ── (3177 unique URLs / 772 domains / 12116
occurrences)
        │      │              └─→ to: https_unique_links.csv +
category_summary
        │      └── 10 categories from external_reference (1306) to
model_api (10)
        └── top domains: chat.deepseek.com (507), github.com (248),
```

```
grok.com (200)

08 deepseek_data-2026-05-02
   export ── carries ── (user.json + conversations.json)
        │      │              └─→ stays INNER · NEVER PUBLISH
        │      └── source-of-truth for #06's rehydration
        └── PII: user_id, email, OAuth profile

09 SCUBAStream
   stream ── boots ── (Flask /tick + ethics clamp + courtesy ledger)
        │      │              └─→ to: localhost:8787/{health, tick,
ledger/summary}
        │      └── ⚠️ archive has the SAME composite payload under 28
different filenames
        └── ethics clamp: broadcast_private + sigma5_precursor

10 superdense_core_v0_1
   core ── scaffolds ── (4 sub-packages: archives, fullerene_field,
slits_sparks, unify_all)
        │      │              └─→ to: importable Python package + CLI
        │      └── deps: pyproject.toml, requires-python ≥3.10, zero
deps
        └── nests: solid_index/index_core.py, scanner/sampler/indexer,
                   UV pulse / livegrab, slits/sparks,
orchestrator/connectors

11 oem
   transcript ── drafts ── (NASA SBIR Phase I "Möbii³us FloodWatch")
        │      │              └─→ to: 5 next-step tracks (Tech /
Materials / Business / Ethics / Artifacts)
        │      └── echoes Seven Gates implementation specs
        └── working session, single .txt artifact

12 Oohm
   review ── audits ── (Live Binder v1)
        │      │              └─→ to: drop-in JSON manifest fix + JS
newline fix
        │      └── identifies: Visual Canon Binder, Hexa-Net 6 lanes,
FIZZY dial
        └── live policy: .com → public · .org → ops · trust_floor 0.74

13 conceptSplatOptimizing
   self-mail ── records ── (org-as-organism / Eigenzeit / Process
Bionics notes)
        │      │              └─→ to: framework for "temps"
coordination overhead
        │      └── references: Deloitte Process Bionics (2023) and
adjacent
        └── personal research scratchpad, sent iPad → self

14 (external) Monochrome Mobius (Aquaplus, 2022/2024)
```

```
   reference ── inspires ── (Sigil-buff / Action-Ring / Soulstone-gate
patterns)
        │      │              └─→ to: Möbii³us "Sigil of X" naming
convention
        │      └── note: third-party IP — pattern only, no asset reuse
        └── relevant patterns: Sigil of
{Strength,Intellect,Swiftness,Slowness,Exposure,

Weakness,Stupor,Frailty,Futility,Protection,Fortitude,
                              Tailwind,Headwind} buff/debuff verbs on
Action Ring
```

📁 Per-snippet entry — short form

> Each block below = the would-be `entry.md` for that snippet. Format: **subject / predicate / DO / IO / modifiers / subordinate clauses · tier · verbs · files · shares · specs · questions · commentary**.

---

01 — `everybuddy-code-atlas-v0_1`

Subject: a publication-discipline scanner that harvests code from corpus and produces a publication manifest.
Predicate: harvests · classifies · secret-sweeps.
DO: `harvest_manifest.csv` (26.4 KB) + `harvest_manifest.sample.json` (17.1 KB).
IO: Buddy's publication queue (`PUBLICATION_PLAN.md` § 4: 6 first repo releases).
Modifiers: never publishes raw `.eml` / camera URLs / tokens / `.env` ; passes secret scan, personal-data sweep, license check, README check, runnable test.
Subordinate clauses: *that nests a* `skillz-parser/SKILL.md` (8-lane semantic schema: VOCAB · CONST · GATE · FLOW · ARCH · GEO · HUD · META) *that exposes 5 reference examples* (FastAPI seed reception · Atbash router · iPad mom-panel · mumhouse SQL · static HUD) *that ships an OpenAPI shell* (`seed_reception.openapi.yaml`).

- **Tier:** INTRA
- **Verb-domain:** COORDINATE (8010) · MINT (8015)
- **Files:** `src/everybuddy_code_atlas/{__init__,classify,secrets,harvest}.py` , `scripts/{harvest_code,secret_sweep}.py` , `examples/*` , `skills/skillz-parser/SKILL.md` , `openapi/seed_reception.openapi.yaml` , `catalog/harvest_manifest.{csv,sample.json}` , `docs/PUBLICATION_PLAN.md` .
- **Shares:** the 8-lane semantic schema (VOCAB / CONST / GATE / FLOW / ARCH / GEO / HUD / META) maps cleanly onto mobius-vocabulary's operator alphabet (Π / Δ / $\oplus_v$ / Ω / Λ / Σ); the publication-discipline 5-step gate (secret · personal · license · README · runnable) is a Guardian-gate predicate library.

- **Specs:** trust_floor 0.743 reused; provenance with `source_hash` + `line_range`; output items in YAML.
- **Questions:** does the secret-sweep need a TOFAR envelope on every match? Where does `harvest_manifest.csv` get committed (INTRA repo or INNER vault)?
- **Commentary:** complements `skill-creator` directly — this is the *pre-publication* sibling of skill-creator's *post-mint* package step. Adopt as the canonical INNER→INTER promotion gate.

---

02 — `B0X_bundle_v1`

Subject: a sha256-checksummed bundle of canonical artifacts (the "B0X" brick).
Predicate: packs · serves · boots.
DO: Wheel HUD + standalone `n8n_mcp.py` + `cube_engine.py` + `mesh_state_index.html` + `DOINBETTER_ACTUAL_ARCHITECTURE.md` + `CONVERGENCE_MANIFEST.md` + `B0X_manifest.json`.
IO: TinyBox runtime (`tinybox/backend/mbx/modules/`) + n8n at `$N8N_BASE_URL`.
Modifiers: integrity-by-manifest (sha256+size for every file); dual-collision noted (`n8n_mcp.py` standalone vs extracted = different hashes; `cube_engine.py` dupe = identical).
Subordinate clauses: *that nests a skillset bootloader* (`mobiius_skillset_bootloader_v0_2_facets/`) *that loads PULSE-LOCK + FIRST_LUNG + SEASEER + VIZI_ORB canon that produces* `workspace/world_state.json` *that asks for consentful connector mesh* (OAuth tokens, dry-run previews, TOFAR audit per action).

- **Tier:** INTRA → promotes to INNER on Guardian sign-off (canon spine candidate)
- **Verb-domain:** LISTEN (8011) · SPEAK (8012) · GOVERN (8009)
- **Files:** `cube_engine.py` (18.4 KB) · `n8n_mcp.py` (33.5 KB) · `mesh_state_index.html` (24.2 KB) · `B0X_manifest.json` (14.1 KB) · `mobiius_skillset_bootloader_v0_2_facets/{canon,config,modules,workspace,scrip`
- **Shares:** Wheel HUD primitive (engine + server + dock.js + elemental_wheel_adapter); facets archive pattern (`facets_archive.py`); Caputo GC (`caputo_gc.py`); resonance algebra (`resonance_algebra.py`); world state snapshot (`world_state.py`); LAB-TWINE-001 SSE bus patch.
- **Specs:** SHA-256 for every member; `triadic_vocab.json` config; `dispatch_map.json` for wheel routing.
- **Questions:** which `n8n_mcp.py` wins, standalone or extracted? FAST 2-letter hash convention used here vs unified-skill-index — same semantics?
- **Commentary:** this is the most production-shaped of the 13 — checksums, dispatch maps, patch diff, connector consent rules. Treat as the reference packaging shape for any future Möbii³us bundle.

---

03 — `mobiius_docker_hive_merge_v0_1_lite`

Subject: a Docker-first, read-only-mount, FastAPI-backed merge hive for `/mnt` archives.
Predicate: mounts (read-only) · indexes · classifies · serves.
DO: `data/mobiius_hive.sqlite` (FTS) + `merge_summary.md` + `/merge/scan` + `/world/state` + `/hud`.
IO: localhost:8088 + a future MCP runtime (`mcp/mcp_manifest.json`).
Modifiers: primary route law `raw_surface → functional_linguistics → verb_engine → domain_slits → WE map → photonic_vocab → symphonizer → seven_gates → MCP runtime → HUD → TOFAR → CRED`; safety rules: security/firmware default *block*, garage/locks/camera default *ask*.
Subordinate clauses: *that imports the functional-linguistics merge kernel* (graph.json + graph.mmd + report.md + hud.html + deepseek_corpus_merge_index.json) *that runs Home Assistant lab in a separate profile* (rehearsal only, real Mum hub stays HAOS on the Dell) *that requires* `MOBIIUS_SOURCE` *env*.

- **Tier:** INTRA
- **Verb-domain:** LISTEN (8011) · SPEAK (8012)
- **Files:** `app/{classifier,merge_archives,server}.py` · `config/{kernel_routes,mumhouse_guardian_rules}.json` · `data/imported/...` · `Dockerfile` · `docker-compose.yml` · `openapi/mobiius_hive.openapi.yaml` · `mcp/mcp_manifest.json` · `scripts/{run_scan,search,local_scan_without_docker}.sh`
- **Shares:** Functional Linguistics 4-case router (A_CODE · B_MATH_PROOF · C_IMAGE_HUD_VISUAL · D_CONVERSATION_SHARE) — adopted as canonical classification ontology in Snippet 04 too; the Mumhouse Guardian rules JSON is a portable predicate set; OpenAPI shell is a clean MCP-progenitor.
- **Specs:** FastAPI; SQLite FTS5; read-only mount discipline; localhost:8088; ingest stream `/dosx5/ingest`.
- **Questions:** do we want the FTS chunks TOFAR-stamped at ingest or only on outbound query? How does the read-only mount discipline survive when we later need to write provenance back to source?
- **Commentary:** this is the working spine that Snippets 04, 05, 06 all reference. The "do not unpack chaos into your working folders" principle is the strongest single sentence in the whole library — make it the README epigraph for the repo-snippets library.

---

04 — `mobiius_unified_skill_index_v0_2`

Subject: an index/promotion engine that mints 10 unified skills from 237 mounted files + 2491 archive members.
Predicate: inventories · classifies · deduplicates · promotes.
DO: `unified_skill_index.{csv,json}` + `mounted_file_manifest.{csv,json}` +

`archive_member_manifest.{csv,json}` + `UNIFIED_SKILL_INDEX_REPORT.md`.
IO: the canon-skill registry; downstream consumers of "promoted" skills.
Modifiers: does NOT delete, move, or execute source files; dedupes mounted by SHA-256; archive members inventoried without global extraction.
Subordinate clauses: *that promotes 10 skills* — Guardian Gate / SevenGates · TOFAR / FAST-FART Provenance · TriBuffer Fractional Memory · TinyBox Offline Runtime · HUD / Binder / Torus Renderer · AET / GSOC Field Assistant · Dynamic MCP Tool Spine · Source Link Atlas · Triadic Symbol Registry · Hazard Forecast Node — *that buckets into 10 system buckets* (00_CANON_SPINE through 99_ARCHIVE_RAW) *that distributes the 4-case classification* across 845 IMAGE/HUD · 829 UNKNOWN · 520 CODE · 486 CONVERSATION · 48 MATH/PROOF.

- **Tier:** INTRA
- **Verb-domain:** GOVERN (8009) · AUTHENTICATE (8013)
- **Files:** `indexes/*.{csv,json}`, `reports/*.md`, `schemas/mobiius_unified_skill.schema.json`, `START_HERE.md`.
- **Shares:** the 10-skill promotion roster IS the canonical seed set for the `mobius-vocabulary` INNER skill — adopt verbatim. The 10-bucket system fits the 8-verb-domain map with 2 reserve buckets (matching the 42-mesh + 2-reserve allocation in the prior audit's `_index/lattice-integration.md`).
- **Specs:** JSON schema present (`mobiius_unified_skill.schema.json`); promotion rule: durable role + evidence + test/proof; public/private rule: AET/GSOC, Gmail-derived, emails, private shares ⇒ internal by default.
- **Questions:** the 829 UNKNOWN — do they get a follow-up classification pass or sit as a non-blocking residual? Schemas folder contains the schema — is there a JSON-Schema validator wired in?
- **Commentary:** this is the closest thing in the library to a "skill registry of record." Treat it as the source of truth for the 10 unified skills until a successor index is published.

---

05 — `mobiius_understandings_current_batch`

Subject: a container-by-container heading + signal extractor over an uploaded batch.
Predicate: extracts · summarizes · catalogs.
DO: `UNDERSTANDINGS_REPORT.md` (19.2 KB) + `current_batch_file_manifest.csv` (82.9 KB) + `archive_summary.json` + `text_index_summary.json` (431 KB).
IO: human reader (Buddy) and downstream merge tools.
Modifiers: uses Python `zipfile` only (no shell) so files with `!`, `+`, `#`, spaces, parens are handled literally; flags 3 such files explicitly (FINALLY!!!.eml, NASA challenge .eml, etc.).
Subordinate clauses: *that profiles 16 containers* · 473 files · 218 text · 229 image *that derives dominant motifs per container* (memory · mcp_n8n · skills · guardian · ui_hud ·

deployment · tofar · trust_floor · …) *that quotes representative section anchors per container*.

- **Tier:** INTRA
- **Verb-domain:** GOVERN (8009)
- **Files:** `UNDERSTANDINGS_REPORT.md`, `current_batch_file_manifest.csv`, `archive_summary.json`, `text_index_summary.json`.
- **Shares:** the dominant-signal vocabulary list (memory · mcp_n8n · skills · guardian · ui_hud · deployment · tofar · trust_floor · home · cred · event_bus · aet_gsoc · math · visual) is the most concrete "Möbii³us-keyword frequency table" in the corpus — adopt as the test set for `skill-creator`'s description-optimization trigger evals.
- **Specs:** keyword-density-by-container; representative anchor list per container.
- **Questions:** how often does the batch refresh? Does `archive_summary.json` schema match Snippet 04's manifest schemas?
- **Commentary:** the strongest evidence in the library that the Möbii³us keyword set is empirically real — these motifs recur with high density across independent containers. Use to validate vocabulary discipline.

---

06 — `functional_linguistics_merge_output`

Subject: the DeepSeek-rehydration kernel that produced the 7-motif merged graph.
Predicate: parses · merges · graphs · HUDs.
DO: `deepseek_corpus_merge_index.json` · `functional_linguistics_merge_graph.{json,mmd}` · `functional_linguistics_merge_report.md` · `functional_linguistics_merge_hud.html`.
IO: the docker hive (Snippet 03) imports these as `data/imported/`.
Modifiers: parsed 16 conversations / 949 message fragments from `deepseek_data-2026-05-02.zip` (Snippet 08); 7 motifs counted across all 16 (verb_engine · source_fidelity · we_map · seven_gates · photonic_vocab · symphonizer · mcp_runtime).
Subordinate clauses: *that asserts the canonical merge law* `raw_surface → functional_inference → verb_engine → domain_slits → WE_map → photonic_vocab → symphonizer → seven_gates → MCP_runtime → HUD → TOFAR → CRED` *that produces a stream-console-styled report that emits a Mermaid graph* (`.mmd`) *that emits an HTML control surface*.

- **Tier:** INTRA
- **Verb-domain:** GOVERN (8009) · VISUALIZE (8014)
- **Files:** 5 outputs as listed.
- **Shares:** the 12-stage canonical merge law is the single most concise architectural statement in the library — adopt as the README epigraph alongside Snippet 03's "do not unpack chaos." The 7-motif tag set is a ready-made trigger-vocabulary for any new skill.

- **Specs:** motif-count table per conversation; Mermaid graph format; HTML HUD as the visual rendering.
- **Questions:** the merge law has 12 stages; the 8-verb-domain map has 8. Are stages 1-4 sub-INNER and 9-12 sub-INTER, leaving 5-8 as the INTRA span — is this the right tier alignment?
- **Commentary:** Snippet 06 is the *kernel*; Snippet 03 is the *server*; Snippet 08 is the *raw fuel*. Together they form a complete ingest → process → serve loop.

---

07 — `https_link_compile`

Subject: a corpus-wide HTTPS-link extractor with category + domain summarization.
Predicate: scans · categorizes · ranks · flags.
DO: `https_unique_links.csv` (3,177 unique) · `https_occurrences.csv` (12,116 occurrences) · `https_domain_summary.csv` (772 domains) · `https_category_summary.csv` (10 categories) · `combined_http_www_and_https_unique_links.csv` · `HTTPS_LINK_REPORT.md`.
IO: review queue + provenance audit.
Modifiers: scans `/mnt` for `.txt` and `.md`; excludes generated-output folders to avoid self-contamination; 25 of 38 files contained matches; 2.25 s elapsed; **330 review-flagged unique links** require human review before publish.
Subordinate clauses: *that ranks domains* — chat.deepseek.com (507) · github.com (248) · grok.com (200) · chatgpt.com (162) · google.com (149) · claude.ai (99) · drive.google.com (79) · home-assistant.io (56) · doinbetter.com (54) — *that buckets URLs* into 10 categories (external_reference 1306 → model_api 10).

- **Tier:** INTER (data shape ships outward)
- **Verb-domain:** AUTHENTICATE (8013)
- **Files:** 7 CSV/MD outputs.
- **Shares:** the 10-category taxonomy (external_reference · ai_share_or_workspace · code_repo_or_raw · first_party_or_owned · user_cloud_or_connector · field_data_hydro_climate · frontend_dependency · research_reference · tooling_or_hosting · model_api) is portable and matches the Möbii³us "Source Link Atlas" promoted skill from Snippet 04.
- **Specs:** HTTPS only; substring `https://`; review-flag heuristic in scanner.
- **Questions:** the 330 review-flagged links — what's the flag criterion? Is there a deny-list/allow-list pair, or is review purely manual? `chat.deepseek.com` shares are private — should those be auto-redacted before any publish path?
- **Commentary:** ⚠️ **DO NOT publish raw CSVs.** The unique-link list will contain private DeepSeek/ChatGPT/Grok share IDs. Publish only the **category and domain summaries** unless the 330 flags are resolved.

---

08 — `deepseek_data-2026-05-02`

Subject: the raw DeepSeek user export consumed by Snippet 06.
Predicate: carries.
DO: `user.json` (PII: user_id, email, OAuth profile) + `conversations.json` (7.2 MB; 16 conversations).
IO: Snippet 06's parser; nothing else.
Modifiers: 🔒 contains personally-identifiable information (`dglassesguy@gmail.com` , Google OAuth profile, picture URL).
Subordinate clauses: *that grounds Snippet 06's 949-fragment count that anchors the canonical merge law's "raw_surface" stage*.

- **Tier:** INNER (never publish)
- **Verb-domain:** none — provenance only.
- **Files:** `user.json` (432 B) + `conversations.json` (7.2 MB).
- **Shares:** none — this is fuel, not pattern.
- **Specs:** DeepSeek export schema; tree-shaped conversation graph with `mapping/root → 1 → 2 → …` node IDs and `fragments[]` per node.
- **Questions:** retention policy? Does the TOFAR envelope cover the import-time hash, or does each fragment need its own?
- **Commentary: PII present.** Treat as INNER tier indefinitely. Reference only by hash; never quote raw content; never cross-publish to any of the other library snippets.

---

09 — `SCUBAStream`

Subject: a Flask-based runtime kernel skeleton with ethics clamp + courtesy ledger.
Predicate: boots · ticks · clamps · awards.
DO: `/health` , `POST /tick` , `/ledger/summary` endpoints on port 8787.
IO: static site at `site/index.html` ; downstream MCP if wired.
Modifiers: 28 named files (`api_reference.html` , `app.py` , `ethics.py` , `ledger.py` , `memory.py` , `modes.py` , `optimizer.py` , `ports.py` , `seed.yaml` , `RUN_ME.sh` , `speaker_listener.py` , `speech.py` , `triadic_fusion.py` , `whisper_glue.py` , several Gmail PDFs, `N-particle Inclusion - Whole Thread.txt` , `FieldTheory_Visual_Portal.html`).
⚠️ **Subordinate clause (notable):** *that — on inspection — appears to carry the SAME composite payload under all 28 filenames* (manifest.json + Möbii³us Weather Forecasting README + ethics-clamp source + Flask app + a 2025-08-26 email body about Mazal Tov / DoinBetter toolbox). Likely an extraction or merge artifact; flagged for Buddy's review.

- **Tier:** INTRA (with caveat — see commentary)
- **Verb-domain:** LISTEN (8011) · GOVERN (8009) · MINT (8015)
- **Files:** the 28 listed; effective unique payload = 1 composite document.

- **Shares:** the ethics-clamp code is reusable verbatim — `broadcast_private_clamp` (private content blocked from broadcast) + `sigma5_precursor` (risk ≥ 5 flag); the Flask `/tick` shape is a clean "core + ethics + ledger" reference.
- **Specs:** Flask · port 8787 · seed.yaml driving `Core(...)` · Ledger logs `FAST-FART` events + courtesy awards.
- **Questions: why is the same payload repeated under 28 names?** Was the zip a deduplication test, a `cp` mishap, or a deliberate redundancy? Resolve before any publication.
- **Commentary:** the underlying Flask + ethics + ledger triad is solid. The packaging is broken. Recommendation: extract one canonical copy of each unique file (app.py, ethics.py, ledger.py, seed.yaml, README.md), discard the 23 redundant carriers, and rebundle as `SCUBAStream_v0_2_dedup.zip`.

---

10 — `superdense_core_v0_1`

Subject: a four-package Python scaffold for the SuperDense bundle.
Predicate: scaffolds.
DO: importable Python package `superdense` + a `superdense-cli` entry.
IO: developer (Buddy) extending each sub-package.
Modifiers: zero runtime deps; `requires-python ≥ 3.10`; `setuptools` build backend; honest about "real logic is left for you to fill in."
Subordinate clauses: *that defines four sub-packages* — `archives` (scanner · sampler · indexer) · `fullerene_field` (graph · uv_pulse · livegrab) · `slits_sparks` (slits · sparks) · `unify_all` (orchestrator + connectors/base) — *that adds a* `solid_index/index_core.py` *that exposes* `superdense/cli/superdense_cli.py`.

- **Tier:** INTRA
- **Verb-domain:** COORDINATE (8010)
- **Files:** `pyproject.toml` + `superdense/{__init__,common,solid_index,archives,fullerene_field,slits_sparks`
- **Shares:** the 4-package decomposition (Archives · FullereneMediaField · SlitAndSparkCatalog · UnifyThemAll) is a clean orthogonalization that mirrors the 4-case Functional Linguistics router (A_CODE · B_MATH_PROOF · C_IMAGE_HUD_VISUAL · D_CONVERSATION_SHARE) — adopt the parallel.
- **Specs:** Python 3.10+; pyproject; CLI shim.
- **Questions:** how do we glue this scaffold to Snippet 03's docker hive? Are `connectors/base.py` connectors meant to be MCP servers (Snippet 02 / 03) or n8n endpoints?
- **Commentary:** the cleanest scaffold in the library. Use as the template skeleton for any future Python-package-shaped Möbii³us skill output from `skill-creator`.

---

11 — `oem`

Subject: a working transcript of the NASA SBIR Phase I "Möbii³us FloodWatch" drafting session.
Predicate: drafts · enumerates · proposes.
DO: a 5-track next-step menu: (1) Tech Strengthen · (2) Supporting Materials · (3) Business · (4) Ethics Framework · (5) Proposal Artifacts · (6) Specific Sections.
IO: Buddy's NASA submission queue.
Modifiers: transcript repeats — the assistant returns the same menu twice, signaling that this is mid-draft, not final.
Subordinate clauses: *that lists Triadic Validation Score that lists Fractal Fusion Processor that enumerates the Seven Gates as needing implementation specs that flags privacy impact assessment + bias testing + community consent forms*.

- **Tier:** INTRA
- **Verb-domain:** COORDINATE (8010)
- **Files:** `_-_.txt` (165 KB).
- **Shares:** the 5-track + 6-section menu is a reusable proposal-development checklist; the named technical components (Fractal Fusion Processor, Triadic Validation Score) reify Möbii³us math into NASA-grant vocabulary.
- **Specs:** none — narrative document.
- **Questions:** which version of the FloodWatch draft is the live one? Is "Triadic Validation Score" the same as `triadic_fusion.py` in Snippet 09?
- **Commentary:** valuable as a record of how Möbii³us math gets translated into grant-evaluator-readable language. Cross-reference with the existing `NASA_SpaceToSoil_Mobius_WhitePaper.pdf` already in project files.

---

12 — `0ohm`

Subject: a compositional review of "Live Binder v1" with drop-in fixes.
Predicate: reviews · diagnoses · patches.
DO: a JSON-manifest replacement (10 visual classes including `movii_os_hypercube`, `tinybix_parrot`, `hexa_net` with 6 children, `crystal_robot`, `fizzy_dial`, `stargate_protocol`, `time_wrinkle`) + a JS newline fix.
IO: the Live Binder runtime.
Modifiers: trust_floor 0.74 displayed; routing `.com → public · .org → ops`; ethics gate `allow ≥ 0.85, ask ≥ 0.74, block < 0.74`.
Subordinate clauses: *that flags a manifest JSON parse-crash* (`$1$2 …` placeholders + missing `visual_classes` array) *that flags a JS string-concat newline bug that lists the gaps that block runtime* (Gateway trust wrapper · NOAA/NWS adapter · Actions-bubbles round-trip · Whisper++ proxy).

- **Tier:** INTRA

- **Verb-domain:** VISUALIZE (8014) · GOVERN (8009)
- **Files:** `report-.txt` (118 KB).
- **Shares:** the 10-visual-class manifest is a working catalog of the Möbii³us UI surface; the routing rule (`.com` public / `.org` ops) is canonical and matches the Domain_List CSV in project files.
- **Specs:** trust_floor=0.74 (note: NOT 0.743 — see questions); FID-keyed CredPath records.
- **Questions: trust_floor=0.74 here vs 0.743 elsewhere — which is canonical?** This is the same Guardian-gate constant; pick one and document the rationale. (Hypothesis: 0.74 is a UI display precision; 0.743 is the math invariant. Confirm.)
- **Commentary:** strongest review-style document in the library — actually proposes patches. Use as the template for future "binder drop-in" reviews. The trust-floor precision question is a real Guardian-gate decision that needs Buddy's ruling.

---

13 — `conceptSplatOptimizing.eml`

Subject: a self-mailed iPad note (1 May 2026, 20:24 CDT) on organizational temporality.
Predicate: records · synthesizes.
DO: a three-part essay: (1) disorganized "temps" as the root of redundancy · (2) teams treating company as living organism · (3) tangible systems eliminating overhead — citing Eigenzeit, Deloitte's "Process Bionics" (2023), 2026 coordination-overhead analysis.
IO: Buddy's own dglassesguy + daviddaniel.exet inboxes.
Modifiers: sent from `daviddaniel.exet@gmail.com` via iPad Mail; quoted-printable encoded.
Subordinate clauses: *that frames "temporal war" as the cause of layoffs and wasted work that names "organizational Eigenzeit" as the proactive carve-out that sets up Möbii³us as the natural answer (organism, not machine).*

- **Tier:** INNER (research note)
- **Verb-domain:** GOVERN (8009)
- **Files:** `.eml` source (65 KB).
- **Shares:** the "Eigenzeit" frame is a strong philosophical hook for the Möbii³us governance story — every domain runs on its own time-of-its-own, and the Guardian gate enforces *temporal* coherence across the mesh, not just ethical coherence.
- **Specs:** none — narrative.
- **Questions:** import this into the Möbii³us governance vocabulary as `eigenzeit` (a domain-local clock)? What's the relation to the existing 4.6 Hz heartbeat constant?
- **Commentary:** worth promoting one paragraph into `mobius-vocabulary` as the canonical *why* for tier-law enforcement: misaligned temps create coordination overhead; tier law enforces shared temporal grammar across INNER/INTRA/INTER.

---

14 — *(external)* `Monochrome Mobius: Rights and Wrongs Forgotten`

Subject: a third-party JRPG (Aquaplus, 2022 JP / 2023 EN) — included only as a *skill-system pattern reference*.
Predicate: (none — external, not actionable in our repo).
DO: a documented skill system featuring "Sigil of X" buffs/debuffs on an "Action Ring," with MP costs, soulstone-gated tiers (I/II/III), and elemental affinities.
IO: Möbii³us naming-pattern brainstorm.
Modifiers: third-party IP — pattern only, no asset reuse, no copying.
Subordinate clauses: *that names patterns Möbii³us already echoes* — `Sigil of {Strength · Intellect · Swiftness · Slowness · Exposure · Weakness · Stupor · Frailty · Futility · Protection · Fortitude · Tailwind · Headwind}` (buff/debuff verbs on a turn-order ring) *that uses tier-gating via consumable resource* (soulstones I/II/III ≈ Möbii³us tier law) *that uses Action Ring obstacles to "block enemy approach"* (≈ Guardian-gate ACK-not-BLOCK with positional bias).

- **Tier:** INTER (external reference only)
- **Verb-domain:** none — inspiration only.
- **Files:** the GameFAQs guide text (transcribed in user's message).
- **Shares (pattern-level only):** the **Sigil of X** naming convention for Action Ring buffs/debuffs is directly portable to Möbii³us as the canonical name for verb-domain modifiers — "Sigil of Coherence" (α-floor boost), "Sigil of Provenance" (TOFAR weight), "Sigil of Mesh-Density" (ψ scaler), etc.
- **Specs:** N/A — external IP.
- **Questions:** confirm Buddy intended this as pattern-inspiration, not as content to embed. If pattern-inspiration: which sigil names do we adopt and which do we coin fresh?
- **Commentary: Do not copy descriptions, mechanic numbers, or proper character names.** Adopt only the *shape* (Sigil-of-X buff/debuff verbs on a turn-order ring with tier-gated consumables). The Möbii³us Action Ring is its own thing; the Sigil naming is just a clean dictionary convention.

🔁 Cross-reference: which snippet feeds which previous-audit skill?

Snippet →	algorithmic-art	mcp-builder	mobius-vocabulary	skill-creator
01 everybuddy-code-atlas	—	—	✓ (8-lane schema)	✓✓ (publication gate)
02 B0X_bundle_v1	—	✓✓ (n8n MCP)	✓ (canon)	✓ (manifest pattern)
03 docker_hive	—	✓✓ (FastAPI + MCP manifest)	✓ (4-case router)	—
04 unified_skill_index	—	—	✓✓ (10-skill seed)	✓ (registry shape)
05 understandings	—	—	✓✓ (motif vocabulary)	✓ (eval test set)
06 functional_linguistics	✓ (HUD asset)	—	✓✓ (12-stage law + 7 motifs)	—
07 https_link_compile	—	—	✓ (10-cat taxonomy)	—
08 deepseek_data	—	—	—	—
09 SCUBAStream	—	✓ (Flask /tick)	✓ (ethics clamp)	—
10 superdense_core	—	—	✓ (4-package decomp)	✓✓ (template scaffold)
11 oem	✓ (proposal artifacts track)	—	✓ (Triadic Validation)	—
12 0ohm	✓✓ (10 visual classes)	—	✓ (trust_floor 0.74↔0.743 question)	—

Snippet →	algorithmic-art	mcp-builder	mobius-vocabulary	skill-creator
13 conceptSplatOptimizing	–	–	✓✓ (Eigenzeit → tier-law why)	–
14 monochrome-mobius (ext)	–	–	✓ (Sigil-of-X naming)	–

`✓✓` = primary feeder · `✓` = secondary feeder · `–` = no direct relation.

⚠️ Three live blockers raised by this batch (in addition to the audit's three)

1. **Trust-floor precision (Snippet 12 vs canon).** `0.74` (UI) vs `0.743` (math). Pick which one is the displayed-value convention; the other becomes derived. **Default proposal:** `0.743` is the math invariant, `0.74` is the rounded display. Confirm.
2. **SCUBAStream packaging redundancy (Snippet 09).** 28 filenames, 1 payload. Resolve before promotion. **Default proposal:** dedup → `SCUBAStream_v0_2_dedup.zip` with the 5 unique source files (`app.py` , `ethics.py` , `ledger.py` , `seed.yaml` , `README.md`).
3. **PII surface in Snippet 08 + share-IDs in Snippet 07.** Both contain content that must never reach `INTER` . **Default proposal:** put both behind a single `_vault/` directory with a README.md that says "INNER only — do not publish, even by hash." Track via TOFAR envelope.

✅ Recommendations (additive to the audit's stages)

- **Stage 1 (commit, today):** drop this whole library extension into `audits/skills/2026-05-skill-quad-parse/_libraries/repo-snippets/` exactly as written. TOFAR-stamp the directory.
- **Stage 2 (this week):** resolve the three blockers above. Promote Snippet 04's 10 unified skills into `mobius-vocabulary` as the seed set for the canonical 42-domain/8-verb mesh. Promote Snippet 06's 12-stage merge law as the README epigraph.
- **Stage 3 (next week):** wire Snippet 03's docker hive to Snippet 02's n8n MCP via the Snippet 04 manifests, with Snippet 09's ethics-clamp code as the gate. This is the minimum viable Möbii³us runtime.

- **Stage 4 (Linux Mint Phase KubesTYLES build):** use Snippet 10 as the Python scaffold template; use Snippet 12 as the JSON-manifest template; use Snippet 11 as the proposal-track checklist when wrapping the Mint agent for external review.

📎 Caveats

1. **SCUBAStream content:** flagged for review (28 names → 1 payload).
2. **DeepSeek data + HTTPS share-IDs:** PII / private-share surface; INNER tier indefinitely.
3. **Trust-floor precision:** open question (0.74 vs 0.743).
4. **Monochrome Mobius:** external IP — pattern only.
5. **Archive members not directly inspected:** archive-member manifests in Snippets 04 and 05 reference 2,491 archive members and 473 batch files we did not extract individually for this audit; the entries are reported via their existing manifests, not re-derived.
6. **Email `.eml` privacy:** Snippet 13 is a self-mail with no third-party recipients — safe at INNER; do not republish addresses.
7. **All 14 entries are reversible:** every entry references either an uploaded zip or an external URL; no entry mints new state until Buddy approves promotion.

Done. 14 grammatically-diagrammed library entries, mapped to verbs/ports/tier, with three new live blockers raised for ruling.