Möbii³us System Research Synthesis: Kähler Weave, Namecheap Schema, MCP Service Mesh, and the 90-Day Family Sustainability Roadmap

Preface on epistemic status

This report integrates four research streams. Two of them — Kähler geometry / Hopf fibration mathematics, and the Namecheap / MCP / NASA / DigitalOcean / FTC ecosystem — are grounded in externally verifiable, current (2025–2026) sources. The other two — the specific Möbii³us system constants (α=0.743, φ=1.618, 42-face mesh, 192 facets, 8009/8011 Hz twin-prime carriers, the TOFAR ledger, CRED token, Seven Gates ethics layer, the eight-domain naming, the five-LLM platform mesh) and the AET geotechnical revenue stream — are **user-supplied system conventions** for which no external corroboration was sought. Where they appear below, they are treated as design constants of the Möbii³us specification, not as independently verifiable facts. The numbers (revenue projections, costs, deadlines, commission rates, MCP semantics) are sourced.

OBJECTIVE 1 — KÄHLER WEAVE → SPIRAL INDEXER

1.1 What a Kähler manifold actually is

A Kähler manifold is a real 2n-dimensional smooth manifold M carrying three **mutually compatible** structures at every point:

1. A **complex structure** J — a smooth endomorphism of the tangent bundle with $J^2 = -I$, integrable so that M is locally biholomorphic to an open subset of $\mathbb{C}^n$.
2. A **Riemannian metric** g — symmetric, positive-definite, compatible with J in the sense that g(JX, JY) = g(X, Y).
3. A **symplectic form** ω — closed (dω = 0), non-degenerate, defined explicitly by **ω(X, Y) = g(JX, Y)**. This is the Kähler form.

The defining miracle is that these three structures collapse into one: instead of needing the n(2n+1) independent components of a general metric, a Kähler metric is **locally generated by a single real scalar function** K, the **Kähler potential**:

> $g_{i\bar{j}} = \partial^2 K / (\partial z^i \partial \bar{z}^j)$ and $\omega = i \partial\bar{\partial} K$

This single-function generation is the geometric fact the Möbii³us indexer exploits.

1.2 Why ω is literally a "weave"

The Kähler form ω is a closed (1,1)-form: it pairs each "real" direction with its "imaginary" rotation under J, and the closure condition dω = 0 means those pairings glue coherently across the manifold. Geometrically, ω is the area form weighting every tangent 2-plane, so on any embedded surface ∫ω measures coherent oriented area — what the system specification calls

"coherence flux." Concretely: every infinitesimal patch carries a J-pair $(z, \bar{z})$, the pairs interlock through ω like warp and weft, and $d\omega = 0$ guarantees no torsion in the weave. The Hopf-like circle bundle sitting over each unit-disk neighborhood of M provides the spiral fiber.

1.3 Hopf fibration as the natural spiral coordinate system

The Hopf fibration $h : S^3 \to S^2$ is the canonical fiber bundle with total space S^3, base S^2, and circle fiber S^1. In complex coordinates, $S^3 = \{(z_1, z_2) \in \mathbb{C}^2 : |z_1|^2 + |z_2|^2 = 1\}$, and the map $h(z_1, z_2) = (2\, z_1\, \bar{z}_2, |z_1|^2 - |z_2|^2)$ sends S^3 onto S^2. Three properties make it the right backbone for a spiral indexer:

- **Every fiber is a great circle** of S^3, and any two distinct fibers are linked exactly once (Hopf linking number 1). Documents indexed onto distinct fibers cannot be untangled without crossing — providing topological permanence.
- **Hopf coordinates** (θ, φ, ψ) parametrize S^3 via $\theta \in [0, \pi/2]$, $\varphi \in [0, 2\pi)$, $\psi \in [0, 4\pi)$, so (θ, φ) lives on S^2 and ψ is the spiral phase. A multiresolution grid at level ℓ contains $m_1 \cdot m_2 \cdot 2^{(3\ell)}$ points, with each subdivision producing a self-similar tiling of S^3 — the fractal property the spec calls "fractal self-similarity at multiple scales."
- The Hopf base S^2 is precisely $\mathbb{C}P^1$, the simplest non-trivial **Kähler manifold**. So Kähler weave + Hopf spiral are the same construction at different resolutions: the Kähler form ω lives on $\mathbb{C}P^1$, the Hopf circles climb above each point, and the ψ phase is the "spiral index" along which content flows.

1.4 Three retrieval properties Kähler geometry buys you

Property	Geometric origin	Operational meaning
Coherence-weighted retrieval	Score by $\int_\gamma \omega$ along a candidate path γ from query to document — the closed (1,1)-form weights paths by orientation-consistent area	Two documents that share thematic orientation (high J-aligned tangent) score higher even at the same Euclidean distance
Contextual proximity via geodesic distance	Riemannian distance d_g induced by $g_{i\bar{j}} = \partial^2 K/(\partial z^i \partial \bar{z}^j)$; near any point the metric is flat to second order, so local cosine similarity is recovered — but global behavior bends along curvature determined by K	Concepts are "close" when the shortest geodesic on the indexer manifold is short, not when raw vector distance is small
Fractal self-similarity	Hopf grid refinement at level ℓ has $2^{(3\ell)}$ points per cell with the same local geometry as the parent — the manifold	A query against the top-level index returns clusters; zooming into a cluster runs

Property	Geometric origin	Operational meaning
	is its own coordinate chart at every scale	the same algorithm against the sub-manifold, recursively, without redesign

1.5 Practical discretization (Python / MCP implementation)

The continuous Kähler manifold is replaced by a discrete Hopf grid plus a learned Kähler potential. The implementation surface is small:

```
# moebius/kahler_index.py
import numpy as np

PHI = (1 + 5**0.5) / 2      # 1.6180339887
ALPHA = 0.743                # trust floor (system constant)

def hopf_embed(theta, phi, psi):
    """S^3 ⊂ ℂ²; Hopf coordinates → (z1, z2)."""
    z1 = np.cos(theta/2) * np.exp(1j * (psi + phi) / 2)
    z2 = np.sin(theta/2) * np.exp(1j * (psi - phi) / 2)
    return z1, z2

def kahler_potential(z, K_params):
    """Pluri-subharmonic real scalar K(z, z̄).
Default: Fubini–Study on ℂP^n."""
    return np.log(1 + np.sum(np.abs(z)**2, axis=-1))
```

```
def metric_g_ij(K, z, eps=1e-5):
    """g_{i j} = ∂²K / (∂zⁱ ∂z̄ʲ) by finite
difference."""
    n = z.shape[-1]
    g = np.zeros((n, n), dtype=complex)
    for i in range(n):
        for j in range(n):
            dz = np.zeros(n, dtype=complex); dz[i] =
eps
            dzb = np.zeros(n, dtype=complex); dzb[j]
= eps
            g[i, j] = (K(z + dz + dzb.conj()) - K(z
+ dz)
                       - K(z + dzb.conj()) + K(z)) /
(eps * eps)
    return g

def coherence_score(z_query, z_doc, K):
    """ω_weighted similarity, floored at α."""
    g = metric_g_ij(K, (z_query + z_doc) / 2)
    raw = np.real(np.vdot(z_query, g @ z_doc))
    return max(raw / (np.linalg.norm(z_query) *
np.linalg.norm(z_doc)), ALPHA)
```

Indexing then proceeds in three layers: (a) every document is embedded as a point on a fixed-resolution Hopf grid; (b) the Kähler potential K is learned from co-occurrence/edit history; (c) retrieval is a nearest-geodesic search using `coherence_score`, with results never falling below α=0.743.

1.6 Mapping to the Möbii³us system constants (user-supplied)

These are user-defined design conventions of the Möbii³us specification — they assign roles inside the implementation, not externally verifiable mathematical identities.

Constant	Role assigned in the indexer
α = 0.743	Coherence floor on retrieval scores; results below α are not surfaced
φ = 1.6180…	Aspect-ratio used to pack Hopf cells: each refinement subdivides the ψ axis by φ for golden-angle distribution along the spiral
42-face mesh	The macro-coarsening of S^2 used as the top-level Hopf base — a 42-face polyhedron (e.g. Goldberg G(2,1)) gives near-uniform sampling
192 facets	42 base faces × ~4.57 ≈ 192 = the next refinement level used as the default working resolution; 192 = $2^6 \cdot 3$ batches cleanly for SIMD
λ = 8009 / 8011 Hz twin-prime carriers	Sample-rate / heartbeat pair for streaming index updates: 8009 and 8011 are real twin primes, used as offset carriers so the two streams never alias
MCP ports 8009–8016	Eight services bind to ports anchored at the carrier number — see §3.3

OBJECTIVE 2 — NAMECHEAP AFFILIATE SCHEMA FOR SYSTEM SUSTAINABILITY

2.1 Current Namecheap commission structure (confirmed from Namecheap KB article 9933, last modified 2025-02-12)

Product	Commission on first sale to a new customer
Domains (registrations/transfers)	**20%**
Hosting packages (Stellar shared, Reseller, VPS, Dedicated)	**35%**
SSL certificates	**35%**
Private Email	**20%**
PremiumDNS	**20%**
FastVPN — 1-month plan	**100% on first purchase, 53% on next 6 renewals**
FastVPN — 1-year plan	**53%**
RelateSocial — 1-month	50% first purchase, 25% on next 11 renewals
RelateSocial — 1-year	30%
EasyWP	Separate bonus structure (see EasyWP affiliate page)

Other terms (from Namecheap Affiliate Program Agreement):

- **Cookie / attribution window: 30 days** from first click.
- **First-purchase only** for most products; no recurring affiliate commission on later renewals (FastVPN/RelateSocial are exceptions).
- Commissions paid **30 days from the end of the month** in which the purchase occurred.

- Lower rates apply to coupon, cashback, loyalty, and sub-affiliate sites.
- **Non-commissionable**: Apps (except FastVPN and RelateSocial), Namecheap Market, premium domains, hosting add-ons.
- Two networks: Namecheap has migrated the primary program to **Impact (Impact Radius)**; CJ (Commission Junction) and ShareASale remain available. New publishers should sign up via Impact.

2.2 Integration across the eight Möbii³us domains

Domain	Functional role (Möbii³us spec)	Affiliate placement strategy
doinbetter.com	Community / growth anchor	Top-level "Start your project" funnel → domain search widget (20%) and Stellar hosting (35%)
doinbetter.org	Operational ledger	Footer disclosures + dev-ops content with VPS / Reseller links (35%)
heymico.com	Voice / HMI interface	Email-centric: Private Email (20%) and SSL (35%) for voice-agent operators
heymico.org	Micro-ops / sensors	Lightweight PremiumDNS (20%) and Supersonic CDN for IoT endpoints

Domain	Functional role (Möbii³us spec)	Affiliate placement strategy
timmyu.in	Personal identity / profile	"Claim your name" → domain search widget; SSL upsell at checkout
ahig.xyz	Autonomous harvest / integration	API-user audience → VPS / Dedicated server links (35%) and Reseller hosting
tailly.cc	Telemetry / inference	Behind login: FastVPN (53–100%) cross-sell to data-hygiene users
winxm.art	Creative / visualization	Portfolio-hosting funnel: EasyWP + SSL

Tracking implementation:

- One Impact `irclickid` per landing page, plus a per-domain `sub_id` (e.g. `?irclickid=…&sub1=doinbetter-com&sub2=hero-cta`) so revenue can be attributed back to which Möbii³us domain produced the click.
- Embed the **Namecheap Affiliate Domain Search Widget** on the three domains whose user intent is "I want a new domain" (doinbetter.com, timmyu.in, heymico.com). The widget submits searches directly to Namecheap with the affiliate ID applied.
- Cookie window is only 30 days, so the funnel should aim for same-session conversion.

2.3 Revenue projection model — $3,000–$5,000/month target

> Monthly revenue = Visitors × CTR × Conv × Avg commission per conversion

Realistic per-sale economics (blended product mix):

Product mix	Typical first-sale value	Commission	Avg commission
.com domain registration	$10–14	20%	~$2.20
Stellar shared hosting (1 yr)	$30–60	35%	~$11–21
VPS hosting (1 yr)	$80–130	35%	~$28–46
SSL certificate (1 yr)	$10–80	35%	~$3.50–28
FastVPN 1-year	~$60	53%	~$32
Blended average	—	—	**~$10–15 per converted referral**

(HostAdvice 2026 review: realistic Namecheap-only earnings sit in the $300–$1,500/month band.)

Scenarios to reach $5,000/month:

Scenario	Visitors/mo	CTR	Conv.	Avg comm.	Monthly $
Conservative	50,000	4%	2%	$12	$480
Realistic	100,000	6%	3%	$13	$2,340
Optimistic (VPS skew)	80,000	8%	4%	$20	$5,120
Mature funnel + Reseller hosting	60,000	8%	5%	$25	$6,000

Takeaway: Pure first-sale Namecheap affiliate is unlikely to hit $5k/month alone in 90 days. The schema **must** combine: (a) Namecheap Reseller hosting (you become the host, billing your own clients), (b) MCP API subscriptions, and (c) consulting / one-time deployment fees. Affiliate is the long-tail residual layer, not the primary revenue driver.

2.4 WHMCS Reseller hosting as a margin layer

Namecheap offers Reseller Hosting plans you buy at wholesale and resell. Combined with **WHMCS** (the standard hosting-business billing platform — Namecheap publishes a WHMCS module for SSL provisioning), you build a micro-hosting brand. Typical margin:

- Wholesale Reseller plan: ~$20–40/month for the underlying cPanel + WHM.
- Resell 20 sites at $8–15/month each → $160–300 gross.
- Net margin per reseller plan: **$120–250/month recurring** — fundamentally better economics than first-sale affiliate.

Two reseller plans saturating to 40 clients ≈ $300–500/month recurring.

2.5 Complementary affiliate programs that pair well

- **HostAdvice partner program** — up to ~$200/sale, useful for editorial/review content on doinbetter.com.
- **Cloudflare Partner / SSL resellers** — pairs with the heymico.org sensors story.
- **Domain parking** (Sedo, Bodis, ParkingCrew) — passive revenue on any of the eight domains while traffic ramps.
- **DigitalOcean referral program** — $200 credit each side; on-brand because Möbii³us already runs on DO (159.203.18.124).

2.6 Affiliate-as-MCP-tool endpoint pattern

```
from fastmcp import FastMCP
import os, urllib.parse, httpx

mcp = FastMCP("moebius-domains")
AFFILIATE_ID = os.environ["NAMECHEAP_IMPACT_ID"]

@mcp.tool
async def domain_check(domain: str, sub1: str =
"mcp") -> dict:
    """Check availability and return an affiliate-
tracked purchase link."""
    async with httpx.AsyncClient(timeout=8) as c:
        r = await
c.get(f"https://rdap.org/domain/{domain}")
        available = (r.status_code == 404)
    base =
"https://www.namecheap.com/domains/registration/resu
lts/"
    qs = urllib.parse.urlencode({"domain": domain})
```

```
    raw_url = f"{base}?{qs}"
    affiliate_url = (

f"https://namecheap.pxf.io/c/{AFFILIATE_ID}/1234567/
" +
        urllib.parse.quote(raw_url, safe="") +
        f"?subId1={sub1}"
    )
    return {
        "domain": domain,
        "available": available,
        "register_url": affiliate_url,
        "disclosure": "Affiliate link — Möbii³us
earns commission on purchases."
    }
```

The same pattern wraps `hosting_recommend`, `ssl_issue`, `vpn_signup`, and `easywp_provision`. Every result object carries the FTC-mandated disclosure inline so downstream LLM clients render it next to the link.

2.7 Compliance: FTC affiliate disclosure (2023 revised Endorsement Guides + 2024 Reviews Rule)

The FTC's 2023 revisions and 2024 Consumer Reviews & Testimonials Rule make affiliate disclosure non-optional, with potential civil penalties up to **$50,120 per violation**.

- **Clear and conspicuous, close to the link** — not buried in a footer, not relying on platform labels alone.
- **Plain language** — "I earn a commission from purchases made through this link" beats "affiliate" jargon.
- **Every instance** — once-per-page for static blogs; for streaming/chat output, repeat the disclosure each time a link appears.

- **Honest review** — endorsement must reflect real opinion; misleading claims independently actionable.
- The 2024 rule bans AI-generated fake reviews, so the MCP must never auto-generate testimonials it cannot trace to a real user.

The MCP tool above bakes the disclosure into the response payload so it travels with the link.

OBJECTIVE 3 — MCP API SERVICE NEEDS POPULATION

3.1 Standard MCP architecture (confirmed against the spec)

MCP (Model Context Protocol, Anthropic, Nov 2024) is a JSON-RPC bidirectional client–server protocol. The **server** exposes three primitives:

- **Tools** — callable functions ("create_user", "domain_check"). Invoked by the model. Schema, input validation, JSON outputs.
- **Resources** — read-only data endpoints addressed by URI ("data://users", "tofar://ledger/2026-05"). Application-controlled context.
- **Prompts** — parameterized prompt templates surfaced to the user/model ("burn_protocol_v1").

The **client** exposes:

- **Sampling** — server can ask the client's LLM to complete a sub-prompt, keeping the server model-agnostic.
- **Roots** — filesystem/URI boundaries.

- **Elicitation** — server can ask the user for input mid-flow.

Capability negotiation occurs during the three-phase lifecycle (initialize → operate → terminate). Note: a recent security analysis (arXiv 2601.17549) flags that capability declarations are self-asserted, sampling lacks origin authentication, and trust propagates implicitly across multi-server setups — the Möbii³us "Seven Gates" ethics layer is one mitigation.

3.2 FastMCP Python implementation pattern

FastMCP (v3.0, stable Jan 2026) is the de facto Python framework. Minimum viable server:

```
from fastmcp import FastMCP
mcp = FastMCP("moebius-core")

@mcp.tool
def cred_mint(recipient: str, amount: float, reason:
str) -> dict:
    """Mint CRED tokens; append to TOFAR ledger."""
    ...

@mcp.resource("tofar://ledger/{month}")
def tofar_read(month: str) -> dict:
    """Read append-only operational ledger for a
month."""
    ...

@mcp.prompt
def burn_protocol(skill_name: str, payload: str) ->
str:
    """Render a burn-protocol skill-slot
definition."""
    ...

if __name__ == "__main__":
```

```
    mcp.run(transport="http", host="0.0.0.0",
port=8009)
```

FastMCP decorator-registration cuts boilerplate ~5× vs raw SDK; the MCP Inspector at `fastmcp dev` provides a web UI for testing before deployment. The whole codebase is intended to live at **github.com/git4emet/doinbetter** as the canonical monorepo (one package per port).

3.3 Service mesh: one MCP server per domain, port mapping 8009–8016

8009 and 8011 are real twin primes (the next twin-prime pair is 8087/8089), so they sit cleanly inside the 8000–8099 dev range without colliding with common services.

Port	Domain	MCP server role	Headline tools
8009	doinbetter.com	Community / growth anchor	`signup`, `cohort_assign`, `referral_track`, `domain_check` (affiliate)
8010	doinbetter.org	Operational ledger	`tofar_append`, `tofar_query`, `incident_log`, `budget_check`
8011	heymico.com	Voice / HMI	`tts_synth`, `asr_transcribe`, `voice_route`, `email_provision` (affiliate)

Port	Domain	MCP server role	Headline tools
8012	heymico.org	Micro-ops / sensors	`sensor_poll`, `cdn_purge`, `dns_record`, `alert_dispatch`
8013	timmyu.in	Personal identity / profile	`profile_get`, `claim_handle`, `domain_check` (affiliate), `ssl_issue`
8014	ahig.xyz	Autonomous harvest / integration	`crawl_schedule`, `etl_run`, `vps_recommend` (affiliate), `webhook_register`
8015	tailly.cc	Telemetry / inference	`metric_ingest`, `query_anomaly`, `model_run` (sampling), `vpn_signup` (affiliate)
8016	winxm.art	Creative / visualization	`render_scene`, `palette_pick`, `easywp_provision` (affiliate), `portfolio_publish`

All servers register against a central **catalog resource** at `mcp://moebius/registry`, so a client connecting to any one server can discover the others. The DNS/SSL plane for the eight domains is split between **server143.web-hosting.com**

(Namecheap Stellar shared hosting for static landing pages and the WHMCS billing portal) and the **DigitalOcean droplet 159.203.18.124** (FastMCP servers, n8n, TOFAR Postgres, Redis).

3.4 INNER → INTRA → INTER trust gradient

- **INNER (TOFAR)** is implemented as an **append-only resource** behind authentication. URI `tofar://ledger/...`. Reads are MCP resources; writes are MCP tools (`tofar_append`) that the Seven Gates authorize.
- **INTRA** is the FastMCP layer itself — tools are deterministic, side-effects audited.
- **INTER** is the HTTP transport plus the eight public domains; the only thing crossing the boundary is signed JSON.

3.5 Multi-LLM Platform Mesh (Möbii³us role assignment)

The system spec splits cognitive labour across five LLM platforms. This is *not* MCP federation in the spec sense — each platform connects as an independent MCP **client** to the Möbii³us servers, but they have differentiated roles inside the workflow:

Platform	System role	What it calls on the MCP mesh
DeepSeek (OmegaForge)	Heavy synthesis / code generation forge — long-context refactors, large patch generation	`crawl_schedule`, `etl_run`, `model_run` on ahig.xyz:8014 + tailly.cc:8015; commits land in `git4emet/doinbetter` via webhook
ChatGPT (Travel TOFAR)	Mobile / on-the-go ledger interaction — captures field notes, voice logs, receipts when operator is away from desk	`tofar_append`, `incident_log` on doinbetter.org:8010; `asr_transcribe` on heymico.com:8011
Grok (simplyBuddy)	Conversational front-door, real-time social signal, contrarian critique	`signup`, `referral_track` on doinbetter.com:8009; surfaces affiliate `domain_check` results to public conversations
Gemini (synthesis)	Multi-modal synthesis — diagrams, image analysis,	`render_scene` on winxm.art:8016; `query_anomaly` on tailly.cc:8015

Platform	System role	What it calls on the MCP mesh
	cross-doc summarization	
Claude (INTRA kernel)	The trusted intra-layer kernel — owns sensitive tool calls, Seven Gates evaluation, CRED minting, TOFAR signing	Full call surface incl. `cred_mint`, `tofar_append`, `kahler_indexer` retrieval; lower-trust platforms route mutating calls *through* Claude rather than calling the kernel directly

Practically, this is enforced by **per-client capability tokens**: each platform's MCP client carries a JWT whose `scope` claim restricts which tools it may invoke. The Seven Gates check the token before any side-effecting call.

3.6 Authentication / authorization — the Seven Gates pattern

The MCP spec leaves auth to the host. A practical implementation uses FastMCP middleware to enforce a seven-step pipeline on every tool call:

1. **Identity** (OAuth/JWT, platform claim from §3.5)
2. **Capability** (does this client hold the declared capability?)
3. **Rate limit** (per-user, per-tool)
4. **Coherence floor** — score the request against α=0.743 using the Kähler indexer; below floor, soft-reject
5. **Side-effect class** (read-only vs. mutating vs. financial — financial requires step 6)

6. **Append to TOFAR** with cryptographic chain
7. **Emit observability event** to tailly.cc port 8015

This is also a mitigation against the MCP spec security gaps identified in arXiv 2601.17549.

3.7 TOFAR append-only ledger as an MCP resource

```
@mcp.resource("tofar://ledger/{year}/{month}")
def tofar_month(year: str, month: str) -> dict:
    rows = db.execute(
        "SELECT seq, ts, actor, action,
payload_hash, prev_hash, sig "
        "FROM tofar WHERE strftime('%Y-%m', ts)=?
ORDER BY seq",
        (f"{year}-{month}",)).fetchall()
    return {"month": f"{year}-{month}", "rows":
rows}

@mcp.tool
def tofar_append(actor: str, action: str, payload:
dict) -> dict:
    """Append-only; tamper-evident via Merkle
chain."""
    prev = db.execute("SELECT payload_hash FROM
tofar ORDER BY seq DESC LIMIT 1").fetchone()
    ph = sha256(canonical_json(payload))
    sig = ed25519_sign(SK, ph + (prev[0] if prev
else b"\x00"*32))
    db.execute("INSERT INTO tofar(ts, actor, action,
payload_hash, prev_hash, sig) "
               "VALUES(?,?,?,?,?,?)",
               (utcnow(), actor, action, ph, prev[0]
if prev else None, sig))
    return {"ok": True, "hash": ph.hex()}
```

3.8 CRED minting tool

```
@mcp.tool
def cred_mint(recipient: str, amount: float, reason:
str, ctx) -> dict:
    """Mint CRED (micro-economy token); rate-
limited; logged to TOFAR."""
    if amount <= 0 or amount > 1000:
        raise ValueError("amount out of policy
bounds")
    if not seven_gates(ctx, action="mint",
value=amount):
        raise PermissionError("Seven Gates denied")
    tofar_append(ctx.user, "cred_mint",
                 {"recipient": recipient, "amount":
amount, "reason": reason})
    balances[recipient] = balances.get(recipient,
0.0) + amount
    return {"recipient": recipient, "new_balance":
balances[recipient]}
```

3.9 n8n workflow integration

n8n on the DigitalOcean droplet (159.203.18.124:5678) acts as the **event-driven orchestrator** between MCP servers and external services. The pattern:

- n8n holds the *long-running* / *scheduled* / *cross-server* workflows.
- Each n8n node calls one MCP tool via the HTTP transport (`POST http://localhost:8ONN/mcp`).
- TOFAR appends happen synchronously; CRED minting is gated.
- n8n's Webhook node accepts inbound triggers from each of the eight public domains (Cloudflare → DO → n8n → MCP).
- A dedicated n8n flow watches GitHub `git4emet/doinbetter` for pushes to `main` and triggers a

coordinated re-deploy across ports 8009–8016.

Example workflow: "domain_check → if available → email user via heymico.com:8011 → schedule follow-up tofar_append after 7 days → if user buys, mint CRED on doinbetter.com:8009."

OBJECTIVE 4 — FAMILY SUSTAINABILITY MODEL

4.1 Monthly operating costs (sourced)

Item	Cost	Source
DigitalOcean Basic Droplet, 2 vCPU / 4 GiB / 25 GB SSD / 4 TB transfer	**$24/month** (per-second billed since Jan 1, 2026; monthly cap = 672h)	DigitalOcean pricing / Fluence 2026
Or premium 1 GB Droplet	$7/month	DigitalOcean blog 2026
cPanel shared hosting (server143.web-hosting.com, Namecheap Stellar Plus)	~$5–10/month	Namecheap published rate
Domain renewals — 8 domains × ~$10–15 avg/yr	~$10/month amortized	Namecheap typical TLD rates
Namecheap Reseller hosting (optional	~$20–40/month	Namecheap Reseller plans

Item	Cost	Source
revenue layer)		
SSL — Let's Encrypt	$0	LE
Email — Private Email basic or Cloudflare	~$10/month	Namecheap Private Email

Baseline monthly opex: ~$55–95/month. Adding the Reseller plan pushes it to ~$95–135/month. This is the break-even hurdle.

4.2 Revenue stack (multi-channel, ranked by realism)

Channel	90-day realistic monthly run-rate	Notes
Consulting / deployment fees (MCP integration work)	$1,500–4,000	Highest-probability, lowest-volume; 1–2 engagements/mo at $1.5–4k
Namecheap Reseller hosting (recurring)	$150–500	Compounds; takes 2–3 months to fill
MCP API subscriptions (Möbii³us core, paid tier)	$0–800	Speculative until product/market fit
Namecheap affiliate (first-sale)	$200–1,500	Per HostAdvice 2026 realistic range; needs

Channel	90-day realistic monthly run-rate	Notes
		traffic
Complementary affiliates (HostAdvice, DO referral)	$50–400	Tail
Domain parking on 8 domains	$5–50	Small but free
NASA Space-to-Soil Phase 1 finalist payment	$5,000 one-shot if selected	See 4.4
AET geotechnical field data licensing (user-claimed)	not externally verified — treat as TBD	Pursue but don't budget on it

4.3 Content monetization attached to the 8-domain ecosystem

Beyond affiliate links, each domain supports a distinct content product. These are the slower-burn revenue layers that compound after the affiliate flywheel is spinning:

Domain	Content product	Revenue mechanism
doinbetter.com	"How I built X with MCP" tutorial library	Free → email list → paid course ($99–

Domain	Content product	Revenue mechanism
		199) + affiliate within tutorials
doinbetter.org	Public TOFAR change-log + post-mortems	Trust signal that converts to consulting; sponsored placements from hosting/dev tools
heymico.com	Voice/HMI demos and prompt packs	Pay-per-pack ($5–20) + email/SSL affiliate
heymico.org	IoT/sensor cookbook	Hardware affiliate (Amazon/Adafruit) + CDN/DNS affiliate
timmyu.in	Personal handle + résumé/proof-of-work	Inbound consulting lead-gen + domain/SSL affiliate when visitors claim their own handle
ahig.xyz	B2B integration case studies	Lead magnet for enterprise consulting ($5k–25k engagements)
tailly.cc	Telemetry/observability templates + dashboards	Paid Grafana/observability templates ($29–99) + FastVPN affiliate cross-sell

Domain	Content product	Revenue mechanism
winxm.art	Generative art + design assets	Marketplace fees, print-on-demand, EasyWP portfolio affiliate

The unifying principle: every domain is a **content surface that produces affiliate links naturally** via the MCP `domain_check` / `hosting_recommend` / etc. tools — affiliate placement is not a banner ad, it is the natural conclusion of the helpful action the site provides.

4.4 NASA Space-to-Soil Challenge — verified facts

Confirmed against the NASA prizes & challenges page and the official site nasa-space-to-soil.org:

- **Total prize pool: $400,000.**
- **Challenge Open Date: January 30, 2026.**
- **Submission Close Date: May 4, 2026.**
- Sponsor: NASA Earth Science Technology Office (ESTO). VGTel Inc
- Phase structure: Up to **10 Finalists** each receive **$5,000** and invitation to in-person Pitch Event; up to **3 Winners receive $100,000 each** + Incubator Program; up to **2 Runners-Up receive $25,000 each**.
- Submission format: 5-page paper, 3-minute pitch video, software code or hardware schematics.
- Theme: SmallSat onboard adaptive sensing / processing for regenerative agriculture, sustainable forestry, land resilience. VGTel Inc
- Phase 3 Demo Day at IGARSS 2026. Nasa-space-to-soil

Implication for Möbii³us: The May 4, 2026 deadline has already passed at the date of this report (current date: May 13, 2026). For this cycle, realistic injection is only a finalist or winner payout that has already accrued from a submitted entry. The next inflection points are the finalist announcement and pitch event. Treat as **conditional, not budgeted**.

4.5 Break-even and the path to $5,000/month

Conservative 90-day plan:

Day	Milestone	Cumulative monthly run-rate
0–14	Stand up FastMCP on DO; deploy 8 domains; sign Namecheap Impact + DO referral; FTC disclosures live; `git4emet/doinbetter` initial release tagged	$0 → $50
15–30	Land first consulting engagement (MCP-for-X for a friendly business)	$1,500
31–45	Open Namecheap Reseller; migrate 5 clients	$1,800
46–60	Affiliate widget live on doinbetter.com + timmyu.in; first MCP subscriber	$2,500
61–75	Second consulting engagement; reseller scales to 15 sites	$3,800
76–90	Affiliate residuals + reseller margin + 2nd subscription tier	**$4,800–5,200**

The math is dominated by consulting at the start and converts to recurring (reseller + subs) by day 90. Affiliate is the long-tail flywheel that keeps growing after.

4.6 Risk factors (honest)

- **Affiliate is first-sale only** for Namecheap's main products — no recurring commissions on renewals (except FastVPN/RelateSocial). Traffic must be continuously refilled.
- **30-day cookie window** is short; on-site conversion design matters more than retargeting.
- **Coupon/cashback rate reductions** apply if any of the eight domains appears coupon-themed — Möbii³us must position as editorial / tool, not coupon.
- **MCP security model** is still maturing; an Impact-level reputational incident or a tool-injection exploit could pause monetization.
- **NASA Space-to-Soil 2026 cycle is past deadline** (May 4) — don't bake the prize into the cash plan.
- **AET licensing** is unverified externally; pursue but do not budget on.
- **Single operator risk** — illness, burnout. Consulting capacity is the bottleneck.
- **Cross-platform LLM dependency** — DeepSeek, ChatGPT, Grok, Gemini, Claude each have their own ToS that may restrict commercial MCP usage; verify each provider's terms before exposing the kernel to a paying customer's data.

OBJECTIVE 5 — UNIFIED SYNTHESIS

5.1 How the four objectives fit together

1. The **Kähler spiral indexer** is the search/retrieval engine inside every MCP server. When a client asks any of the eight Möbii³us servers for content (skills, prior incidents, similar projects), the server projects the query onto the Hopf grid, scores against the Kähler potential learned from TOFAR history, and returns results above the α=0.743 coherence floor. Same engine at every domain; only the seed corpus differs.

2. The **Namecheap affiliate schema** is not a separate website — it is a *set of MCP tools* (`domain_check`, `hosting_recommend`, `ssl_issue`, `vpn_signup`, `easywp_provision`). When any of the five connected LLM clients (DeepSeek/ChatGPT/Grok/Gemini/Claude) calls one of these tools during a natural conversation, the response payload contains both useful information and an FTC-compliant affiliate link. Revenue happens inside the conversation, not on a banner.

3. The **eight-domain service mesh** multiplies surface area: each domain reaches a different audience (community, voice, identity, ops, telemetry, art, sensors, ledger) and each routes back to the same MCP toolset. Affiliate placement is differentiated by domain-native intent, so the same affiliate ID earns across eight non-overlapping funnels. Content monetization stacks on top: tutorials, templates, packs, case studies.

4. The **multi-LLM platform mesh** (DeepSeek/ChatGPT/Grok/Gemini/Claude) distributes cognitive load so no single provider becomes a bottleneck — Claude as the trusted kernel routes side-effecting calls, while the other platforms handle synthesis, mobile capture, social front-door, and multi-modal work. The codebase lives

at **github.com/git4emet/doinbetter** and is the single deployable artifact for all eight ports.

5. The **90-day revenue roadmap** is consulting-led, reseller-backed, affiliate-residual. NASA prize and AET licensing are optional accelerants, not the spine.

5.2 Skill-slot definitions (burn protocol format)

```
SKILL-SLOT :: kahler_indexer
  trust_floor   : 0.743
  primitives    : hopf_embed, kahler_potential,
metric_g_ij, coherence_score
  resolution    : 192 facets default, refinable by φ
  storage       : tofar://index/kahler/{shard}
  port          : co-located in each MCP server
(8009–8016)
  burn_seq      : init→learn_K→build_grid→serve

SKILL-SLOT :: namecheap_affiliate
  network       : Impact Radius (primary), CJ,
ShareASale
  rates         : domains 20%, hosting 35%, ssl 35%,
email 20%, vpn 53–100%
  window        : 30 days
  tools_exposed : domain_check, hosting_recommend,
ssl_issue, vpn_signup, easywp_provision
  disclosure    : inline, every payload
  burn_seq      : sign→link→track→disclose→pay

SKILL-SLOT :: tofar_ledger
  type          : append-only, hash-chained,
ed25519-signed
  resource_uri  : tofar://ledger/{year}/{month}
  write_tool    : tofar_append (Seven Gates
required)
  retention     : permanent
  burn_seq      : sign→hash→chain→append→emit
```

```
SKILL-SLOT :: cred_mint
  scope         : recipient, amount (≤1000), reason
  gating        : Seven Gates layer
  audit         : every mint -> tofar_append
  policy        : non-transferable in v1
  burn_seq      : gate→mint→log→notify

SKILL-SLOT :: seven_gates
  steps         : identity, capability, rate,
coherence, sideeffect, audit, observe
  coherence_in  : kahler_indexer.coherence_score
  observability : tailly.cc:8015
  burn_seq      :
id→cap→rate→cohere→class→log→emit

SKILL-SLOT :: mcp_service_mesh
  servers       : 8 (doinbetter.com .org,
heymico.com .org, timmyu.in, ahig.xyz, tailly.cc,
winxm.art)
  ports         : 8009–8016 (anchored on 8009/8011
twin-prime carriers)
  registry      : mcp://moebius/registry
  transport     : http+sse (FastMCP)
  hosting_split : DO 159.203.18.124 (runtime) +
server143.web-hosting.com (static + WHMCS)
  repo          : github.com/git4emet/doinbetter
  burn_seq      :
boot→register→advertise→serve→heartbeat

SKILL-SLOT :: platform_mesh
  clients       : DeepSeek (OmegaForge), ChatGPT
(Travel TOFAR), Grok (simplyBuddy),
                  Gemini (synthesis), Claude (INTRA
kernel)
  trust_layer   : Claude = kernel; others route
mutating calls through Claude
  scoping       : per-client JWT with scope claim →
Seven Gates step 2
```

```
  burn_seq      : auth→scope→route→sample→commit

SKILL-SLOT :: n8n_orchestrator
  host          : DO droplet 159.203.18.124:5678
  triggers      : webhooks from 8 domains, cron,
mcp-tool-callable, github push to
git4emet/doinbetter
  pattern       : event → mcp tool → tofar_append
→ optional cred_mint
  burn_seq      : trigger→route→call→log→reply

SKILL-SLOT :: revenue_funnel
  channels      : consulting, reseller_hosting,
mcp_subscriptions, namecheap_affiliate,
                  content_products
(tutorials/packs/templates), parking
  target_d90    : $5,000/month
  break_even    : ~$95/month opex
  reporting     : weekly P&L → tofar://ledger
  burn_seq      :
land→deliver→recur→compound→report
```

5.3 90-day execution sequence

Day 0–14: Stand up FastMCP servers on DO droplet 159.203.18.124, bind ports 8009–8016, wire each to its public domain via Cloudflare. Static landing pages and WHMCS billing portal on server143.web-hosting.com. Initial commit + release tag at github.com/git4emet/doinbetter. Sign Namecheap Impact and DigitalOcean referral. Deploy FTC disclosure component on every domain. Wire all five LLM platforms (DeepSeek, ChatGPT, Grok, Gemini, Claude) as MCP clients with scoped JWTs.

Day 15–30: Implement Kähler indexer module; seed TOFAR with project history; close first consulting engagement at $1.5–3k. ChatGPT handles mobile field-note capture into TOFAR; Claude handles sensitive kernel calls.

Day 31–45: Launch Namecheap Reseller via WHMCS; migrate first batch of clients (friends, prior contacts). First affiliate widgets go live on doinbetter.com and timmyu.in. Enable n8n flows for follow-up sequences. Grok posts excerpts/teasers from new content to social, routing back to MCP endpoints.

Day 46–60: Publish editorial content on doinbetter.com using the MCP `domain_check` tool to embed live affiliate links. Open MCP API paid tier ($19/mo hobbyist, $99/mo pro). DeepSeek/OmegaForge starts auto-generating PR drafts for the git4emet/doinbetter monorepo. Second consulting engagement.

Day 61–75: Reseller fills to 15+ sites. Affiliate residuals stable. Gemini synthesizes monthly diagrams + report for winxm.art and tailly.cc dashboards. Start case-study posts for ahig.xyz (B2B integrations) — sets up next consulting wave.

Day 76–90: Run break-even check; if monthly run-rate ≥ $5k for the trailing 30 days, declare Phase 1 stable and shift focus to product (the Möbii³us MCP open-source kernel itself, which becomes the long-term moat).

5.4 One-line summary

A Kähler-weave search core sits inside an eight-port FastMCP service mesh hosted on github.com/git4emet/doinbetter; five LLM platforms (DeepSeek/ChatGPT/Grok/Gemini/Claude) connect as scoped clients with Claude as the trusted kernel; every domain offers the same affiliate tools wrapped in FTC-compliant payloads; consulting front-loads cash while reseller hosting, content products, and affiliate residuals compound toward a $5,000/month family floor by day 90, with

NASA Space-to-Soil and other one-shots as optional upside, not as baseline budget.