Möbii³us distributed domain infrastructure: a full audit

The entire infrastructure needs to be built from scratch. The GitHub repo `git4emet/doinbetter` does not exist, none of the eight domains have indexable public content, and the affiliate/auto-linking layer is entirely conceptual at this point. The good news: the domain portfolio is registered, the hosting target (server143.web-hosting.com) is a viable Namecheap cPanel environment, and the architecture below provides a concrete blueprint to go from zero to fully wired across all eight domains with cross-domain affiliate linking, automated deployment, and a centralized content management strategy.

---

1. GitHub: everything must be created from zero

The user profile `git4emet` either does not exist publicly or has zero visible activity. Searching GitHub for "git4emet" and attempting to fetch `github.com/git4emet` and `github.com/git4emet/doinbetter` directly all returned nothing. No forks, mirrors, or archived versions exist anywhere. The repository, the user account, and the entire CI/CD pipeline need to be initialized.

The recommended structure is a monorepo, not submodules. Research consensus across Netlify docs, Vercel community patterns, and real-world multi-site repos (factly/dega-themes, quipper/monorepo-deploy-actions) strongly favors a monorepo when a single person or small team manages tightly-related sites. Submodules introduce painful sync errors, two-step commits, and complex CI without meaningful benefit at this scale. Timhutt Medium

```
git4emet/doinbetter/
├── .github/workflows/          # Per-site
deploy YAMLs + deploy-all.yml
├── sites/
│   ├── doinbetter.com/         # Each domain
= one directory
│   ├── doinbetter.org/
│   ├── heymico.com/
│   ├── heymico.org/
│   ├── winxm.art/
│   ├── tailly.cc/
│   ├── ahig.xyz/
│   └── timmyu.in/
├── shared/
│   ├── components/             # Reusable
nav, footer, disclosure banner
│   ├── styles/                 # CSS
variables, reset, base
│   ├── assets/                 # Fonts,
icons, brand images
│   └── config/site-registry.json   # Central
domain metadata
├── scripts/                    # deploy.sh,
sync-shared.sh, build-all.sh
```

```
└── docs/                          # ARCHITECTURE.md, DEPLOYMENT.md
```

Each workflow YAML uses **path-filtered triggers** so only the affected site rebuilds on push. Changes to `shared/` trigger all workflows. Medium The `site-registry.json` file acts as the single source of truth for domain metadata, hosting targets, and affiliate IDs. GitHub Actions deploy to Netlify, Vercel, or Cloudflare Pages via per-site secrets — or to Namecheap cPanel via FTP/SSH deploy actions for sites requiring PHP backends. LogRocket

---

2. Domain portfolio: registered but invisible, DNS needs verification

All eight domains returned **zero indexed content** in web searches and zero cached WHOIS records in public lookup tools. This indicates either brand-new registrations, privacy-protected WHOIS (Namecheap includes free WhoisGuard on all domains), Namecheap or domains pointing to empty document roots on the server. None appear to serve live content visible to search engines.

Expected Namecheap cPanel configuration for all domains pointing to server143.web-hosting.com:

Domain	Reported Status	Likely DNS State
doinbetter.com	LIVE	Nameservers set to `dns1.namecheaphosting.com` / `dns2.namecheaphosting.com`
doinbetter.org	LIVE	Same — addon domain in cPanel, document root exists
heymico.com	PENDING	Likely still on default registrar nameservers (`dns1.registrar-servers.com`)
heymico.org	PENDING	Same — needs nameserver switch or A record pointing to server143 IP
winxm.art	LIVE	Configured as addon domain; .art TLD supports Namecheap hosting NS
tailly.cc	LIVE	.cc TLD (Verisign) — configured as addon domain
ahig.xyz	PENDING	Needs NS change from registrar defaults to hosting NS
timmyu.in	LIVE	.in TLD (NIXI) — configured as addon domain

Immediate action items for PENDING domains: Log into Namecheap dashboard → Domain List → Manage → change Nameservers from "Namecheap BasicDNS" to "Namecheap Web Hosting DNS." Then in cPanel, add each as an addon domain via Domains → Add Domain. Allow **24 hours** for propagation, NTC Hosting +2 then verify with `whatsmydns.net`. For LIVE domains, verify SSL certificates are active and each domain's document root contains at least a placeholder `index.html`.

A **hybrid hosting strategy** is recommended: use Namecheap shared hosting for domains needing PHP/MySQL (tailly.cc for YOURLS, ahig.xyz for API endpoints, heymico.com for Flarum forum) and **GitHub Pages for pure static sites** (winxm.art portfolio, timmyu.in personal site). GitHub Pages is free, auto-provisions SSL, and deploys on git push — ideal for static content. Dean Attali The two static sites alone save roughly **$4/month** in hosting overhead.

---

3. Affiliate linking: what works, what's prohibited, and how to build the linker

Self-referral is banned everywhere that matters

The concept of a self-referential affiliate chain (buying your own domains through your own Namecheap affiliate link to earn commission) is **explicitly prohibited** by Namecheap, Amazon Associates, and virtually every major affiliate program. Namecheap's terms state: "Purchases made by

affiliates for their own use or benefit are not eligible for affiliate commissions." BlogHeist Amazon's Operating Agreement specifically bans purchases during sessions initiated through your own links. ChurchMag Detection methods include IP matching, payment method correlation, browser fingerprinting, and email matching. Violations result in commission clawback and account termination. Affpilot AI **Do not build infrastructure around self-referral.**

The dynamic linker stack that actually works

The production-ready approach combines three layers:

Layer 1 — Server-side redirect engine (`/go/:slug` pattern): Each domain hosts a PHP or Node.js handler at `/go/` that reads from a centralized `redirects.txt` or database, logs the click (IP, timestamp, referrer, UTMs), sets a first-party tracking cookie, and issues a **302 redirect** (never 301 — 301s permanently redirect in search indexes) to the affiliate destination. This gives full control over tracking and link management. The jdevalk `.htaccess + PHP + CSV` pattern is battle-tested and runs on any shared hosting. github

Layer 2 — Client-side auto-affiliation (affiliate.js): The open-source `affiliate` npm package (v5) uses a MutationObserver to automatically append affiliate parameters to matching outbound links. Affiliate js Deploy it across all domains via CDN with a single `data-auto-affiliate` attribute — no build tools required:

```
<script
  data-auto-affiliate="WHERE amazon.com SET tag
```

```
= YOUR-TAG-20 AND WHERE namecheap.com SET ref =
YOUR-REF"

src="https://cdn.jsdelivr.net/npm/affiliate@5/d
ist/web/affiliate.web.js"
  async id="aff-js">
</script>
```

Layer 3 — Cross-domain UTM persistence: Capture UTM parameters on landing, store in both a first-party cookie and localStorage, then decorate all outbound cross-domain links with those parameters. Waseembashir Mountainise GA4's native cross-domain measurement (using `_gl` parameter) handles analytics unification. Google Support For the custom CRED tracking system, **start with a server-side PostgreSQL ledger**, not blockchain. Smart contract gas costs and protocol complexity are unjustified at this scale. A simple `referrals` table tracking `source_domain`, `dest_domain`, `click_timestamp`, `conversion_value`, and `credited_amount` provides all the attribution a CRED system needs, with optional on-chain migration later.

Commission rates worth targeting

Bluehost pays $65 flat per sale with a 60-day cookie Bluehost HostAdvice — the highest-value hosting affiliate. Namecheap pays **20-50%** (first purchase only, 30-day cookie). BlogHeist Amazon Associates pays **1-10%** depending on category. WP Engine pays **$200+ per sale** with a 180-day cookie. All three consolidate reporting through **Impact Radius**, making multi-program management simpler. Prioritize hosting affiliate links on

content pages where domain/hosting topics naturally arise.

---

4. What each domain should host: the eight-site content map

doinbetter.com / .org — Ecosystem hub

The primary brand site serves as the central navigator. Homepage hero with ecosystem overview, card-based links to all seven other domains, mission statement, project showcase, and blog. The `.org` variant can either 301-redirect to `.com` or serve as a mission/nonprofit-facing mirror. **Stack:** Hugo static site on Namecheap, generating the blog and project pages. **Priority build:** The ecosystem map page — a visual card layout that links every domain with its purpose, acting as the network's table of contents.

heymico.com / .org — Community portal

Personal brand + community coordination. Static HTML portal as the gateway linking to Discord for real-time chat, GitHub for code projects, and Google Calendar for events. For interactive features, **Flarum** (PHP-based, runs on cPanel shared hosting) provides a lightweight forum at `community.heymico.com`. Pages: Welcome, Community Hub, About, Active Projects, Resources/Toolkit, Blog, Join/Contact.

winxm.art — Art portfolio

Minimalist, image-forward portfolio. Gallery organized by thematic series (not chronology), with **10-20 curated pieces maximum** for impact. Pixpa CSS Grid masonry layout, lazy-loaded images, lightbox viewer. About/Artist Statement page, Wix Process page documenting tools and workflow. **Stack:** Static HTML/CSS on GitHub Pages — free hosting, ideal for image-heavy static content. Keep total page weight under 2MB with optimized WebP images. Wix

tailly.cc — Branded URL shortener

Install **YOURLS** (PHP + MySQL, self-hosted, fully runs on Namecheap cPanel) at the domain root. YOURLS provides a management dashboard, click analytics, API for programmatic URL creation, and custom slug support (`tailly.cc/project-name`). Landing page: simple hero with "Tailly — Short Links, Big Ideas" + recent links showcase. This becomes the network's link management utility, creating branded short URLs for all cross-domain referrals.

ahig.xyz — API endpoints and experimental tools

Developer-focused domain hosting API endpoints, documentation, and experimental services. **Subdomain structure:** `api.ahig.xyz` for REST endpoints (PHP handlers returning JSON or Node.js via cPanel's "Setup Node.js App"), `docs.ahig.xyz` for static documentation. The landing page lists available endpoints with live examples, authentication info, and rate limits. The n8n MCP tooling should run on a **separate VPS or cloud instance** (n8n requires persistent Node.js processes

unsuitable for shared hosting) with `api.ahig.xyz` CNAMEd to that instance.

timmyu.in — Personal professional site

Clean personal brand site: hero with name/role/tagline, About section, 3-5 featured portfolio projects with problem→process→outcome case studies, Skills/Services, Blog (for SEO), downloadable résumé, and Contact form. **Stack:** Hugo or static HTML on GitHub Pages. Priority: strong above-the-fold hero and conversion-focused CTAs ("View Work" / "Let's Connect").

---

5. Auto-linking infrastructure: wiring the cross-domain network

The cross-domain referential system has three components that work together.

Shared navigation bar via CDN-hosted JavaScript. A single `network-nav.js` file hosted on the hub domain (or a CDN) injects a unified header across all eight domains. Each domain includes `<script src="https://cdn.doinbetter.com/network-nav.js" async></script>` and a placeholder `<div id="network-header"></div>`. The script reads the current hostname, filters it out of the domain list, and renders navigation links to the other seven sites. This provides automatic cross-domain breadcrumbs without any per-site maintenance —

update the single JS file and all domains update simultaneously. w3tutorials

Central configuration API. A lightweight Express.js or PHP API (hosted on ahig.xyz or doinbetter.com) serves configuration to all domains at runtime: navigation structure, affiliate link mappings, shared header/footer HTML, and tracking pixel snippets. Each domain calls `GET /api/config/{domain}` on page load and receives its complete configuration. This eliminates hardcoded affiliate links across eight separate codebases — change a link in the API and it propagates everywhere on the next page load.

Nested affiliate chain flow with FTC compliance. The practical chain works as follows: User visits doinbetter.com → clicks `/go/heymico` → server logs click and 302-redirects through affiliate network (if applicable) → user lands on heymico.com with `?ref=doinbetter` → heymico.com stores the referral in a first-party cookie and server-side session → if user clicks an Amazon link on heymico.com, that's heymico's separate affiliate conversion. **Critical compliance requirement:** Every page with affiliate links must display a "clear and conspicuous" FTC disclosure at the point of recommendation. TermsFeed +2 Auto-inject this via the shared JavaScript: if any `a[href*="/go/"]` or `a[rel*="sponsored"]` elements exist on the page, prepend a disclosure banner. FTC fines reach **$51,744 per violation** inBeat Agency — this is not optional.

Automation with n8n

n8n workflows handle the operational layer: Workflow 1 deploys content across domains via webhook triggers and HTTP requests to each site's API. n8n Workflow 2 propagates link updates from the central config to all domains. Workflow 3 runs health checks every 15 minutes across all eight domains, alerting via Slack or email on failure. Host n8n on a separate VPS (DigitalOcean $6/month droplet or Railway free tier) since it needs persistent Node.js — not suitable for cPanel shared hosting.

Actionable implementation roadmap

Week 1 — Foundation: Create the `git4emet` GitHub account and `doinbetter` monorepo with the directory structure above. Deploy a single-file Welcome Wagon `index.html` (under 50KB, inline CSS, logo + tagline + 3 value props + CTA) to every domain's document root. Fix PENDING domains by switching nameservers. Verify all eight domains resolve with SSL.

Week 2 — Utilities first: Install YOURLS on tailly.cc. Set up the `/go/:slug` redirect engine on doinbetter.com using the PHP + CSV pattern. Configure GitHub Actions path-filtered deploy workflows for at least doinbetter.com and timmyu.in. Graphite

Week 3 — Content and linking: Build the doinbetter.com ecosystem map page. Deploy the shared `network-nav.js` across all domains. Add the `affiliate.js` CDN script with Amazon and hosting program tags to all sites. Affiliate

js Register for Impact Radius (consolidates Namecheap, Bluehost, and other programs).

Week 4 — Specialization: Build out winxm.art portfolio gallery, timmyu.in personal site, and ahig.xyz API documentation. Set up the central configuration API. Deploy n8n on a VPS with health-check and link-propagation workflows. Add FTC disclosure auto-injection to the shared JavaScript.

The entire infrastructure — eight domains, monorepo CI/CD, affiliate auto-linking, cross-domain navigation, URL shortener, API endpoints, and automated monitoring — can reach functional MVP in four weeks with a single developer working part-time. The architecture scales to additional domains by adding a directory to `sites/`, a workflow YAML, and a line to `site-registry.json`.