## TI81XX EDMA Driver User Guide



#### **EDMA Driver User Guide**

Sundaram Raju

This work is licensed under a Creative Commons Attribution-ShareAlike 3.0 Unported License [1].

#### **IMPORTANT**

TI81xx refers to DM816x, DM814x and DM813X.

#### Introduction

The enhanced direct memory access (EDMA3) controller's primary purpose is to service programmed data transfers between two memory-mapped slave endpoints on the device.

The EDMA3 controller consists of two principal blocks:

- EDMA3 channel controller (EDMA3CC)
- EDMA3 transfer controller(s) (EDMA3TC)

The EDMA3 channel controller serves as the user interface for the EDMA3 controller. The EDMA3CC includes parameter RAM (PaRAM), channel control registers, and interrupt control registers. The EDMA3CC serves to prioritize incoming software requests or events from peripherals, and submits transfer requests (TR) to the transfer controller.

The EDMA3 transfer controllers are slaves to the EDMA3 channel controller responsible for data movement. The transfer controller issues read/write commands to the source and destination addresses programmed for a given transfer. The operation is transparent to you.

# How to reserve different EDMA3 resources (DMA channels, TCCs, PaRAM Sets) on ARM side (region 0)

The resource allocation in EDMA3 is based on a pre-aligned static configuration. It is not possible for Linux running on Host ARM to restrict what resources are allocated by BIOS on DSP. Each OS on every processor should restrict what resources they allocate to their clients based on the pre-aligned static configuration. Linux EDMA driver reserves resources to other masters so that they are not allocated to any client driver that requests them on ARM. The procedure to do so is explained below.

**Note:** This section is applicable for both DM816x and DM814x. Though the illustrations are provided with DM816x as an example, one can use all these steps/help on DM814x also.

#### **DMA Channels**

In the source file **arch\arm\mach-omap2\devices.c**, array ti816x\_dma\_rsv\_chans[][2] is used to reserve various DMA channels to the shadow regions of all other masters other than ARM. The first dimension is to mention the channel which is going to be reserved and the second dimension is to mention how many channels from that channel number will be reserved. So all other channels that are not reserved in this section can be used in the ARM side. See the code snippet below:

```
static const s16 ti816x_dma_rsv_chans[][2] = {
    /* (offset, number) */
    {0, 4},
    {26, 6},
    {48, 4},
    {56, 8},
    {-1, -1}
};
```

The first entry means 4 channels from channel '0' i.e. channels '0-3' will be reserved for usage of other masters (for eg. DSP).

To reserve/un-reserve the DMA channels, one has to modify this array accordingly, such that the reserved DMA channel(s) should NOT be used in the present core. All masters should work upon ONLY their subset of resources. In case of a conflict (different masters working on same set of resources), the system behavior is unpredictable.

#### **TCCs (i.e Interrupt channels)**

It is assumed that if a particular channel number x is reserved for a particular master then the TCC x is also reserved for that same master. All drivers and applications running on all masters must keep this in mind and be programmed.

#### **PaRAM Sets**

In the source file **arch\arm\mach-omap2\devices.c**, array ti816x\_dma\_rsv\_slots[][2] is used to reserve various PARAM sets (slot) to the shadow regions of all other masters other than ARM. The first dimension is to mention the slot which is going to be reserved and the second dimension is to mention how many slots from that slot number will be reserved. So all other slots that are not reserved in this section can be used in the ARM side. See the code snippet below:

```
static const s16 ti816x_dma_rsv_slots[][2] = {
    /* (offset, number) */
    {0, 4},
    {26, 6},
    {48, 4},
    {56, 8},
    {64, 127},
    {-1, -1}
};
```

The first entry means 4 slots from slot '0' i.e. slots '0-3' will be reserved for usage of other masters (for eg. DSP).

To reserve/un-reserve the PARAM sets, one has to modify this array accordingly, such that the reserved slot(s) should NOT be used in the present core. All masters should work upon ONLY their subset of resources. In case of a conflict (different masters working on same set of resources), the system behavior is unpredictable.

**Note 1**: DMA channels and PaRAM Sets are one-to-one mapped, meaning thereby DMA channel X can ONLY use PaRAM Set X for its working. The system integrator should make sure that the DMA channels reserved to ARM side should also have the corresponding PaRAM Sets (at least) reserved to ARM side. Other PaRAM Sets available on the ARM side (lying between 64-511) could be used for link purpose. So they can be independently reserved/unreserved to ARM side.

**Note 2**: A DMA/QDMA channel also require a TCC for correct functioning. By default, DMA channels and TCCs are one-to-one mapped, meaning thereby DMA channel Y can ONLY use TCC Y for its working. (No such constraint is there for QDMA channels.) The system integrator should assume that the DMA channels reserved to

ARM side, also have the corresponding TCCs (at least) reserved to ARM side. In case user passes a specific TCC to be used by the DMA/QDMA channel, he/she should first check its availability on ARM side.

### How to change various other global settings

**Note:** This section is applicable for both DM816x and DM814x. Though the illustrations are provided with DM816x as an example, one can use all these steps/help on DM814x also.

#### How to change default event queue (or Transfer Controller, TC) priorities?

Array ti816x\_queue\_priority\_mapping[][2] can be used to change the default event queue priorities. This array is an array of structures having the first structure member as the event queue number and the second structure member as the priority. '0' is the highest priority, '1' is the second highest and so on. See the code snippet below:

```
static const s8 ti816x_queue_priority_mapping[][2] = {
    /* {event queue no, Priority} */
    {0, 0},
    {1, 1},
    {2, 2},
    {3, 3},
    {-1, -1}
};
```

The system integrator can appropriately modify this array, keeping bandwidth limitations (for different users and whole system in general) in mind.

### Present configuration of EDMA3 resources on DM816X platform:

EDMA3 Resource	DM816X	
	ARM	DSP
DMA Channel	4-25, 32-47, 52-55	0-3, 26-31, 48-51, 56-63
QDMA Channel	0,1	2-7
TCC	4-25, 32-47, 52-55	0-3, 26-31, 48-51, 56-63
PaRAM Set	4-25, 32-47, 52-55, 64-127	0-3, 26-31, 48-51, 56-63, 128-511

## Present configuration of EDMA3 resources on DM814X platform:

EDMA3 Resource	DM814X	
	ARM	DSP
DMA Channel	2-13, 16-25, 32-47, 52-55	0-1, 14-15, 26-31, 48-51, 56-63
QDMA Channel	0,1	2-7
TCC	2-13, 16-25, 32-47, 52-55	0-1, 14-15, 26-31, 48-51, 56-63
PaRAM Set	2-13, 16-25, 32-47, 52-55, 64-127	0-1, 14-15, 26-31, 48-51, 56-63, 128-511

#### How to Program the Cross bar events

**Note:** This section is only applicable for DM814x.

DM814x has **95 EDMA trigger events** while it only has **64 DMA channels**. The first 64 events are by default routed to trigger the 64 DMA channels (One to one mapping, i.e. event 10 is routed to channel 10). The rest 31 events (called the **cross bar events**) are routed to any of the 64 channels by a cross bar switch. **Programming of the cross bar is available at the system control module level**.

EDMA driver takes care of this routing via the array ti814x\_xbar\_event\_mapping[]. When a request for a channel is made for an event of event number > 63, then the channel allocation is based on the below mentioned array. The first dimension is the cross bar event number which is essentially the actual event number - 63. The second dimension is the channel number to which you want the event to be routed. See the code snippet below:

```
static struct event_to_channel_map ti814x_xbar_event_mapping[] = {
          /* {xbar event no, Channel} */
          \{1, -1\},\
          \{2, -1\},\
          {3, -1},
          \{4, -1\},
          \{5, -1\},\
          \{6, -1\},\
          \{7, -1\},
          \{8, -1\},
          \{9, -1\},\
          \{10, -1\},\
          \{11, -1\},\
          \{12, -1\},\
          \{13, -1\},\
          \{14, -1\},\
          \{15, -1\},\
          \{16, -1\},\
          \{17, -1\},\
          \{18, -1\},\
          \{19, -1\},\
          \{20, -1\},\
          \{21, -1\},\
          \{22, -1\},\
          \{23, -1\},\
          \{24, -1\},\
```

```
{25, -1},

{26, -1},

{27, -1},

{28, -1},

{29, -1},

{30, -1},

{31, -1},

{-1, -1}
```

To route the event 81 through channel 16, one has to modify the above array as  $\{18,16\}$ , instead of  $\{18,-1\}.(81-63=18)$ 

The system integrator has to modify this array, keeping in mind that the second dimension should be an integer between 0-63. He should also make sure that if channel x is used for cross bar events then its default event, event x is not required.

### Sample test application for EDMA Driver

Note: This section is applicable for both DM816x and DM814x.

EDMA Driver APIs are available for use only in the kernel space. Hence the sample application provided must be built as a kernel module and used.

The sample application is available here EDMA sample test application

Copy this sample application file in a location (preferably not inside the kernel source code) and build it as a kernel module using a make file similar to one shown below

```
obj-m = edma_test.o
KDIR = "../linux-kernel"
all:
    make -C $(KDIR) M=$(PWD) modules
clean:
    make -C $(KDIR) M=$(PWD) clean
```

Insert this kernel module once the kernel is up, to see the sample application working.

#### References

[1] http://creativecommons.org/licenses/by-sa/3.0/

## **Article Sources and Contributors**

TI81XX EDMA Driver User Guide Source: http://processors.wiki.ti.com/index.php?oldid=96236 Contributors: Hemantp, Mansoor, Parth.saxena, SundaramRaju

## **Image Sources, Licenses and Contributors**

Image:TIBanner.png Source: http://processors.wiki.ti.com/index.php?title=File:TIBanner.png License: unknown Contributors: Nsnehaprabha

## License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED. BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

#### License

#### 1. Definitions

- "Adaptation" means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work, or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be recast, transformed, or adapted including in any form recognizably derived from the original, except that a work that constitutes a Collection will not be considered an Adaptation for the purpose of this License. For the avoidance of doubt, where the Work is a musical work, performance or phonogram, the synchronization of the Work in included in its entirety in unmodified form and work in the works, such as encyclopedias and anthologies, or performances, phonograms or broadcasts, or other works or subject matter other than works listed in Section 1(f) below, which, by reason of the selection and arrangement of their contents, constitute intellectual creations, in which they its included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined below) for the purposes of this License. "Creative Commons or Decompatible Licenses is means a license that is listed at http://creative/commons.org/compatible/ciness that has been approved by Creative Commons as being essentially equivalent to this License, including, at a minimum, because that licenses: (i) contains terms that have the same purpose, meaning and effect as the License Elements of this License; and (ii) explicitly permits the relicensing of adaptations of works made available under that license in a Common surrisaction lice

#### 2. Fair Dealing Rights

thended to reduce, limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other

Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

- to Reproduce the Work, to incorporate the Work into one or more Collections, and to Reproduce the Work as incorporated in the Collections; to create and Reproduce Adaptations provided that any such Adaptation, including any translation in any medium, takes reasonable steps to clearly label, demarcate or otherwise identify that changes were made to the original Work. For example, a translation could be marked "The original work was translated from English to Spanish," or a modification could indicate "The original work has been modified."; to Distribute and Publicly Perform the Work including as incorporated in Collections; and, to Distribute and Publicly Perform Adaptations.

  For the avoidance of doubt:

i. Non-waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;
ii. Waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor waives the exclusive right to collect such royalties for any exercise by You of the rights granted under this License; and,
iii. Voluntary License Schemes. The Licensor waives the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License.

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. Subject to Section 8(f), all rights not expressly granted by Licensor are hereby reserved.

**4. Restrictions**The license granted in Section 3 above is expressly made subject to and limited by the following restrictions

- Restrictions

  ileases granted in Section 3 above is expressly made subject to and limited by the following restrictions:

  You may Distribute or Publicly Perform the Work only under the terms of this License. You must include a copy of, or the Uniform Resource Identifier (URD) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that restrict the terms of this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. Work you must keep intent all notices that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform. When You impose any effective technological measures on the Work that restrict the ability of a recipient of the Work from You to exercise the rights granted to that recipient under the terms of the License. This Section 4(a) applies to the Work as incorporated in a Collection, but this does not require the Collection apart from the Work itself to be made subject to the terms of this License. If You create a Adaptation on you must, to the extent practicable, remove from the Adaptation any credit as required by Section 4(c), as requested.

  You may Distribute or Publicly Perform an Adaptation on you under the terms of: (i) this License; (ii) a later version of this License with the same License Elements as this License; (iii) a Creative Commons Compatible License. If you tiense the Adaptation under one of the licenses mentioned in (iv), you must comply with the terms of that License. If you tiense the Adaptation on the terms of any of the licenses with every copy of each Adaptation on the recipient of the Adaptation on the rems of any of the Recipient of the Adaptation on the rems of the Applicable License with the rems of the Applicable Licenses. If you tiense the Adaptation on the terms of the Adaptation to exercise the rights granted to the terms of the Applicable Licen

#### 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFERIOREMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE RESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability
EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE
OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. Termination

- This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Adaptations or Collections from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will force and effect unless terminated as stated above.

License

#### 8. Miscellaneous

- Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License. Each time You Distribute or Publicly Perform an Adaptation, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License. If any provision of this License is invalid or unenforceable law, it shall not affect the volidity or enforceable to the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent. This License sensor the consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License were drafted utilizing the terminology of the Berne Convention of 1961, the WIPO Copyright Treaty of 1996, the WIPO Co