02_Modelling.ipynb

September 22, 2021

```
import sys
sys.path.append('..')

import pandas as pd
#import numpy as np
from sklearn.model_selection import train_test_split
from sklearn.pipeline import make_pipeline
from sklearn.linear_model import SGDClassifier
from sklearn.ensemble import RandomForestClassifier
from lightgbm import LGBMClassifier
from sklearn.metrics import confusion_matrix, classification_report
from preprocessing import preprocessor, preprocessor_without_scaler
```

```
[]: # Initialisation
     train = pd.read_csv('.../02_data/application_train.csv')
     test = pd.read_csv('../02_data/application_test.csv')
     id_error_msg = lambda x: '`SK_ID_CURR` is not unic for {} set!'.format(x)
     assert len(train.SK_ID_CURR.unique()) == train.shape[0], id_error_msg('train')
     assert len(test.SK_ID_CURR.unique()) == test.shape[0], id_error_msg('test')
     train.set_index('SK_ID_CURR', inplace=True)
     test.set_index('SK_ID_CURR', inplace=True)
     print('Training set dimensions :', train.shape)
     cls_size = train.TARGET.value_counts()
     cls_freq = train.TARGET.value_counts(normalize=True)
     print(pd.DataFrame({'size': cls_size,
                         'freq': cls_freq.apply(lambda x: '%.3f' % x)}))
     X, y = train.iloc[:, 1:], train.iloc[:, 0]
     X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=.2)
     print('X_train:', X_train.shape)
     print('y_train:', y_train.shape)
     print('X_test:', X_test.shape)
```

```
print('y_test:', y_test.shape)
    Training set dimensions: (307511, 121)
         size
               freq
      282686 0.919
        24825 0.081
    X_train: (246008, 120)
    y_train: (246008,)
    X_test: (61503, 120)
    y_test: (61503,)
    1
        Modèle 1 : SGD Classifier
[]: model1 = make_pipeline(preprocessor, SGDClassifier())
    model1.fit(X_train, y_train)
    print('Score:', model1.score(X_test, y_test))
    Score: 0.9189307838642018
[]: y_pred = model1.predict(X_test)
    conf_mat = confusion_matrix(y_test, y_pred)
    print(conf_mat)
    [[56517
                0]
     [ 4986
                0]]
       Modèle 2 : Random Forest Classifier
[]: model2 = make_pipeline(preprocessor_without_scaler, RandomForestClassifier())
    model2.fit(X_train, y_train)
    print('Score:', model2.score(X_test, y_test))
    Score: 0.9189633026031251
[]: y_pred = model2.predict(X_test)
    conf_mat = confusion_matrix(y_test, y_pred)
    print(conf_mat)
    [[56512
                5]
     Γ 4979
                711
[]: print(X_train[:5])
               NAME_CONTRACT_TYPE CODE_GENDER FLAG_OWN_CAR FLAG_OWN_REALTY \
    SK ID CURR
    320991
                       Cash loans
                                            F
                                                         N
                                                                         Y
                                                                         Y
    258600
                       Cash loans
                                            Μ
                                                         N
```

316389	Cash 1	loans		F	N		Y
239474	Revolving 1	loans		F	N		Y
135015	Cash 1	loans		M	N		Y
	CNT_CHILDREN	AMT_	INCOME_TO	OTAL	AMT_CREDIT	AMT_ANNUITY	\
SK_ID_CURR							
320991	0		13500	0.00	189000.0	9778.5	
258600	0		11250		645889.5	21474.0	
316389	0			0.00	315000.0	22954.5	
239474	0			0.00	270000.0	13500.0	
135015	0		27000		1110582.0	36832.5	
133013	U		21000	30.0	1110302.0	30032.5	
AMT_GOODS_PRICE NAME_TYPE_SUITE FLAG_DOCUMENT_18 \							
ar to amp	AMI_GUUDS_PR.	LCE NA	ME_IYPE_;	SOTIE	FLAG_DUC	CUMENT_18 \	
SK_ID_CURR	40000		_		•••		
320991	189000			amily		0	
258600	490500			amily		0	
316389	315000		Unaccompa			0	
239474	270000	0.0	Unaccompa	anied	•••	0	
135015	909000	0.0	Unaccompa	anied		0	
	FLAG_DOCUMENT	_19 FL	AG_DOCUM	ENT_2	O FLAG_DOCUM	ENT_21 \	
SK_ID_CURR							
320991		0		(0	0	
258600		0		(0	0	
316389		0			0	0	
239474		0			0	0	
135015		0			0	0	
100010						•	
	AMT REO CRED	TT BUE	REAU HOUR	ΔМТ	REO CREDIT	BUREAU_DAY \	
SK_ID_CURR					_1024_0102511_	20102110_2111	`
320991			0.0			0.0	
258600						0.0	
	0.0						
316389						0.0	
239474	0.0					0.0	
135015			NaN			NaN	
	AMT_REQ_CRED	I.I. BOR	REAU_WEEK	AM'I'	_REQ_CREDIT_	BUREAU_MON '	\
SK_ID_CURR							
320991			0.0			0.0	
258600	0.0					0.0	
316389	0.0					0.0	
239474	0.0					0.0	
135015	NaN NaN						
	AMT_REQ_CRED	IT_BUR	REAU_QRT	AMT_	REQ_CREDIT_E	UREAU_YEAR	
SK_ID_CURR	· —			_	_		
320991			2.0			6.0	
258600	0.0					0.0	
	· · ·						

```
239474
                                       0.0
                                                                    4.0
    135015
                                       NaN
                                                                    NaN
    [5 rows x 120 columns]
[]: model2.get_params()
[]: {'memory': None,
      'steps': [('columntransformer',
        ColumnTransformer(remainder='passthrough',
                          transformers=[('simpleimputer-1',
                                          SimpleImputer(strategy='median'),
                                          ['CNT_CHILDREN', 'AMT_INCOME_TOTAL',
                                           'AMT_CREDIT', 'AMT_ANNUITY',
                                           'AMT_GOODS_PRICE',
                                           'REGION_POPULATION_RELATIVE', 'DAYS_BIRTH',
                                           'DAYS_EMPLOYED', 'DAYS_REGISTRATION',
                                           'DAYS_ID_PUBLISH', 'OWN_CAR_AGE',
                                           'CNT_FAM_MEMBERS', 'REGION_RATING_CLIENT',
                                           'REGION_RAT...
     SimpleImputer(fill value='Unknown',
     strategy='constant')),
                                                          ('value formatter',
    FunctionTransformer(func=<function <lambda> at 0x7f1e9f7aa790>)),
                                                          ('encoder',
     OneHotEncoder())]),
                                          ['NAME_TYPE_SUITE', 'NAME_INCOME_TYPE',
                                           'NAME_EDUCATION_TYPE',
     'NAME_FAMILY_STATUS',
                                           'NAME_HOUSING_TYPE', 'OCCUPATION_TYPE',
                                           'ORGANIZATION_TYPE', 'FONDKAPREMONT_MODE',
                                           'HOUSETYPE_MODE',
     'WALLSMATERIAL_MODE'])])),
       ('randomforestclassifier', RandomForestClassifier())],
      'verbose': False,
      'columntransformer': ColumnTransformer(remainder='passthrough',
                        transformers=[('simpleimputer-1',
                                        SimpleImputer(strategy='median'),
                                        ['CNT_CHILDREN', 'AMT_INCOME_TOTAL',
                                         'AMT CREDIT', 'AMT ANNUITY',
                                         'AMT GOODS PRICE',
                                         'REGION POPULATION RELATIVE', 'DAYS BIRTH',
                                         'DAYS_EMPLOYED', 'DAYS_REGISTRATION',
                                         'DAYS_ID_PUBLISH', 'OWN_CAR_AGE',
                                         'CNT_FAM_MEMBERS', 'REGION_RATING_CLIENT',
                                         'REGION_RAT...
```

0.0

3.0

316389

```
SimpleImputer(fill_value='Unknown',
strategy='constant')),
                                                   ('value formatter',
FunctionTransformer(func=<function <lambda> at 0x7f1e9f7aa790>)),
                                                   ('encoder',
OneHotEncoder())]),
                                   ['NAME_TYPE_SUITE', 'NAME_INCOME_TYPE',
                                    'NAME_EDUCATION_TYPE', 'NAME_FAMILY_STATUS',
                                    'NAME_HOUSING_TYPE', 'OCCUPATION_TYPE',
                                    'ORGANIZATION TYPE', 'FONDKAPREMONT MODE',
                                    'HOUSETYPE_MODE', 'WALLSMATERIAL_MODE'])]),
 'randomforestclassifier': RandomForestClassifier(),
 'columntransformer_n_jobs': None,
 'columntransformer__remainder': 'passthrough',
 'columntransformer_sparse_threshold': 0.3,
 'columntransformer_transformer_weights': None,
 'columntransformer_transformers': [('simpleimputer-1',
  SimpleImputer(strategy='median'),
   ['CNT_CHILDREN',
    'AMT_INCOME_TOTAL',
    'AMT_CREDIT',
    'AMT ANNUITY',
    'AMT_GOODS_PRICE',
    'REGION POPULATION RELATIVE',
    'DAYS BIRTH',
    'DAYS EMPLOYED',
    'DAYS REGISTRATION',
    'DAYS_ID_PUBLISH',
    'OWN_CAR_AGE',
    'CNT_FAM_MEMBERS',
    'REGION_RATING_CLIENT',
    'REGION_RATING_CLIENT_W_CITY',
    'HOUR_APPR_PROCESS_START',
    'EXT_SOURCE_1',
    'EXT_SOURCE_2',
    'EXT_SOURCE_3',
    'OBS 30 CNT SOCIAL CIRCLE',
    'DEF_30_CNT_SOCIAL_CIRCLE',
    'OBS 60 CNT SOCIAL CIRCLE',
    'DEF 60 CNT SOCIAL CIRCLE',
    'DAYS LAST PHONE CHANGE',
    'AMT REQ CREDIT BUREAU HOUR',
    'AMT REQ CREDIT BUREAU DAY',
    'AMT_REQ_CREDIT_BUREAU_WEEK',
    'AMT_REQ_CREDIT_BUREAU_MON',
    'AMT_REQ_CREDIT_BUREAU_QRT',
    'AMT_REQ_CREDIT_BUREAU_YEAR']),
```

```
('simpleimputer-2',
SimpleImputer(),
['APARTMENTS_AVG',
  'BASEMENTAREA_AVG',
  'YEARS_BEGINEXPLUATATION_AVG',
  'YEARS_BUILD_AVG',
  'COMMONAREA_AVG',
  'ELEVATORS_AVG',
  'ENTRANCES AVG',
  'FLOORSMAX_AVG',
  'FLOORSMIN_AVG',
  'LANDAREA_AVG',
  'LIVINGAPARTMENTS_AVG',
  'LIVINGAREA_AVG',
  'NONLIVINGAPARTMENTS_AVG',
  'NONLIVINGAREA_AVG']),
('simpleimputer-3',
SimpleImputer(strategy='median'),
 ['APARTMENTS_MEDI',
  'BASEMENTAREA_MEDI',
  'YEARS_BEGINEXPLUATATION_MEDI',
  'YEARS_BUILD_MEDI',
  'COMMONAREA_MEDI',
  'ELEVATORS MEDI',
  'ENTRANCES_MEDI',
  'FLOORSMAX_MEDI',
  'FLOORSMIN_MEDI',
  'LANDAREA_MEDI',
  'LIVINGAPARTMENTS_MEDI',
  'LIVINGAREA_MEDI',
  'NONLIVINGAPARTMENTS_MEDI',
  'NONLIVINGAREA_MEDI']),
('simpleimputer-4',
SimpleImputer(strategy='most_frequent'),
 ['APARTMENTS_MODE',
  'BASEMENTAREA_MODE',
  'YEARS_BEGINEXPLUATATION_MODE',
  'YEARS_BUILD_MODE',
  'COMMONAREA MODE',
  'ELEVATORS_MODE',
  'ENTRANCES MODE',
  'FLOORSMAX_MODE',
  'FLOORSMIN_MODE',
  'LANDAREA_MODE',
  'LIVINGAPARTMENTS_MODE',
  'LIVINGAREA_MODE',
  'NONLIVINGAPARTMENTS_MODE',
```

```
'NONLIVINGAREA_MODE',
    'TOTALAREA_MODE']),
  ('pipeline-1',
   Pipeline(steps=[('nan imputer', SimpleImputer(strategy='most_frequent')),
                    ('xna_imputer',
                    SimpleImputer(missing_values='XNA',
strategy='most_frequent')),
                    ('encoder',
                    OrdinalEncoder(categories=[['Cash loans', 'Revolving
loans'],
                                                 ['N', 'Y'], ['N', 'Y'],
                                                 ['No', 'Yes'], ['M', 'F'],
                                                 ['MONDAY', 'TUESDAY',
'WEDNESDAY',
                                                  'THURSDAY', 'FRIDAY',
'SATURDAY',
                                                  'SUNDAY']]))]),
   ['NAME_CONTRACT_TYPE',
    'FLAG_OWN_CAR',
    'FLAG_OWN_REALTY',
    'EMERGENCYSTATE_MODE',
    'CODE GENDER',
    'WEEKDAY_APPR_PROCESS_START']),
  ('pipeline-2',
   Pipeline(steps=[('imputer', SimpleImputer(strategy='most frequent'))]),
   ['FLAG MOBIL',
    'FLAG_EMP_PHONE',
    'FLAG_WORK_PHONE',
    'FLAG_CONT_MOBILE',
    'FLAG_PHONE',
    'FLAG_EMAIL',
    'REG_REGION_NOT_LIVE_REGION',
    'REG_REGION_NOT_WORK_REGION',
    'LIVE_REGION_NOT_WORK_REGION',
    'REG_CITY_NOT_LIVE_CITY',
    'REG_CITY_NOT_WORK_CITY',
    'LIVE_CITY_NOT_WORK_CITY',
    'FLAG_DOCUMENT_2',
    'FLAG DOCUMENT 3',
    'FLAG_DOCUMENT_4',
    'FLAG DOCUMENT 5',
    'FLAG_DOCUMENT_6',
    'FLAG DOCUMENT 7',
    'FLAG_DOCUMENT_8',
    'FLAG_DOCUMENT_9',
    'FLAG_DOCUMENT_10',
    'FLAG_DOCUMENT_11',
```

```
'FLAG_DOCUMENT_12',
    'FLAG_DOCUMENT_13',
    'FLAG_DOCUMENT_14',
    'FLAG_DOCUMENT_15',
    'FLAG_DOCUMENT_16',
    'FLAG_DOCUMENT_17',
    'FLAG DOCUMENT 18',
    'FLAG_DOCUMENT_19',
    'FLAG DOCUMENT 20',
    'FLAG_DOCUMENT_21']),
  ('pipeline-3',
  Pipeline(steps=[('imputer',
                    SimpleImputer(fill value='Unknown', strategy='constant')),
                   ('value_formatter',
                    FunctionTransformer(func=<function <lambda> at
0x7f1e9f7aa790>)),
                   ('encoder', OneHotEncoder())]),
   ['NAME_TYPE_SUITE',
    'NAME_INCOME_TYPE',
    'NAME_EDUCATION_TYPE',
    'NAME_FAMILY_STATUS',
    'NAME_HOUSING_TYPE',
    'OCCUPATION_TYPE',
    'ORGANIZATION TYPE',
    'FONDKAPREMONT MODE',
    'HOUSETYPE MODE',
    'WALLSMATERIAL_MODE'])],
 'columntransformer verbose': False,
 'columntransformer__simpleimputer-1': SimpleImputer(strategy='median'),
 'columntransformer_simpleimputer-2': SimpleImputer(),
 'columntransformer_simpleimputer-3': SimpleImputer(strategy='median'),
 'columntransformer_simpleimputer-4': SimpleImputer(strategy='most_frequent'),
 'columntransformer_pipeline-1': Pipeline(steps=[('nan_imputer',
SimpleImputer(strategy='most_frequent')),
                 ('xna_imputer',
                  SimpleImputer(missing_values='XNA',
strategy='most_frequent')),
                 ('encoder',
                  OrdinalEncoder(categories=[['Cash loans', 'Revolving loans'],
                                              ['N', 'Y'], ['N', 'Y'],
                                              ['No', 'Yes'], ['M', 'F'],
                                              ['MONDAY', 'TUESDAY', 'WEDNESDAY',
                                               'THURSDAY', 'FRIDAY', 'SATURDAY',
                                               'SUNDAY']]))]),
 'columntransformer__pipeline-2': Pipeline(steps=[('imputer',
SimpleImputer(strategy='most_frequent'))]),
 'columntransformer__pipeline-3': Pipeline(steps=[('imputer',
```

```
SimpleImputer(fill_value='Unknown', strategy='constant')),
                 ('value_formatter',
                 FunctionTransformer(func=<function <lambda> at
0x7f1e9f7aa790>)),
                 ('encoder', OneHotEncoder())]),
 'columntransformer__simpleimputer-1__add_indicator': False,
 'columntransformer_simpleimputer-1_copy': True,
 'columntransformer__simpleimputer-1__fill_value': None,
 'columntransformer simpleimputer-1 missing values': nan,
 'columntransformer__simpleimputer-1__strategy': 'median',
 'columntransformer_simpleimputer-1_verbose': 0,
 'columntransformer__simpleimputer-2__add_indicator': False,
 'columntransformer__simpleimputer-2__copy': True,
 'columntransformer_simpleimputer-2_fill_value': None,
 'columntransformer__simpleimputer-2__missing_values': nan,
 'columntransformer_simpleimputer-2_strategy': 'mean',
 'columntransformer_simpleimputer-2_verbose': 0,
 'columntransformer_simpleimputer-3_add_indicator': False,
 'columntransformer_simpleimputer-3_copy': True,
 'columntransformer__simpleimputer-3__fill_value': None,
 'columntransformer__simpleimputer-3__missing_values': nan,
 'columntransformer__simpleimputer-3__strategy': 'median',
 'columntransformer__simpleimputer-3__verbose': 0,
 'columntransformer simpleimputer-4 add indicator': False,
 'columntransformer__simpleimputer-4__copy': True,
 'columntransformer simpleimputer-4 fill value': None,
 'columntransformer__simpleimputer-4__missing_values': nan,
 'columntransformer_simpleimputer-4_strategy': 'most_frequent',
 'columntransformer_simpleimputer-4_verbose': 0,
 'columntransformer_pipeline-1_memory': None,
 'columntransformer_pipeline-1_steps': [('nan_imputer',
  SimpleImputer(strategy='most_frequent')),
  ('xna imputer',
  SimpleImputer(missing_values='XNA', strategy='most_frequent')),
  ('encoder',
  OrdinalEncoder(categories=[['Cash loans', 'Revolving loans'], ['N', 'Y'],
                              ['N', 'Y'], ['No', 'Yes'], ['M', 'F'],
                              ['MONDAY', 'TUESDAY', 'WEDNESDAY', 'THURSDAY',
                               'FRIDAY', 'SATURDAY', 'SUNDAY']]))],
 'columntransformer__pipeline-1__verbose': False,
 'columntransformer pipeline-1 nan imputer':
SimpleImputer(strategy='most_frequent'),
 'columntransformer__pipeline-1__xna_imputer':
SimpleImputer(missing_values='XNA', strategy='most_frequent'),
 'columntransformer_pipeline-1_encoder': OrdinalEncoder(categories=[['Cash
loans', 'Revolving loans'], ['N', 'Y'],
                            ['N', 'Y'], ['No', 'Yes'], ['M', 'F'],
```

```
['MONDAY', 'TUESDAY', 'WEDNESDAY', 'THURSDAY',
                             'FRIDAY', 'SATURDAY', 'SUNDAY']]),
 'columntransformer_pipeline-1_nan_imputer_add indicator': False,
 'columntransformer__pipeline-1__nan_imputer__copy': True,
 'columntransformer pipeline-1 nan imputer fill value': None,
 'columntransformer__pipeline-1__nan_imputer__missing_values': nan,
 'columntransformer pipeline-1 nan imputer strategy': 'most frequent',
 'columntransformer__pipeline-1__nan_imputer__verbose': 0,
 'columntransformer pipeline-1 xna imputer add indicator': False,
 'columntransformer pipeline-1 xna imputer copy': True,
 'columntransformer__pipeline-1__xna_imputer__fill_value': None,
 'columntransformer__pipeline-1__xna_imputer__missing_values': 'XNA',
 'columntransformer__pipeline-1__xna_imputer__strategy': 'most_frequent',
 'columntransformer_pipeline-1_xna_imputer_verbose': 0,
 'columntransformer_pipeline-1_encoder_categories': [['Cash loans',
   'Revolving loans'],
  ['N', 'Y'],
  ['N', 'Y'],
  ['No', 'Yes'],
  ['M', 'F'],
  ['MONDAY',
   'TUESDAY',
   'WEDNESDAY',
   'THURSDAY',
   'FRIDAY',
   'SATURDAY'.
   'SUNDAY']],
 'columntransformer pipeline-1 encoder dtype': numpy.float64,
 'columntransformer_pipeline-1_encoder_handle_unknown': 'error',
 'columntransformer_pipeline-1_encoder_unknown_value': None,
 'columntransformer_pipeline-2_memory': None,
 'columntransformer__pipeline-2__steps': [('imputer',
   SimpleImputer(strategy='most_frequent'))],
 'columntransformer__pipeline-2__verbose': False,
 'columntransformer__pipeline-2__imputer':
SimpleImputer(strategy='most_frequent'),
 'columntransformer pipeline-2 imputer add indicator': False,
 'columntransformer__pipeline-2__imputer__copy': True,
 'columntransformer pipeline-2 imputer fill value': None,
 'columntransformer pipeline-2 imputer missing values': nan,
 'columntransformer__pipeline-2__imputer__strategy': 'most_frequent',
 'columntransformer__pipeline-2__imputer__verbose': 0,
 'columntransformer__pipeline-3__memory': None,
 'columntransformer__pipeline-3__steps': [('imputer',
  SimpleImputer(fill_value='Unknown', strategy='constant')),
  ('value formatter',
  FunctionTransformer(func=<function <lambda> at 0x7f1e9f7aa790>)),
```

```
('encoder', OneHotEncoder())],
 'columntransformer__pipeline-3__verbose': False,
 'columntransformer_pipeline-3_imputer': SimpleImputer(fill_value='Unknown',
strategy='constant'),
 'columntransformer_pipeline-3_value_formatter':
FunctionTransformer(func=<function <lambda> at 0x7f1e9f7aa790>),
 'columntransformer pipeline-3 encoder': OneHotEncoder(),
 'columntransformer__pipeline-3__imputer__add_indicator': False,
 'columntransformer pipeline-3 imputer copy': True,
 'columntransformer pipeline-3 imputer fill value': 'Unknown',
 'columntransformer_pipeline-3_imputer_missing_values': nan,
 'columntransformer__pipeline-3__imputer__strategy': 'constant',
 'columntransformer__pipeline-3__imputer__verbose': 0,
 'columntransformer_pipeline-3_value formatter_accept sparse': False,
 'columntransformer pipeline-3 value formatter check inverse': True,
 'columntransformer_pipeline-3_value_formatter_func': <function</pre>
preprocessing.<lambda>(x)>,
 'columntransformer__pipeline-3__value_formatter__inv_kw_args': None,
 'columntransformer__pipeline-3__value_formatter__inverse_func': None,
 'columntransformer_pipeline-3_value_formatter_kw_args': None,
 'columntransformer_pipeline-3_value_formatter_validate': False,
 'columntransformer__pipeline-3__encoder__categories': 'auto',
 'columntransformer__pipeline-3__encoder__drop': None,
 'columntransformer pipeline-3 encoder dtype': numpy.float64,
 'columntransformer_pipeline-3_encoder_handle_unknown': 'error',
 'columntransformer__pipeline-3__encoder__sparse': True,
 'randomforestclassifier_bootstrap': True,
 'randomforestclassifier__ccp_alpha': 0.0,
 'randomforestclassifier__class_weight': None,
 'randomforestclassifier__criterion': 'gini',
 'randomforestclassifier__max_depth': None,
 'randomforestclassifier__max_features': 'auto',
 'randomforestclassifier__max_leaf_nodes': None,
 'randomforestclassifier__max_samples': None,
 'randomforestclassifier_min_impurity_decrease': 0.0,
 'randomforestclassifier__min_impurity_split': None,
 'randomforestclassifier min samples leaf': 1,
 'randomforestclassifier__min_samples_split': 2,
 'randomforestclassifier min weight fraction leaf': 0.0,
 'randomforestclassifier n estimators': 100,
 'randomforestclassifier n jobs': None,
 'randomforestclassifier__oob_score': False,
 'randomforestclassifier__random_state': None,
 'randomforestclassifier_verbose': 0,
 'randomforestclassifier__warm_start': False}
```

3 Modèle 3: LightGBM

```
[]: model3 = make_pipeline(preprocessor, LGBMClassifier())
     model3.fit(X_train, y_train)
     print('Score:', model3.score(X_test, y_test))
    Score: 0.9192071931450498
[]: y_pred = model3.predict(X_test)
     conf_mat = confusion_matrix(y_test, y_pred)
     print(conf_mat)
    [[56447
               81]
     Γ 4888
               8711
[]: print(classification_report(y_test, y_pred))
                  precision
                               recall f1-score
                                                   support
               0
                       0.92
                                 1.00
                                            0.96
                                                     56528
               1
                       0.52
                                 0.02
                                            0.03
                                                      4975
                                            0.92
                                                     61503
        accuracy
                                            0.50
                       0.72
                                 0.51
                                                     61503
       macro avg
    weighted avg
                       0.89
                                 0.92
                                            0.88
                                                     61503
[]:  # à faire
     # smote tomek
     # random search precision des deux classes (privilégier light_gbm)
     # choisir optimisation recall(classe 1)
     # fonction coût : manque à gagner pour chaque treshold
     # treshold = + = + precision - recall
     # precision élevée = on accepte tout le monde
     # recall élevée = on refuse tout le monde
     # regarder crer une colonne intérêts (amt credit - good price),
     # optimiser mon threshold % de ça
```