

**INF3705** 

(471952)

October/November 2015

## ADVANCED SYSTEMS DEVELOPMENT

Duration 2 Hours 100 Marks

**Examiners:** 

First: Second: Prof. A Coleman

**Dr V Horner** External:

Prof. R Kekwaletswe

### Closed book examination

This examination question paper remains the property of the University of South Africa and may not be removed from the examination venue

This examination question paper consists of 6 pages plus instructions for the completion of a mark-reading sheet.

## **INSTRUCTIONS**

- 1 Answer section A on the mark-reading sheet, and the rest of the questions in the answer book.
- 2 This paper consists of two sections, section A, 50 marks and section B, 50 marks. The total mark is 100
- 3 All rough work must be done in the answer book
- 4 The mark for each question is given in brackets next to the question.
- 5 Please answer the questions in the order in which they have been set. If you wish to leave out a question temporarily and come back to it later, leave sufficient space for it in your answer book

## SECTION A: MULTIPLE-CHOICE QUESTIONS [50 MARKS]

4 All of the above

1	W	hich one of the following is not an essential attribute of good software development?
	3	Maintainability Dependability and security, Efficiency and acceptability Competence
2	Th	e two fundamental types of software product are
	3	Generic products and customized products Company product and generic product Company product and customized product Company product and developer product
3		engineering discipline which deals with all aspects of software oduction from specification to system maintenance is termed
	2	System engineering Software engineering Product engineering Tools engineering
4.	WI	hich of this general issue does not affect software development?
	3.	Heterogeneity Business and social change Security and trust Confidentiality
5	Wh	ich of the following is appropriate for the incremental model of software development?
	2 '	When developments methods are flexible When the process of software development is well defined When a core product is required quickly. All of the above
6	The	e most appropriate situation for agile method of software development is
	2. \	When developments methods are flexible When the process of software development is well defined When requirements are well known in advance

7 Which	of the	following	needs	to be	assessed	durina u	ınıt testind	?ב
---------	--------	-----------	-------	-------	----------	----------	--------------	----

- 1 Algorithmic performance
- 2 Code stability
- 3 To test during development.
- 4 All of the above

## 8 What is the purpose of load testing?

- 1 To test the response rate of the system
- 2 To test the number of transactions that the system can handle simultaneously
- 3 To test during development.
- 4 All of the above
- 9 The purpose of performance testing is to\_\_\_\_\_\_.
  - 1 To test the response rate of the system.
  - 2. To test the number of transactions that the system can handle simultaneously
  - 3. To test during development.
  - 4 All of the above
- 10 Which of the following involves Usability testing?
  - 1. Deployment testing
  - 2 Requirements validation
  - 3 Load testing
  - 4 All of the above
- 11 As a system developer, which of the following are elements to be considered in systems design?
  - 1 Architecture, data and interfaces
  - 2. Data interfaces and project scope.
  - 3 Systems models.
  - 4 All of the above.
- 12. Which of the following are concerns of software engineering?
  - 1 Architecture, data and interfaces
  - 2 Data interfaces and project scope.
  - 3. Systems models.
  - 4 All of the above
- 13 An architectural style encompasses which of the following elements?
  - 1 Constraints
  - 2 Set of components
  - 3 Semantic models
  - 4 All of the above

system, requirements engineering is used to uncover
<ul> <li>1 Algorithmic complexity</li> <li>2 Characteristics and constraints</li> <li>3 Control and data</li> <li>4 Design patterns</li> </ul>
15. Which of the following are elements of systems requirements?
<ol> <li>Architecture, data and interfaces</li> <li>Data, interfaces and project scope</li> <li>Systems models</li> <li>All of the above</li> </ol>
16 Which of the following is preferable of software modules?
<ol> <li>Low cohesion and high coupling</li> <li>High cohesion and high coupling</li> <li>High cohesion and low coupling</li> <li>It depends on the situation</li> </ol>
17 Cyber security dealing with secrecy or confidentiality threats is referred to as
<ul> <li>1 Unauthorized modification of data</li> <li>2 Denial of access to data and services</li> <li>3 Unauthorized viewing of data</li> <li>4 All of the above</li> </ul>
18 Integrity threats refer to one of the following
1. Unauthorized modification of data 2 Denial of access to data and services 3 Unauthorized viewing of data 4 All of the above
19 Denial of access or availability threats refers to
<ul> <li>Unauthorized modification of data</li> <li>Denial of access to data and services</li> <li>Unauthorized viewing of data</li> <li>All of the above.</li> </ul>
20. Which of the following can be classified as a Model–View-Controller (MVC) architectural pattern?
<ol> <li>It has three components</li> <li>Has clients and servers</li> <li>It is a sequential model of processing.</li> <li>None of the above</li> </ol>

21. Prototyping involves development of \_\_\_\_\_

<ul> <li>Initial demonstration of concepts.</li> <li>A final product.</li> <li>A stable product.</li> <li>Beta version of the product</li> </ul>
22 Which of the following is an attribute of a dependable software engineering process?
<ul><li>1 Documentable</li><li>2. Standardized.</li><li>3 Auditable.</li><li>4 All of the above</li></ul>
23 Redundancy and diversity are fundamental strategies in the dependability of a system Which of the following is an example of diversity?
<ul><li>1 A spare/extra capacity</li><li>2. Object oriented design.</li><li>3 Avoiding a single point of failure</li><li>4 All of the above.</li></ul>
24. Which of the following exploits on reusable components in its design?
<ul> <li>1 A backup mechanism</li> <li>2 Object oriented design</li> <li>3 Avoiding a single point of failure</li> <li>4. All of the above</li> </ul>
25. Socio -Technical systems is made up of different components including
<ol> <li>Equipment</li> <li>Operating system</li> <li>Society</li> <li>All of the above</li> </ol>

## SECTION B: STRUCTURED QUESTIONS [50 MARKS]

QUESTION 1 [10]

Members of your software development team think that agile methods should be based on principles. Explain the principles of agile methods to the team members

QUESTION 2 [6]

What are the fundamental concepts of user and system requirements and why must these requirements be written in different ways?

QUESTION 3 [10]

As a system developer, your organization requires you to make a decision on system architecture. Explain to your organization members what decisions have to be made about the system during the architectural design process?

QUESTION 4 [8]

Development testing forms an integral aspect of system development. Explain the following, unit testing, component testing and system testing.

QUESTION 5 [8]

Briefly describe three main types of software maintenance. Why is it sometimes difficult to distinguish between them?

QUESTION 6 [8]

What are the strategic options for legacy system evolution? When would you normally replace all or part of a system rather than continue maintenance of the software?

# UNIVERSITY OF SOUTH AFRICA UNIVERSITEIT VAN SUID-AFRIKA



**EXAMINATION MARK READING SHEET EKSAMEN-MERKLEESBLAD** PART 1 (GENERAL/ALGEMEEN) DEEL 1 STUDY DNIT 4.4. PSY100-X STUDIE-EENHEID by. PSY100-2 INITIALS AND SURNAME VOORLETTERS EN VAN . DATE OF EXAMINATION DATUM VAN EXSAMEN PAPER NUMBER VRAESTELNOMMER EXAMINATION CENTRE (E.G. PRETORIA) EKSAMENSENTRUM (BV PRETORIA) STUDENT NUMBER STUDENTENOMMER UNIQUE PAPER NO UNIEKE VRAESTEL NA 0 8 :02 :03 :03 :03 :03 :03 :03 :03 (O) (O) (O) (O) (O) For use by examination invigilator (1) (1) (1) (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (3) (3) (3) (3) (3) (3) (3) (3) (4) (4) (4) (4) (5) (5) (5) (5) (5) (5) (Z) (Z) Vir gebruik deur eksamenopsiener (4) (4) 82 c52 c52 c52 (8) (8) (8) (8) (8) (8) (8) 63 (63 (63 (63 (63 (63

### IMPORTANT

(7) (7) (7) (7) (7) (7) (7

r92 c92 c92 c92 c92 c9

1 USE ONLY AN HB PENCIL TO COMPLETE THIS SHEET

(7) (7) (1) (7) (7) (7) (7) (7)

cB3 c83 c83 cB3 c83 c83 c83 c83 c9> c9> c9> c9> c9> c9> c9> c9> c9>

- 2. MARK LIKE THIS 😎
- 3. CHECK THAT YOUR INITIALS AND SURNAME HAS BEEN FILLED IN CORRECTLY
- 4 ENTER YOUR STUDENT NUMBER FROM LEFT TO RIGHT
- 6. CHECK THAT YOUR STUDENT NUMBER HAS BEEN FILLED IN CORRECTLY
- CHECK THAT THE UNIQUE NUMBER HAS BEEN FILLED IN CORRECTLY
- CHECK THAT ONLY ONE ANSWER PER QUESTION HAS BEEN MARKED
- 8. DO NOT FOLD

### BELANGRIK

- 1 GEBRUIK SLEGS N HB POTLOOD OM HIERDIE BLAD TE VOLTOOL
- 2. MERK AS VOLG -
- 3 KONTROLEER OAT U VOORLETTERS EN VAN REG INGEVUL IS
- VUL U STUDENTENOMMER VAN LINKS NA REGS IN
- 5. KONTROLEER DAT U DIE KORREKTE STUDENTENOMMER VERSTREK HET
- 6. KONTROLEER DAT DIE UNIEKE NOMMER REG INGEVUL IS
- MAAK SEKER DAT NET EEN ALTERNATIEF PER VRAAG GEMERK IS
- 8 MOENIE VOU NIE

## PART 2 (ANSWERS/ANTWOORDE) DEFI 2

1	c13 c23 c33 c43 c51	_ 36	t 1 x 2 x 2 x 3 x 4 x t 5 x	T ——	211 222 222 243 22-	1 700	44 - 40 - 40 - 41 - 5
ż	c12 c22 c32 c42 c52		7 (1)(2)(3)(4)(5)		(1) (2) (3) (4) (5)	106	(1) (2) (3) (4) (5
3	£13 (2) (3) (4) (5)				(1) (2) (3) (4) (5)	107	r11 c21 c31 c41 c5
3	111 121 131 141 151	<b>W</b> 3			(1) (2) (3) (4) (5)		- ttp c2p c3p c4p c5:
•	r11 r21 r31 r41 r51	3			c1 3 c2 3 c3 3 c4 3 c5 3	] 109	- (13 t23 t33 t43 t5
5	r\$3 c21 c33 c43 c53	40	1 1 1 1 2 1 1 3 1 1 4 3 1 5 3	75	(1) (2) (3) (4) (5)	110	c10 c20 c30 c40 c5:
6	£11 £22 £32 £42 £53	41	1 - 613 623 633 643 653	76	(1) (2) (3) (4) (5)	1 111	r13 c23 c31 c43 c5:
7	c13 c23 c33 c43 c53	42	2 - 12 - 22 - 32 - 42 - 52	77	(12 (22 (32 (42 (52	112	c12 c22 c32 c42 c5:
8	[ 13 [ 23 [ 33 [ 43 [ 53	43	1 12 12 123 133 141 153		(1) (2) (3) (4) (5)	113	r1 : c2 : c3 : c4 : c5:
9	c13 c23 c31 c43 c51	44			c13 c23 c31 c41 c51	114	c11 c21 c31 c41 c5:
10	rf2 (2) (3) (4) (5)	45			c11 c21 c31 c41 c51	115	t10 t20 t30 t40 t5:
••	r 1 > r 2 > r 3 > r 4 > c 5 >	ا					
11		.   46			(1) (2) (3) (4) (5)	116	r10 c20 c31 c40 c5:
12	c11 c21 c31 c41 c51				t1: t2: t3: t4: t5:		c1> c2> c3> c4> c5:
13	r12 c22 c32 c42 c52	48			cto (2) (3) (4) (5)		(11 (21 (31 (4) (5)
14	(1) (2) (3) (4) (5)	49		] 194	(13 (23 (32-(43 52)		r11 c21 c31 c41 c51
15	c11 c21 c31 c41 c51	. 50	1 12 122 132 142 152	85	C[1 (21 51 1 1	7	r11 r21 r31 r41 r5:
15	c13 c21 c31 c41 c51	51	c1 = c2 = c3 = c4 = c5 =		1 t21 t3t41 t51	121	t10 t20 t30 t40 t5:
17	c13 c23 c33 c43 c52	52	(1) (21 (3) (41 mil	8	t 121 (3) (4) (5)	122	(1) (2) (3) (4) (5)
18	r13 r23 r33 r43 r53	53	r   2 r22 r33 - 42 - 52	88	(1) (2) (3) (4) (5)	123	r12 c21 c31 c41 c5:
19	(1) (2) (3) (4) (5)	54	22 35 12 2	88	c11 c21 c31 c41 c51	124	r13 c23 r31 c43 r51
20	rfo (2) (3) (4) (5)		1 (2) 1 1 2 472	90	(1) (2) (3) (4) (5)	125	(1) (2) (3) (4) (5)
					111.25.135.145.135	'2"	111 121 131 141 15.
21	r12 c21 c31 43 c51	160			(12 (22 (32 (42 (52	126	c1 2 c22 c31 c41 c5:
22	r13 r21 r31 r4	37			[1] [2] [3] [4] [5]	127	c10 c20 c30 c40 c50
23	(1) (2) (3) (4) (	58			(1) (2) (3) (4) (5)	128	r12 c22 r31 r42 c52
24	r 10 x 20 x 30 x (== x50	59	c13 c23 c33 c43 c53	94	[13 (23 (33 (43 (53)	129	t13 c23 c33 c43 c53
25	(13 (2) (3) (4) (5)	50	c13 c23 c33 c42 c53	95	(1) (2) (3) (4) (5)	, 130	c1 1 c21 c31 c41 c51
26	c12 c22 c32 c42 c52	1 61	r12 c22 c32 c42 c52	. 96	€73 €23 €33 €43 €53 €	131	e4 = 42 + 10 + 4 + 10 + 10 + 10 + 10 + 10 + 10
27	£13 £23 £32 £43 £53	27 12 62			(1) (2) (3) (4) (5)	132	C11 (2) (3) (4) (5)
28	(1) (2) (3) (4) (5)	1 63			(1) (2) (3) (4) (5)	133	r13 r21 r31 r41 r51
29	r}s c2s c3s c4s c5s	64					r13 r23 r33 r42 r53
30	(1) (2) (3) (4) (5)	55			· (1) (2) (3) (4) (5)	134	(1) (2) (3) (4) (5)
	413 123 133 143 133	;	(1) (2) (3) (4) (3)	100	C1 2 C2 2 C3 2 C4 2 C5 2	135	[1] [2] [3] [4] [5]
31	112 r22 r32 r42 r52	66			c1 x (2 x (3 x (4 x (5 x	136	c13 c2) c3) c40 c50
32	E 1 2 E 2 1 E 3 2 E 4 2 E 5 2	ւ   67			c10 c20 c30 c40 c50	137	c13 c21 c31 c41 c51
33	c \$ 3 c 23 c 33 c 43 c 5 3	68		103	r13 r23 r33 r43 r52	138	r13 c23 c33 c43 c53
34	cfo r2s r3s r4s r5s	69			:13 t23 t33 t41 t53 =	139	(1) (2) (3) (4) (5)
35	c 1 2 c 2 2 c 3 2 c 4 2 c 5 2	70	c1 2 c2 2 c3 2 c4 2 c5 2	105	(1: (2: (3: (4: (5:	140	(13 (2) (3) (4) (5)
		'^ <u></u>		·		140	-15341 (31