

[11] ; [19],[23], [4; 10; 14; 7; 20; 22], [6; 5], [17; 8; 21; 9] ; [1] ; [15],[12], [16] ; [13], [18] ; [18], [21], [15], [3], [2], [20], [7], [19] ; [1], [24]

## REFERENCES

- [1] Davide Anguita, Alessandro Ghio, Luca Oneto, Xavier Parra, and Jorge L Reyes-Ortiz. Human activity recognition on smartphones using a multiclass hardware-friendly support vector machine. In *Proceedings of the 4th international conference on Ambient Assisted Living and Home Care*, pages 216–223. Springer-Verlag, 2012.
- [2] Ling Bao and Stephen S Intille. Activity recognition from user-annotated acceleration data. In *Pervasive Computing*, pages 1–17. Springer, 2004.
- [3] Tomas Brezmes, Juan-Luis Gorricho, and Josep Cotrina. Activity recognition from accelerometer data on a mobile phone. In *Distributed computing, artificial intelligence, bioinformatics, soft computing, and ambient assisted living*, pages 796–799. Springer, 2009.
- [4] Stefan Dernbach, Barnan Das, Narayanan C Krishnan, Brian L Thomas, and Diane J Cook. Simple and complex activity recognition through smart phones. In *Intelligent Environments (IE), 2012 8th International Conference on*, pages 214–221. IEEE, 2012.
- [5] Thi Duong, Dinh Phung, Hung Bui, and Svetha Venkatesh. Efficient duration and hierarchical modeling for human activity recognition. *Artificial Intelligence*, 173(7):830–856, 2009.
- [6] Thi V Duong, Hung Hai Bui, Dinh Q Phung, and Svetha Venkatesh. Activity recognition and abnormality detection with the switching hidden semi-markov model. In *Computer Vision and Pattern Recognition, 2005. CVPR 2005. IEEE Computer Society Conference on*, volume 1, pages 838–845. IEEE, 2005.
- [7] Norbert Györfi, Ákos Fábián, and Gergely Hományi. An activity recognition system for mobile phones. *Mobile Networks and Applications*, 14(1):82–91, 2009.
- [8] Chang Woo Han, Shin Jae Kang, and Nam Soo Kim. Implementation of hmm-based human activity recognition using single triaxial accelerometer. *IEICE transactions on fundamentals of electronics, communications and computer sciences*, 93(7):1379–1383, 2010.
- [9] Derek Hao Hu, Sinno Jialin Pan, Vincent Wenchen Zheng, Nathan Nan Liu, and Qiang Yang. Real world activity recognition with multiple goals. In *Proceedings of the 10th international conference on Ubiquitous computing*, pages 30–39. ACM, 2008.
- [10] Mustafa Kose, Ozlem Durmaz Incel, and Cem Ersoy. Online human activity recognition on smart phones. In *Workshop on mobile sensing: from smartphones and wearables to big data (colocated with IPSN)*, pages 11–15, 2012.
- [11] O.D. Lara and M.A. Labrador. A survey on human activity recognition using wearable sensors. *Communications Surveys Tutorials, IEEE*, 15(3):1192–1209, 2013.
- [12] Jonathan Lester, Tanzeem Choudhury, Nicky Kern, Gaetano Borriello, and Blake Hannaford. A hybrid discriminative/generative approach for modeling human activities. In *IJCAI*, volume 5, pages 766–772, 2005.
- [13] Mitja Luštrek and Boštjan Kaluža. Fall detection and activity recognition with machine learning. *Informatica*, 33(2):197–204, 2009.
- [14] Dominic Maguire and Richard Frisby. Comparison of feature classification algorithm for activity recognition based on accelerometer and heart rate data. In *9th. IT & T Conference*, page 11, 2009.
- [15] Uwe Maurer, Asim Smailagic, Daniel P Siewiorek, and Michael Deisher. Activity recognition and monitoring using multiple sensors on different body positions. In *Wearable and Implantable Body Sensor Networks, 2006. BSN 2006. International Workshop on*, pages 4–pp. IEEE, 2006.
- [16] Thomas Plötz, Nils Y Hammerla, and Patrick Olivier. Feature learning for activity recognition in ubiquitous computing. In *Proceedings of the Twenty-Second international joint conference on Artificial Intelligence-Volume Two*, pages 1729–1734. AAAI Press, 2011.
- [17] David M Pober, John Staudenmayer, Christopher Raphael, and Patty S Freedson. Development of novel techniques to classify physical activity mode using accelerometers. *Medicine and science in sports and exercise*, 38(9):1626, 2006.
- [18] Nishkam Ravi, Nikhil Dandekar, Preetham Mysore, and Michael L Littman. Activity recognition from accelerometer data. In *AAAI*, pages 1541–1546, 2005.
- [19] Thomas Stiefmeier, Daniel Roggen, and Gerhard Tröster. Gestures are strings: efficient online gesture spotting and classification using string matching. In *Proceedings of the ICST 2nd international conference on Body area networks*, page 16. ICST (Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering), 2007.
- [20] Lin Sun, Daqing Zhang, Bin Li, Bin Guo, and Shijian Li. Activity recognition on an accelerometer embedded mobile phone with varying positions and orientations. In *Ubiquitous intelligence and computing*, pages 548–562. Springer, 2010.
- [21] Tim Van Kasteren, Athanasios Noulas, Gwenn Englebienne, and Ben Kröse. Accurate activity recognition in a home setting. In *Proceedings of the 10th international conference on Ubiquitous computing*, pages 1–9. ACM, 2008.
- [22] Jamie A Ward, Paul Lukowicz, Gerhard Troster, and Thad E Starner. Activity recognition of assembly tasks using body-worn microphones and accelerometers. *Pattern Analysis and Machine Intelligence, IEEE Transactions on*, 28(10):1553–1567, 2006.
- [23] Mi Zhang and Alexander A Sawchuk. Motion primitive-based human activity recognition using a bag-of-features approach. In *Proceedings of the 2nd ACM SIGHIT International Health Informatics Symposium*, pages 631–640. ACM, 2012.
- [24] Mi Zhang and Alexander A Sawchuk. Use-had: a daily activity dataset for ubiquitous activity recognition using wearable sensors. In *UbiComp*, pages 1036–1043, 2012.