

docs/API.md

Synapse Backend API Specification (v0.1)

Overview

This document defines the REST API surface for the Synapse backend MVP.

Base URL

```
/api/v1
```

Authentication

```
Authorization: Bearer <access_token>
```

Content-Type

```
application/json
```

Authentication

POST /auth/request-otp

Request OTP for a phone number.

Request

```
{  
  "phoneNumber": "+919876543210"  
}
```

Response

```
{
  "status": "success"
}
```

POST /auth/verify-otp

Verify OTP and return access + refresh tokens.

POST /auth/refresh

Refresh access token.

POST /auth/logout

Invalidate refresh token.

GET /auth/me

Return authenticated user.

Users

GET /users/{userId}

Get public profile.

PATCH /users/me

Update profile.

PATCH /users/avatar

Update avatar.

Workspaces

GET /workspaces

List workspaces.

POST /workspaces

Create workspace.

GET /workspaces/{workspaceSlug}

Workspace details.

PATCH /workspaces/{workspaceSlug}

Update workspace.

DELETE /workspaces/{workspaceSlug}

Soft delete workspace.

Members

GET /workspaces/{workspaceSlug}/members

POST /workspaces/{workspaceSlug}/members

Invite member.

DELETE /workspaces/{workspaceSlug}/members/{userId}

Remove member.

PATCH /workspaces/{workspaceSlug}/members/{userId}

Update role.

Channels

GET /workspaces/{workspaceSlug}/channels

POST /workspaces/{workspaceSlug}/channels

GET /channels/{channelId}

PATCH /channels/{channelId}

DELETE /channels/{channelId}

Messages

GET /channels/{channelId}/messages

Cursor pagination.

POST /channels/{channelId}/messages

GET /messages/{messageId}

DELETE /messages/{messageId}

Boards

GET /channels/{channelId}/boards

POST /channels/{channelId}/boards

GET /boards/{boardId}

DELETE /boards/{boardId}

POST /boards/{boardId}/ack

Acknowledge board.

GET /boards/{boardId}/acks

List acknowledgements.

Direct Messages

GET /dm

Conversation list.

GET /dm/{userId}

Conversation history.

POST /dm/{userId}

Send message.

Media

POST /media/presign

Generate Cloudflare R2 presigned URL.

POST /media/complete

Confirm upload.

Notifications

POST /notifications/register

Register FCM token.

DELETE /notifications/register

Remove FCM token.

Health

GET /health

GET /version

WebSocket

Endpoint

```
GET /ws
```

The WebSocket uses JSON-RPC style envelopes.

Supported client messages

- Authenticate
- SubscribeChannel
- UnsubscribeChannel
- Heartbeat
- SendMessage

Supported server messages

- Authenticated
- MessageCreated
- MessageDeleted
- BoardCreated
- BoardAcknowledged
- UserJoined
- UserLeft
- Error