

Project Link : <https://github.com/gitcrumbs/CapStone.git>

Use Case: Get User without active Token

The screenshot shows a REST client interface with a sidebar on the left containing a list of endpoints under the 'bookmyconsultation' collection. The main panel displays a GET request to `http://localhost:8080/users/TestUser@TestUser.com ...`. The 'Headers' tab is active, showing an 'Authorization' header with the value `Bearer ((BMCAuthToken))`. The 'Body' tab is also active, showing a JSON response in 'Pretty' format:

```
1 {
2   "timestamp": "2023-03-10T14:34:57.924+00:00",
3   "status": 401,
4   "error": "Unauthorized",
5   "path": "/users/TestUser@TestUser.com"
6 }
```

The status bar at the bottom indicates 'Status: 401 Unauthorized', 'Time: 951 ms', and 'Size: 796 B'. A 'Save Response' button is visible.

Use Case: Login

The screenshot shows a REST client interface with a sidebar on the left containing a list of endpoints under the 'bookmyconsultation' collection. The main panel displays a POST request to `http://localhost:8080/auth/login ...`. The 'Authorization' tab is active, showing 'Basic Auth' selected. The 'Body' tab is also active, showing a JSON response in 'Pretty' format:

```
1 {
2   "id": "TestUser@TestUser.com",
3   "firstName": "TestUser",
4   "lastName": "TestUser",
5   "emailAddress": "TestUser@TestUser.com",
6   "mobilePhoneNumbez": "6978742332",
7   "lastLoginTime": null,
8 }
```

The status bar at the bottom indicates 'Status: 200 OK', 'Time: 375 ms', and 'Size: 1.1 KB'. A 'Save Response' button is visible.

Use Case: Get User with active Token

backendTest ☆

bookmyconsultation

- GET get User
- GET get User appointments
- POST register
- POST Login
- POST Logout
- GET get all doctor
- GET get all speciality
- GET get doctors timeslots
- GET get a doctor
- GET get an appointment
- POST add doctor
- POST book an appointment
- POST post a rating

LoadTest

New Collection

patterns

Server Sent Events

GET http://localhost:8080/users/TestUser@TestUser.com ... Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies

Headers 6 hidden

KEY	VALUE	DESCRIPTION	...	Bulk Edit	Presets
Authorization	Bearer ({BMCAuthToken})				
Key	Value	Description			

Body Cookies Headers (13) Test Results Status: 200 OK Time: 70 ms Size: 891 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "firstName": "TestUser",
3   "lastName": "TestUser",
4   "dob": null,
5   "mobile": "8978742332",
6   "emailId": "TestUser@TestUser.com",
7   "password": "84276187A83397C4",
8   "createdDate": "2023-03-10",
9   "salt": "n10hFSqNw2Lk1XfT6XeKYRK9spIFRWf0x1HUnzxbXPg="
10 }
```

Activate Windows
Go to Settings to activate Windows.

Use Case : Register User

bookmyconsultation / register

POST http://localhost:8080/users/register Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
2 {
3   "firstName": "fname",
4   "lastName": "lname",
5   "dob": "1903-08-06",
6   "mobile": "1234567890",
7   "password": "test",
8   "emailId": "test@gmail.com"
9 }
```

Body Cookies Headers (12) Test Results Status: 200 OK Time: 36 ms Size: 842 B Save Response

Pretty Raw Preview Visualize JSON

```
2 {
3   "firstName": "fname",
4   "lastName": "lname",
5   "dob": "1903-08-06",
6   "mobile": "1234567890",
7   "emailId": "test@gmail.com",
8   "password": "645F233060717E59",
9   "createdDate": "2023-03-10",
10  "salt": "ph27e4xk4gMUKCL9IZNDq/rsJ1Ahz0dGX2+N7i5vLBM="
11 }
```

Activate Windows
Go to Settings to activate Windows.

Use Case : Login with registered user

bookmyconsultation / Login

POST http://localhost:8080/auth/login...

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Type Basic Auth

Username test@gmail.com

Password test

Show Password

Status: 200 OK Time: 375 ms Size: 1.1 KB Save Response

```
1 {
2   "id": "TestUser@TestUser.com",
3   "firstName": "TestUser",
4   "lastName": "TestUser",
5   "emailAddress": "TestUser@TestUser.com",
6   "mobilePhoneNumber": "8978742332",
7   "lastLoginTime": null,
}
```

Use Case: Logout the active user

bookmyconsultation / Logout

POST http://localhost:8080/auth/logout...

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Headers 7 hidden

KEY	VALUE	DESCRIPTION		Bulk Edit	Presets
Authorization	Bearer ((BMCAuthToken))				
Key	Value	Description			

Status: 200 OK Time: 61 ms Size: 582 B Save Response

```
1
```

Use Case: Get All Doctor with speciality "DENTIST"

bookmyconsultation / get all doctor

GET http://localhost:8080/doctors?speciality=DENTIST

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
☒ speciality	DENTIST		

Body Cookies Headers (12) Test Results Status: 200 OK Time: 86 ms Size: 11.26 KB Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": "UUID-37",
3   "firstName": "Hermione",
4   "lastName": "Kelley",
5   "speciality": "DENTIST",
6   "dob": "2021-06-16",
7   "address": {
8     "id": "UUID-37",
9     "addressLine1": "Ap #256-8501 Id, Rd.",
10    "addressLine2": "49.0933, 122.59113",
11    "city": "Chicago",
12    "state": "Illinois",
13  }
```

Use Case: Get All Doctors

bookmyconsultation / get all speciality

GET http://localhost:8080/doctors

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies

Headers 8 hidden

KEY	VALUE	DESCRIPTION	Bulk Edit	Presets
☒ Authorization	Bearer ((BMCAuthToken))			

Body Cookies Headers (12) Test Results Status: 200 OK Time: 314 ms Size: 9.27 KB Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": "UUID-2",
3   "firstName": "Blossom",
4   "lastName": "Valentine",
5   "speciality": "PULMONOLOGIST",
6   "dob": "2021-09-16",
7   "address": {
8     "id": "UUID-2",
9     "addressLine1": "103-4867 Nullam Ave",
10    "addressLine2": "-45.85534, 146.33318",
11    "city": "Patalillo",
12    "state": "San José",
13  }
```

Use Case: Get All Speciality

bookmyconsultation / get all speciality

GET http://localhost:8080/doctors/speciality

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies

Headers 8 hidden

KEY	VALUE	DESCRIPTION	Bulk Edit	Presets
Authorization	Bearer ((BMCAuthToken))			

Body Cookies Headers (12) Test Results Status: 200 OK Time: 13 ms Size: 700 B Save Response

Pretty Raw Preview Visualize JSON

```
1 [
2   "CARDIOLOGIST",
3   "GENERAL_PHYSICIAN",
4   "DENTIST",
5   "PULMONOLOGIST",
6   "ENT",
7   "GASTRO"
8 ]
```

Use Case: Get a Doctor

bookmyconsultation / get a doctor

GET http://localhost:8080/doctors/UUID-2

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
-----	-------	-------------	-----------

Body Cookies Headers (12) Test Results Status: 200 OK Time: 20 ms Size: 1.05 KB Save Response

Pretty Raw Preview Visualize JSON

```
1 /
2   address: {
3     "id": "UUID-2",
4     "addressLine1": "103-4867 Nullam Ave",
5     "addressLine2": "-46.85534, 146.33318",
6     "city": "Patalillo",
7     "state": "San José",
8     "postcode": "L2S 2T0"
9   },
10  "mobile": "16030728 0091",
11  "emailId": "malesuada@lacusMaurisnon.com",
12  "pan": "KAR90SJR5KQ",
13  "highestQualification": "MDS",
14  "college": "Enim Consequat Purus LLC",
15  "totalYearsOfExp": 20,
16  "rating": 5.0
17 }
```

Use Case : Get an Appointment by ID

The screenshot shows the Postman interface for a GET request. The URL is `http://localhost:8080/appointments/5d579008-7a30-489b-a3ee-48d461176cff`. The request is configured with an Authorization header set to `Bearer {(BMCAuthToken)}`. The response status is 200 OK, with a time of 71 ms and a size of 916 B. The response body is displayed in JSON format, showing appointment details.

Request:

- Method: GET
- URL: `http://localhost:8080/appointments/5d579008-7a30-489b-a3ee-48d461176cff`
- Headers (9):
 - Authorization: Bearer {(BMCAuthToken)}

Response:

```
1 {
2   "appointmentId": "5d579008-7a30-489b-a3ee-48d461176cff",
3   "doctorId": "UUID-36",
4   "doctorName": "Hilary Porter",
5   "userId": "TestUser@TestUser.com",
6   "userName": "TestUser TestUser",
7   "timeSlot": "12AM-01PM",
8   "appointmentDate": "2023-3-10",
9   "symptoms": "Cold and Blocked Nose",
10  "priorMedicalHistory": "No History"
11 }
```

Use Case: Add a Doctor

The screenshot shows the Postman interface for a POST request. The URL is `http://localhost:8080/doctors`. The request is configured with a raw body containing JSON data for a new doctor. The response status is 200 OK, with a time of 62 ms and a size of 970 B. The response body is displayed in JSON format, showing the created doctor's details.

Request:

- Method: POST
- URL: `http://localhost:8080/doctors`
- Body (raw):

```
1 {
2   "firstName": "Test",
3   "lastName": "Doctor",
4   "dob": "1983-08-06",
5 }
```

Response:

```
1 {
2   "id": "853c2dfb-9d25-434f-a1bd-b4ce5310699d",
3   "firstName": "Test",
4   "lastName": "Doctor",
5   "speciality": "GENERAL_PHYSICIAN",
6   "dob": "1983-08-06",
7   "address": {
8     "id": "853c2dfb-9d25-434f-a1bd-b4ce5310699d",
9     "addressLine1": "add1",
10    "addressLine2": "add1",
11    "city": "BHN",
12    "state": "TN",
13    "zipcode": null
14  }
15 }
```

Use Case: Book an Appointment by Id : df9d9862-e9a1-4432-8eb5-df442fd96ce3

The screenshot shows the Postman interface for a REST client. The left sidebar displays a collection named 'bookmyconsultation' with various endpoints. The main panel shows a POST request to 'http://localhost:8080/appointments'. The request body is a JSON object with the following fields: 'doctorName' (Jordan), 'userId' (test@gmail.com), 'userName' (fname), and 'userEmailId' (test@gmail.com). The response status is 200 OK, and the response body is the appointment ID: 'df9d9862-e9a1-4432-8eb5-df442fd96ce3'.

```
POST http://localhost:8080/appointments
```

Params Authorization Headers (9) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
  2   "doctorName": "Jordan",
  3   "userId": "test@gmail.com",
  4   "userName": "fname",
  5   "userEmailId": "test@gmail.com"
  6 }
```

Body Cookies Headers (12) Test Results

Status: 200 OK Time: 101 ms Size: 659 B Save Response

Pretty Raw Preview Visualize Text

```
1 df9d9862-e9a1-4432-8eb5-df442fd96ce3
```

Use Case : Add Ratings

The screenshot shows the Postman interface for a REST client. The left sidebar displays a collection named 'bookmyconsultation' with various endpoints. The main panel shows a POST request to 'http://localhost:8080/ratings'. The request body is a JSON object with the following fields: 'appointmentId' (df9d9862-e9a1-4432-8eb5-df442fd96ce3), 'doctorId' (UUID-34), 'rating' (5), and 'comments' (Good Analysis). The response status is 200 OK, and the response body is the rating ID: 'df9d9862-e9a1-4432-8eb5-df442fd96ce3'.

```
POST http://localhost:8080/ratings
```

Params Authorization Headers (9) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
  2   "appointmentId": "df9d9862-e9a1-4432-8eb5-df442fd96ce3",
  3   "doctorId": "UUID-34",
  4   "rating": "5",
  5   "comments": "Good Analysis"
  6 }
```

Body Cookies Headers (11) Test Results

Status: 200 OK Time: 156 ms Size: 582 B Save Response

Pretty Raw Preview Visualize Text

```
1 df9d9862-e9a1-4432-8eb5-df442fd96ce3
```

