



Zephyr® Project

Developer Summit 2022

June 8-9, 2022

Mountain View, CA + Virtual



NORDIC®
SEMICONDUCTOR



Zephyr® Project
Developer Summit 2022

June 8-9, 2022

Mountain View, CA + Virtual



NORDIC®
SEMICONDUCTOR

Twister V2: New Framework for Testing Based on Pytest. Overview and Current Status

Maciej Perkowski
Nordic Semiconductor



Zephyr® Project
Developer Summit 2022

June 8-9, 2022

Mountain View, CA + Virtual



NORDIC®
SEMICONDUCTOR

Outline:

- Why?
- How?
- What?
- Current status
- Demo



Why?

- Twister evolved in a reactive way
- Lacks coherent overall architecture:
 - Low modularity
 - Several places in the code have a similar responsibility
 - Long and hard to follow “if-else” decision trees
 - Workaround fixes and “hacks” applied over the years
- Hard to maintain. Changes require high vigilance on all other parts.
- Developers can be reluctant towards contributing to the source code.
- Low test coverage. Tested mostly in production.
- We need a SOLID framework



How?

- Using available and popular libraries instead of “reinventing the wheel” wherever it is possible and making sense
- Managed as a python package (like e.g., west)
- Based on SOLID principles
- High test coverage
- Backward compatibility with the existing Zephyr’s tests
- Facilitate new feature addition (e.g., interactive tests and more complex scenarios)
- Engage the community



What?

Based on pytest.

“The pytest framework makes it easy to write small, readable tests, and can scale to support complex functional testing for applications and libraries.”

“Isn’t pytest, you know, for python tests?”

It is. We provide a module, turning existing tests definitions in zephyr’s test .yaml into pytest tests.



Pytest benefits:

- Easy to expand and modify thanks to the plugin concept
 - Loosely coupled relations between the host and a plugin.
 - Burden on the host side: hook functions for plugins.
 - *E.g., Useful when adding a new report type, or a way to filter (select and deselect) tests*
- Simple reusability of common functions with @fixture
 - Modular approach (fixtures can use other fixtures)
 - Simplified (and safely managed) teardown logic
 - Easy to trace: explicit declaration in functions, transparent printout of usage
 - *E.g. code blocks for building hexes and DUT management (setup->connect serial->flash->YIELD DUT->disconnect)*



- Being very popular:
 - Don't have to worry about stuff like test counting and overall runner's „consistency”
 - A lot of functionality available out-of-the-box (or with some customization):
 - Subsets with <https://pypi.org/project/pytest-split/> (even able to optimize load by tests execution time)
 - Parallelization with <https://pypi.org/project/pytest-xdist/>
 - Coverage with <https://coverage.readthedocs.io/en/6.3.2/>
 - Different types of reports, e.g interactive html
 - Can be more attractive to new contributors



Zephyr® Project
Developer Summit 2022

June 8-9, 2022

Mountain View, CA + Virtual



NORDIC®
SEMICONDUCTOR

Current status

Test identification (specification)

DONE:

- Pytest tests automatically generated from existing Zephyr tests
- Pre-filtering based on tests and boards yamls specifications
- Examples of filtering plugins (tags, „slow”)

TODO:

- Add more filters to align with the current twister
- Add test cases („subtests”) identification



Test execution

DONE:

- Building and flashing images based on west interface
- „harness: ztest”
- Abstraction layer (using factory method pattern) for DUT with „native posix” and „HW” classes implemented
- Parallelization with xdist. Works well with „native”
- Single tests within an app recognized as „subtests”

TODO:

- „harness: console”
- Add „qemu” DUT
- Parallelization for HW (DUTs cannot be accessed by multiple workers)
- Improve naming of tests (configurations) and subtests (test cases) in the console output
- Compare performance/benchmarking



Reporting

DONE:

- Generic base class and specialized „writers”
- Implemented custom json and csv
- Other types can be taken from plugins (e.g. <https://pytest-html.readthedocs.io/en/latest/> or <https://github.com/prashanth-sams/pytest-html-reporter>)

TODO:

- Improve subtests reporting
- Consider other types
- Customize existing plugins



You are more than welcome to join the project and add your contributions!

- <https://github.com/zephyrproject-rtos/twister>
- <https://github.com/orgs/zephyrproject-rtos/projects/7>
 - „good first issue” and „help wanted” labels





Zephyr® Project

Developer Summit 2022

June 8-9, 2022

Mountain View, CA + Virtual

```
{
  "environment": {
    "report_time": "17:08:40 01-06-2022",
    "pc_name": "maciej-VirtualBox",
    "duration": 17.77968126574951
  },
  "configuration": {
    "build_only": false,
    "default_platforms": [
      "native_posix"
    ],
    "board_root": null,
    "output_dir": "twister-out"
  },
  "summary": {
    "passed": 5,
    "failed": 0,
    "skipped": 0,
    "xfailed": 0,
    "xpassed": 0,
    "error": 0,
    "total": 5,
    "subtests_total": 225,
    "subtests_passed": 210,
    "subtests_failed": 0,
    "subtests_skipped": 15
  },
  "tests": [
    {
      "suite_name": "zephyrproject2.zephyr.tests.kernel.common.testcase.yaml",
      "test_name": "kernel.common[native_posix]",
      "nodeid": "zephyrproject2/zephyr/tests/kernel/common/testcase.yaml::kernel.common[native_posix]",
      "platform": "native_posix",
      "tags": "base userspace",
      "type": "integration",
      "platform_allow": "",
      "status": "passed",
      "message": "",
      "duration": 0.00053408399980909,
      "subtests": [
        {
          "name": "bootdelay",
          "status": "passed",
          "duration": 0.00053408399980909
        }
      ]
    },
    {
      "name": "irq_offload",
      "status": "passed",
      "duration": 0.000293909874930978
    },
    {
      "name": "nested_irq_offload",
      "status": "skipped",
      "duration": 0.00027339000371284783
    }
  ]
}
```

results.html

Report generated on 29-May-2022 at 22:17:05 by [pytest-html](#) v3.1.1

Environment

GIT_BRANCH	updates
Packages	{"pluggy": "1.0.0", "py": "1.11.0", "pytest": "7.1.2"}
Platform	Linux-5.4.0-113-generic-x86_64-with-glibc2.27
Plugins	{"forked": "1.4.0", "html": "3.1.1", "html-reporter": "0.2.9", "metadata": "2.0.1", "subtests": "0.7.0", "twister": "0.0.1", "xdist": "2.5.0"}
Python	3.8.4

Summary

42 tests ran in 735.54 seconds.

(Un)check the boxes to filter the results.

☒ 38 passed, ☐ 28 skipped, ☐ 4 failed, ☐ 22 errors, ☒ 0 expected failures, ☒ 0 unexpected passes

Results

[Show all details](#) / [Hide all details](#)

Result	Test
Passed (show details)	zephyrproject2/zephyr/tests/kernel/early_sleep/testcase.yaml::kernel.common.sleep[native_posix]
Passed (hide details)	zephyrproject2/zephyr/tests/kernel/events/event_api/testcase.yaml::kernel.events[native_posix]
-----Captured stderr setup----- 2022-05-29 22:05:36,945:INFO:twister2.builder.west: Building Zephyr application 2022-05-29 22:05:36,945:INFO:twister2.builder.west: Build command: python -m west --zephyr-base /home/maciej/zephyrproject2/zephyr -v build /home/maciej/zephyrproject2/zephyr --build-dir /home/maciej/TwisterV2/TwisterV2/twister-out/native_posix/tests/kernel/events/event_api/kernel.events 2022-05-29 22:05:45,354:INFO:twister2.device.native_simulator_adapter: Flashing device 2022-05-29 22:05:45,354:INFO:twister2.device.native_simulator_adapter: Flashing command: /home/maciej/TwisterV2/TwisterV2/twister-out/native_posix/tests/kernel/events/event_api/kernel.events 2022-05-29 22:05:45,458:INFO:twister2.device.native_simulator_adapter: Finished flashing /home/maciej/TwisterV2/TwisterV2/twister-out/native_posix/tests/kernel/events/event_api/kernel.events	
-----Captured stderr call----- 2022-05-29 22:05:45,464:INFO:twister2.yaml_test_function: Execution test kernel.events[native_posix] from /home/maciej/zephyrproject2/zephyr/tests/kernel/events/event_api/kernel.events 2022-05-29 22:05:45,465:INFO:twister2.log_parser.harness_log_parser: Found test suite: events_api 2022-05-29 22:05:45,465:INFO:twister2.log_parser.harness_log_parser: Ztest: k_event_init - PASS in 0.0 2022-05-29 22:05:45,470:INFO:twister2.log_parser.harness_log_parser: Ztest: event_deliver - PASS in 0.0 2022-05-29 22:05:45,472:INFO:twister2.log_parser.harness_log_parser: Ztest: event_receive - PASS in 0.45 2022-05-29 22:05:45,473:INFO:twister2.log_parser.harness_log_parser: PROJECT EXECUTION SUCCESSFUL	
Passed (show details)	zephyrproject2/zephyr/tests/kernel/events/sys_event/testcase.yaml::kernel.events.usage[native_posix]
Passed (show details)	zephyrproject2/zephyr/tests/kernel/lifo/lifo_api/testcase.yaml::kernel.lifo[native_posix]
Passed (show details)	zephyrproject2/zephyr/tests/kernel/lifo/lifo_timeout/testcase.yaml::kernel.lifo.timeout[native_posix]
Passed (show details)	zephyrproject2/zephyr/tests/kernel/lifo/lifo_usage/testcase.yaml::kernel.lifo.usage[native_posix]
Passed (show details)	zephyrproject2/zephyr/tests/kernel/lifo/lifo_api/testcase.yaml::kernel.lifo[native_posix]
Passed (show details)	zephyrproject2/zephyr/tests/kernel/lifo/lifo_usage/testcase.yaml::kernel.lifo.usage[native_posix]
Passed (show details)	zephyrproject2/zephyr/tests/kernel/mailbox/mailbox_api/testcase.yaml::kernel.mailbox.api[native_posix]
Passed (show details)	zephyrproject2/zephyr/tests/kernel/mailbox/mailbox_usage/testcase.yaml::kernel.mailbox.usage[native_posix]



Zephyr® Project
Developer Summit 2022

June 8-9, 2022

Mountain View, CA + Virtual



NORDIC®
SEMICONDUCTOR

References:

<https://en.wikipedia.org/wiki/SOLID>

<https://docs.pytest.org/en/7.1.x/>

<https://pluggy.readthedocs.io/en/stable/>

<https://pypi.org/project/pytest-xdist/>

<https://pytest-html.readthedocs.io/en/latest/> <https://github.com/prashanth-sams/pytest-html-reporter>

<https://pypi.org/project/pytest-split/>

<https://coverage.readthedocs.io/en/6.3.2/>



Zephyr® Project
Developer Summit 2022

June 8-9, 2022

Mountain View, CA + Virtual

Thank you!



Benefits of being an independent package:

- Versioning of the tool itself (won't be tightly coupled with Zephyr's revision)
- Independent CI/CD
- Simplifies staging branch for CI (testing newer twister version before it enters the main)
- Easier configuration (e.g., combining with other pytest plugins)
- More attractive to external contributors
- Easier to develop new plugins which would use Twister's functionality (but not require Zephyr)