

INDEX

A

abnormalities

tests to detect 6, 7, 49–51, 152
worrying about 77

alcohol 5, 32, 129, 140, 154

and breastfeeding 112

allergies 26, 112, 119

amniocentesis 50, 51

amniotic sac/fluid 20, 22

anaemia 7, 27, 42, 47, 53, 123

anaesthetists 54, 89

animals, infections transmitted by 38

antenatal care 6, 16, 40–56

appointments 41–6

‘booking appointments’ 6, 16, 42, 44–5

antenatal education (classes) 7, 56–7, 77

antenatal notes, hand-held 52–3, 91

anxiety 75, 76

asthma 15, 31, 32

B

‘baby blues’ 9, 81–2, 136

baby carriers (slings) 130

backache 58–9, 87

bathing the baby 128, 144

bed sharing 129, 140

benefits and rights 6, 156–75

bereavement 84

birth after 41 weeks 9, 96, 125

birth plans 8, 74, 77, 91

birth trauma 82

birthing partners 73, 93, 94, 95, 97, 99, 101

birthing pools 71, 72, 73, 91

birthmarks 125

bleeding 67, 69, 78, 95, 122

blood pressure tests 7, 8, 9, 42, 43, 45, 67

postnatal 136

blood spot screening

(heel prick test) 124

blood tests 8, 15, 36, 42, 43

types of 46–8

body mass index (BMI) 44

braxton hicks contractions 9, 78, 87

breast pads 103, 109, 131

breastfeeding 73, 85, 102–14

after the birth 95, 103

benefits of 102, 103, 141

food and 110–12, 134

HIV positive mothers 47

jaundice and 149

in neonatal units 148

pain relieving drugs and 89

of twins and triplets 15, 107

while out and about 131

breasts 13, 109–10

babies’ 125

changes in during pregnancy 7, 15, 78, 85, 123

breathing of newborn babies 95, 103, 126, 142, 145, 148

breech births 71, 100

C

caesarean sections 15, 49, 54, 67, 68, 98–9, 100, 155

caffeine 29, 111

calcium 27

cap or diaphragm 135

car safety 39, 130–1

car seats 130–1

care to learn scheme 17

catheters 90, 97, 99

cervical smears 48, 136

cervix 11, 12, 69, 87, 91

dilation of 11, 92–3, 94, 98, 100

chickenpox 37

child benefit 83, 138, 157, 175

child tax credit 6, 8, 28, 158, 160

child trust fund 157

childcare approval scheme 80

childcare arrangements 8, 80

help with costs 158

childminders and nurseries 80

children’s centres 16, 41, 55, 57, 71, 134, 146

chlamydia 36

chorionic villus sampling (CVS) 50, 51

chromosomes 13, 49, 50, 51

coeliac disease 27, 28, 154

colic 139

colostrum 61, 103

combined pill 135

conception 12, 18

best time to get pregnant 14

condoms 37, 135

constipation 15, 25, 59, 122

of the baby 119

contraception 113, 122, 134–5, 136

contractions 77, 89–90, 91, 92, 93, 94, 96, 97

braxton hicks 9, 78, 87

cot death, reducing risk of 31, 129, 140–2

cot safety 129

council tax benefit 53, 159, 162

cramp 35, 59

crying 138–9

cystic fibrosis 38, 40, 42, 48, 51, 124

cystitis 38

D

death

of baby see loss of baby

of partner 84

deep vein thrombosis 39, 69

delivery

home births 6, 8, 45, 70, 86, 89, 90

hospital births 8, 9, 45, 70, 73,

85–6, 90–1

midwifery unit births 8, 9, 45, 71,

85–6, 90–1

delivery rooms 91

delivery/due date, calculation of 6, 18, 49

dental care 6, 34, 113, 157

depression 76, 82

postnatal 9, 82, 136, 155

development of your baby 6–9, 18–23, 46, 49

diabetes 5, 15, 32, 42, 154, 155

dilation of cervix 11, 92–3, 94, 98, 100

disabilities in baby 77, 149, 172

discrimination and work 156, 169, 171, 172, 174–5

domestic abuse 41, 45, 83

down’s syndrome screening tests 49, 50–1

dreams 64, 76

drugs, illegal 113, 155

dummies 106, 139, 141

E

ectopic pregnancy 69, 150, 151

eczema 26, 112

education and school

while pregnant 17

education maintenance

allowance (EMA) 17

eggs 12, 13, 14, 18, 19

embryo development 12, 18–19

employment and support allowance

6, 8, 159, 160, 163, 164

engagement of baby’s head 23, 53

epidurals 71, 72, 73, 89–90, 98, 99, 100, 155

epilepsy 15, 27, 33, 154

episiotomy 95, 96, 97

equality bill 107

exercises

postnatal exercises 122, 123, 133

during pregnancy 7, 34–5, 42, 62

expressing and storing milk 108–9, 148

F

faintness 59

fallopian tubes 11, 12, 13, 14, 18, 19

families and friends 16, 17, 71, 73, 76, 78, 79, 80, 83

families information service 80

fathers and/or partners 6, 39, 40, 70, 71, 81, 120

at antenatal classes 52, 56

birthing partners 73, 93, 94, 95, 97, 99, 101

breastfeeding and 104, 132

death of 84

early weeks with baby at home 132, 133, 134

feelings and emotions 16, 77

health of 5, 6, 154

paternity leave 7, 171

presence at birth 73, 77, 78, 88, 101

registering the birth and 138

feeding 7, 9

in neonatal units 148

see also formula feeding; breastfeeding

feelings and emotions 13, 16, 75–7

after the birth 81–2

in early weeks at home with baby 134

in first few days with baby 120–1

loss of baby and 151, 152, 153

termination and 152

fertilisation 12, 13, 14, 18, 19
fertility treatment 14
fetal alcohol syndrome (FAS) 32
fetal heart monitoring 92–3
fetus development 19–23
flexible working arrangements 172–5
flying and travel 39, 69
folic acid 5, 27, 28, 42, 154
fontanelle 124
food
 after the birth 82, 134
 balanced diet 5, 7, 24–5, 27, 110–11, 123, 134, 155
 food that you should not eat 26, 111
 healthy snacks 29, 111, 134
 healthy start vouchers 6
 high in fibre 25, 33, 59, 63, 110, 113, 123
 intolerance 28
 during pregnancy 5, 7, 24–9, 59
 preparation 26
 sperm quality and 154
 while breastfeeding 110–12, 134
forceps delivery 54, 70, 97
formula feeding 15, 73, 115–19, 131, 162
 problems with 119
 while out and about 131
FPA (family planning association) 135
fruit and vegetables 6, 25, 27, 59, 63, 110, 123, 154, 162

G

'gas and air' (entonox) 88
gender/sex of baby 13, 51
general practitioners (GPs) 5, 6, 15, 145
genetic disorders, screening tests for 38, 48, 49, 50–1
german measles (rubella) 36, 47, 126, 136, 155
gingerbread 79
'glass test' and meningitis 145

H

haemophilia 38, 50
hair, changes in 63
headaches 60
health and safety issues 17, 39, 155, 156, 170–1
health in pregnancy grant 7, 160
health visitors 55
healthy start scheme 6, 28, 162
heartbeat of fetus 7, 19, 20, 22
 during labour 92–3
hepatitis B 37, 47, 126, 155
hepatitis C 37, 47, 126, 155
hepatitis E 38
herpes 37, 48
high blood pressure 67, 97
HIV and AIDS 36, 37, 47, 155
home births 6, 8, 45, 70, 71, 86, 89, 90
homeopathy 90
hormones 13, 16, 75
hospital births 8, 9, 45, 70, 73, 85–6, 90–1
housing benefit 83, 159, 161
housing issues 17, 79

hydrotherapy 88
hyperemesis gravidarum 61
hypnosis 90

I

illness in the baby 108, 110, 139, 142
 streptococcal infection 146
 symptoms 145, 146
implantation 12, 18, 19
income support 6, 8, 28, 159, 160, 163
incontinence 60, 123, 136
incubators 148
indigestion and heartburn 60–1
induction 9, 67, 68, 96, 97, 152
infections 36–8
inherited diseases and conditions 5, 6, 38, 40, 42, 46, 48, 50, 80
injections during labour 89
internal examinations 91, 93, 100
iron supplements 7, 27, 59
itching 61, 68

J

jaundice 47, 68, 125, 145, 149
jobseeker's allowance
 contribution-based 166
 income-based 6, 8, 28, 159, 160, 161, 163

L

labour
 after the birth 95–6
 the birth 94–5
 early starting (premature) 86, 96
 fetal heart monitoring 92–3
 first stage of 92–3
 pain relief in 54, 73, 87–90
 preparing for 85–6
 recognising active labour 8
 second stage of 94–5
 signs of 87
 speeding up of 93
 third stage of 95
languages other than English 40, 41, 137
lanugo 21, 23
loss of baby 150–3
 grieving 151, 152, 153
 help and support 150

M

massage 90
mastitis 109–10
maternity allowance 7, 158, 162, 163–4
maternity certificate (form MAT B1) 7, 163, 164, 166
maternity facilities, tours of 9
maternity leave 80, 167–9
medicines 5, 33, 113, 140, 155
membrane sweeps 96
meningitis 145
mental health problems 5, 15, 76, 82
midwifery unit births 8, 9, 45, 70, 71, 85–6, 90–1
midwives 6, 15, 54, 71, 74, 91
milk and dairy foods 25, 26, 110

milk, free 6, 28, 162
minerals 27–8
miscarriages 150, 151–2
 screening tests and 49, 51
MMR immunisation 36, 113, 126
mobile phones 86
monitors, breathing 142
monthly cycle 12, 13, 14, 15, 18
'morning sickness' 6, 7, 15, 31, 61
mortgage interest repayments 161–2
movements of baby in uterus 6, 20, 21–2, 46, 49
multiple births 14–15, 49, 56, 82, 98, 100, 107, 140
 death of one baby 153
muscular dystrophy 38, 50, 51

N

nappies 85, 86, 106, 127–8
 changing of 128, 142–3
 hygiene and 143
 nappy rash 128, 143
nausea and sickness 6, 7, 15, 31, 61
neonatal care 147–9
neonatal death 153
newborn babies
 appearance of 124–5
 early weeks at home 120–1, 127–31, 132, 137–46
 health of 124–6, 145–6
 immunisations 126
 needing additional care 147–9
 out and about 130–1
 six-week check 136
 skills and senses 126
 skin-to-skin contact 95, 96, 103, 108, 120, 148
 support for mothers 146
 talking to 137
newborn blood spot screening (heel prick test) 124
newborn hearing screening programme 124
NHS choices website 74
NHS constitution 176–7
nipples
 changes in during pregnancy 15, 63
 leaking from 61, 103
 sore or cracked 109, 110
nosebleeds 62
nuchal translucency scans 50, 55

O

obstetric cholestasis 68
obstetric physiotherapists 55
obstetricians 40, 54, 97, 100
oedema 53
oestrogen 13
ovaries 11, 12, 13, 18
overdue pregnancies (after 41 weeks), 9, 96, 125
ovulation 12, 14

P

paediatricians 55, 96, 97, 100
pain relief in labour 54, 73, 87–90
parental leave 169, 172
partners see fathers and/or partners
parvovirus B19 (slapped cheek disease) 37
paternity leave 7, 171
peanuts 25, 26, 27, 112
pelvis 11, 23, 53, 60, 92, 155
 pelvic floor exercises 35, 42, 62, 122, 123
 pelvic joint pain 62
pension credit 8, 159, 160, 161, 163, 175
personal child health record (PCHR) 123
phototherapy 149
piles 33, 63, 123
placenta 20, 32, 49, 95
placenta praevia 67
position of baby in uterus 8, 9, 23, 46, 49, 53
post-mortem examinations 153
postnatal care 121
postnatal check 122, 135, 136
postnatal depression 9, 82, 136, 155
postnatal exercises 55, 122, 123, 133
postnatal post traumatic stress disorder 82
postnatal recovery and healing 120–3, 133–6
prams and carrycots 130
pre-eclampsia 40, 42, 45, 67
pregnancy tests 6, 15
premature births 15, 38, 108, 125
 smoking and 31
prescriptions, free 157, 175
presentation of the baby 53
problems in pregnancy 67–9
 minor 58–66
puerperal psychosis 83, 155
pushchairs 130

R

registering the birth 138
relationships 78–80
 after the birth 81, 134
relaxation 55, 78, 88, 92, 93
rhesis negative mothers 8, 43, 46–7, 123
rights and benefits 6, 156–75
rubella (German measles) 36, 47, 126, 136, 155

S

serum screening 50
sex
 after baby's birth 122, 134–5
 during pregnancy 69, 78
sex discrimination laws 156, 167, 168, 169, 171, 172, 174–5
sex organs 10, 11
sexual abuse 41, 45, 83
sexually transmitted infections (STIs) 36–7, 47, 135, 155
sexwise helpline 17

shaking 139
sickle cell disorders 38, 40, 42, 48, 51, 124
signs of pregnancy 15
single parents 79, 157, 158, 159, 166
skin, changes in 63
'slapped cheek disease' (parvovirus B19) 37
sleeping 64, 75
 the baby and 104, 129, 140–1
sleeplessness of mother 9
slings (baby carriers) 130
slow-growing babies 68
smoking 5, 30–2, 68, 129, 140, 141, 154
 breastfeeding and 112
social care support 15
social fund 83, 160–1, 175
sonographers 55
sperm 12, 13
spina bifida 19, 42, 49, 154
statutory maternity pay (SMP) 7, 8, 158, 162, 165–6
statutory paternity pay (SPP) 171
stillbirth 150, 153
stitches 95, 96, 122, 136
stools (poo) of baby 106, 143, 149
streptococcal infection 38, 146
stretch marks 64
supervisors of midwives 74
sure start children's centres 57, 134, 146
sure start maternity grants 8, 158, 159, 160
sweating and feeling hot 59
swollen ankles, feet and fingers 64
syphilis 47

T

tax credits or relief 6, 8, 28, 80, 83, 158, 160
tay-sachs disease 48
teenage mothers 17, 28, 56
teeth and gums 65
TENS machines 73, 89
termination 16, 49, 152
thalassaemia disorders 38, 48, 51
thirst of baby 119
thrombosis (blood clots) 39, 69
thrush 66
 in breasts 110
tiredness 6, 7, 8, 9, 15, 39, 65, 75
tongue-tie 110
toxoplasmosis 26, 37, 38
triplets 14–15, 24, 82, 96, 98, 100, 107, 136, 140
twins 14–15, 49, 71, 82, 98, 100, 107, 136, 140

U

ultrasound scans 6, 42, 44, 48–9
 anomaly scan 7, 42, 48, 49, 55
 baby's heartbeat 7, 19, 20
 dating 14, 42, 48, 50, 55
 nuchal translucency scans 50, 55
umbilical cord 19, 20, 69, 95, 124

urination 15, 62, 90, 122
urine tests 7, 8, 9, 42, 43, 45, 67
 postnatal 136
uterus (womb) 11, 12, 13, 19
 baby movements in 6, 20, 21–2, 46, 49
 measurement of 7, 8, 9, 43
 position of the baby in 8, 9, 23, 46, 49, 53

V

vagina 11, 12, 13
vaginal bleeding 69
vaginal discharge 15, 66, 136
varicose veins 66
vasa praevia 69
vegetarians and vegans 28
ventouse delivery 54, 70, 97
vernix 22, 95, 125
vitamins 26, 27–8
 for the baby 115, 124
 vitamin D 6, 27, 28, 42, 111
 vitamin K 9, 96, 124

W

washing the baby 128, 144
water births 71, 72, 73, 91
waters breaking 20, 87, 90, 93
weight 5, 6, 44, 136, 155
 gain during pregnancy 25, 26, 44, 64
work
 dismissal due to pregnancy 167, 171
 flexible working arrangements 172–5
 hazards 39, 42, 155
 health and safety issues 39, 155, 156, 170–1
 maternity leave 80, 167–9
 parental leave 169, 172
 pregnancy and 39, 45, 155
 resigning from 166, 170
 returning to 80, 166, 169
 rights at 6, 155, 156, 167–9, 170–1, 172–3
 sex discrimination laws 156, 168, 171, 172, 174–5
working tax credit 8, 28, 158, 160
worrying about birth 77

X

x-rays 34

Y

young mothers 17, 28, 56
 the young woman's guide to pregnancy 17

USEFUL NUMBERS

Doctor:

Midwife:

Partner:

Birth partner:

Hospital:

Hospital reference number:

Health visitor:

Local taxi:

NHS Direct: 0845 4647

24-hour nurse-led helpline providing health information and advice.

NHS pregnancy smoking helpline: 0800 169 9 169

Open daily from 12 noon to 9pm.



© Crown copyright 2010
286153 2p 403k Mar 10 (HH) 300989
Produced by COI for the Department of Health

If you require further copies of this title visit
www.orderline.dh.gov.uk
and quote: 286153 *The Pregnancy Book*

Tel: 0300 123 1002
Fax: 01623 724 524
Minicom: 0300 123 1003
(8am to 6pm, Monday to Friday)

www.dh.gov.uk/publications



50% recycled
This is printed on 50% recycled paper