



Cedar Initiative by NoxusDynamics LLP

PROJECT REPORT

on

Project Title

TEAM ID: NCD-5

Submitted by:

Lekshmi S Aji

Haniya Salim T M

Bhadra Namboodiri T

Milan M S

13/09/2026

1. Abstract

The "Automated Weed vs. Crop Detector Using Deep Learning" addresses a critical challenge in modern precision agriculture: the automated, accurate discrimination of crops from invasive weeds. Traditional weed management relies heavily on manual inspection and uniform herbicide application, which is time-consuming, environmentally taxing, and economically inefficient. This project proposes an AI-powered image detection system utilizing the YOLO (You Only Look Once) real-time object detection algorithm. By processing field imagery, the system localizes plants via bounding boxes and classifies them as either "Crop" or "Weed" with corresponding confidence scores.

2. Problem Statement

In agricultural ecosystems, weeds compete directly with crops for essential resources including water, soil nutrients, sunlight, and physical growing space. The inability to rapidly and precisely identify weed locations leads to blanket herbicide spraying. This uniform application not only escalates operational costs but also contributes to soil degradation and chemical runoff. Therefore, a robust, automated computer-vision system is required to identify and localize both crops and weeds from agricultural field images quickly enough to facilitate targeted interventions.

3. Main Objectives

- * Automated Image Analysis: Ingest and process standard agricultural field images.
- * Accurate Detection & Classification: Detect all visible plants and accurately distinguish crop plants from weeds.
- * Precise Localization: Generate bounding boxes around detected vegetation to indicate precise spatial locations.
- * Confidence Metrics: Output statistical confidence scores for each classified bounding box to ensure operational reliability.
- * Practical Inference Speed: Achieve processing speeds suitable for integration into real-world agricultural monitoring tools.

4. Proposed Solution & Methodology

The proposed system relies on a supervised deep learning approach, utilizing an annotated crop-and-weed image dataset to train a YOLO-based object detection model.

4.1 System Workflow

- * Image Input: The system accepts an image of an agricultural field.
- * Image Preprocessing: The image is resized, normalized, and formatted to match the input requirements of the YOLO network.
- * YOLO Object Detection: The neural network processes the image in a single pass to identify distinct plant objects.
- * Classification: Each localized object is evaluated and assigned to a defined class (e.g., 0 $\rightarrow$ Crop, 1 $\rightarrow$ Weed).
- * Localization & Output: The system draws bounding boxes around the classified objects, overlaying the predicted label and the confidence percentage.

4.2 Algorithm Selection: YOLO

YOLO (You Only Look Once) was selected over traditional two-stage detectors (like Faster R-CNN) due to its optimized architecture that frames object detection as a single regression problem. This allows the model to process images in real-time while simultaneously predicting multiple bounding boxes and class probabilities, making it highly effective for dynamic agricultural environments.

5. Dataset and Preprocessing

The foundation of the model's accuracy is an annotated image dataset containing diverse examples of agricultural fields, specific crop types, and various weed species.

- * **Annotation Format:** Bounding-box annotations are formatted specifically for YOLO training, utilizing the structure: `class_id x_center y_center width height` (with spatial coordinates normalized between 0 and 1).

- * **Dataset Split:** To ensure the model generalizes well to unseen data without overfitting, the dataset is divided into a standard ratio: approximately 70% for Training, 20% for Validation (to monitor and tune hyperparameters), and 10% for Testing (to evaluate final unbiased performance).

6. Technology Stack

- * **Programming Language:** Python

- * **Deep Learning Architecture:** YOLO (Ultralytics implementation)

- * **Machine Learning Framework:** PyTorch

- * **Computer Vision Libraries:** OpenCV, NumPy, Matplotlib

- * **Development & Training Environment:** Google Colab (utilizing GPU acceleration for efficient model training)

7. Expected Results & Evaluation Metrics

The final trained model is expected to process raw field imagery and output annotated images clearly distinguishing crops from weeds.

The system's performance will be quantified using standard object-detection metrics:

- * **Precision:** The ratio of true positive detections to the total number of positive predictions.

- * **Recall:** The proportion of actual plants correctly identified by the model.

- * **Mean Average Precision (mAP):** The comprehensive metric evaluating the accuracy of the bounding boxes across all classes.

- * **Intersection over Union (IoU):** The spatial overlap between the predicted bounding box and the ground-truth annotation.

8. Limitations

While highly capable, the current system is constrained by standard computer vision limitations. Detection accuracy is heavily dependent on the diversity and quality of the training dataset. Extreme variations in environmental lighting, severe plant occlusion, or the presence of microscopic weeds may degrade performance. Furthermore, deploying the model in fields with plant species entirely unrepresented in the training data will result in reduced classification accuracy.

9. Future Scope

The successful deployment of this automated detector lays the groundwork for expansive precision agriculture applications:

- * Drone Integration: Mounting the camera and inference hardware on UAVs for rapid, large-scale field mapping.

- * Precision Spraying Hardware: Coupling the detection software with automated smart-sprayers to deploy herbicide exclusively on identified weed coordinates.

- * IoT & Robotics: Integrating the model into autonomous terrestrial agricultural rovers for continuous field monitoring and mechanical weed removal.

