Test Run Report

Test Run Overview

Started	03 Jul 2019, 17:35:02
Ended	03 Jul 2019, 17:46:22
Duration (mm:ss)	11:20.268

Test Results Summary

Passed	0
Failed	2
Skipped	0



Test Case Summary

- Jamie spec Student Loan Project for all tax years — failed
  - Optimised Student loans1 Priority 1 Other — failed
    - A_StudentLoan1Priorty1Other_OctoberPayPeriod.testcase — failed

The row locator did not match any rows.

One or more Sub-Test Steps failed.

A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@7260ae78

A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@7260ae78

Error performing Ui Assert. Connection Name: Admin, cause: [NoSuchElementException: No elements matched the field locator. Field name: benefit For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: ProvarSeleniumDriver]

org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: benefit

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: 'unknown', revision: 'unknown', time: 'unknown'

System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191'

Driver info: driver.version: ProvarSeleniumDriver

at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:90)

at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

at com.sun.proxy.$Proxy102.getWrappedElement(Unknown Source)

at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)

at com.google.common.collect.Iterators$7.transform(Iterators.java:750)

at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)

at com.google.common.collect.Iterators.addAll(Iterators.java:367)

at com.google.common.collect.Lists.newArrayList(Lists.java:165)

at com.google.common.collect.Lists.newArrayList(Lists.java:150)

at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)

at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778)

at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1763)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.assertFieldAttributes(SeleniumUiHandler.java:6260)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performAssert(SeleniumUiHandler.java:6042)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:382)

at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:356)

at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:345)

at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:813)

at com.provar.plugins.forcedotcom.core.ui.UiAssert.execute(UiAssert.java:166)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:688)

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:627)

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$10(LocalTestExecutionContainerRunner.java:573)

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner
$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1180)

One or more Sub-Test Steps failed.

One or more Sub-Test Steps failed.

B_StudentLoan1Priorty1Other_NovemberPayPeriod.testcase failed

The row locator did not match any rows.

One or more Sub-Test Steps failed.

A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@7f418c96

A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@7f418c96

Error performing Ui Assert. Connection Name: Admin, cause: [NoSuchElementException: No elements matched the field locator. Field name: benefit For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: ProvarSeleniumDriver]

org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: benefit

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: 'unknown', revision: 'unknown', time: 'unknown'

System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191'

Driver info: driver.version: ProvarSeleniumDriver

at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:90)

at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

at com.sun.proxy.$Proxy105.getWrappedElement(Unknown Source)

at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)

at com.google.common.collect.Iterators$7.transform(Iterators.java:750)

at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)

at com.google.common.collect.Iterators.addAll(Iterators.java:367)

at com.google.common.collect.Lists.newArrayList(Lists.java:165)

- at com.google.common.collect.Lists.newArrayList(Lists.java:150)
- at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)
- at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778)
- at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1763)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.assertFieldAttributes(SeleniumUiHandler.java:6260)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performAssert(SeleniumUiHandler.java:6042)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:382)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:356)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:345)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:813)
- at com.provar.plugins.forcedotcom.core.ui.UiAssert.execute(UiAssert.java:166)
- at sun.reflect.GeneratedMethodAccessor100.invoke(Unknown Source)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:688)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:627)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$10(LocalTestExecutionContainerRunner.java:573)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner $MessageProcessor.run(LocalTestExecutionContainerRunner.java:1180)
- One or more Sub-Test Steps failed.
- One or more Sub-Test Steps failed.

A_StudentLoan1Priorty1Other_OctoberPayPeriod.testcase

Output

- Salesforce Connect: Admin (Test)
  Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test
- Click On Payroll Link
  - Sleep for {15} seconds
    Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15
  - On PayrollTab page
    - Click the Payroll Tab
  - Process Payroll ID
    Loaded 1 rows from Parameter Value Source.
    - On SF xcdhcm__Payroll page with pageobject Xcdhcm__ Payroll
      - UI Assert
    - On SF Payroll Screen
      - Sleep for {10} seconds
        Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10
      - Set the Search field to : StdntLoanPriorty1Other1_Payroll
      - On Payroll page
        - With PayrollTable row
          - Click the Pay Roll
- On SF xcdhcm__PayrollDetailView page with pageobject Xcdhcm__ Payroll Detail View
  - Sleep for {10} seconds
    Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10
  - Click the Go To List button
    Background activity wait successful. Actual duration(seconds): 0.371
  - Navigate: Refresh
  - Sleep for {10} seconds
    Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10
- On SF Payroll (UK Net Payroll) Pay Runs related list
  - With xcdhcm__XCD_PAY_Periods__r rows {7}
    Populated the row elements.
    The row locator matched 1 row.
    - Click the Payroll period field
- On SF xcdhcm__PayrollPeriod page with pageobject Xcdhcm__ Payroll Period
  - Navigate: Refresh
  - Sleep for {15} seconds
    Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15
  - Uncheck the Payroll Set Up Un Select field
  - For Each: {ExcelData}=>payrun
    Loaded 1 rows from Parameter Value Source.
    - Sub Steps
      - With Employees rows {employeeName = $payrun.EmpName}
        - Check the Employee Namechk field
  - Click the Generate Draft button
  - UI Assert
  - Wait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
- If: {DraftStatus.fields.draftStatus.value = "Draft"}
  - Then
    - Call Reports Script
      Loaded 1 rows from Parameter Value Source.
      - Call 2_StudentLoan1Priorty1Other_OctoberPayPeriodReport__ReportOne
        - 2_StudentLoan1Priorty1Other_OctoberPayPeriodReport__ReportOne.testcase
          - Salesforce Connect: Admin (Test)
            Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test
          - Reports Tab for all fields excluding TYPE Fields

Loaded 1 rows from Parameter Value Source.

- On MyPageObjectReportPage page
  - Click the Reports Tab
    Background activity wait successful. Actual duration(seconds): 0.284
  - Click the All Reports
    Background activity wait successful. Actual duration(seconds): 0.864
  - Set the Search All Reports to DO NOT StLonPrityOtr OCT1
    Background activity wait successful. Actual duration(seconds): 0.270
  - Click the Report Selection
    Background activity wait successful. Actual duration(seconds): 0.258
- On Report View Screen
  - For Each: {ReportData}=>rep
    - Sub Steps
      - With DoNotTouchPayrollReport row
        - Reading Actual Value
          - Read Actual CourtOrder Value



After Screenshot : 2019/07/03 17:39:50

          - Read Actual StudentLoan Value



After Screenshot : 2019/07/03 17:39:51

          - Read Actual Attachable Earnings One Value



After Screenshot : 2019/07/03 17:39:52

          - Read Actual Net Pay Value



After Screenshot : 2019/07/03 17:39:53

          - Read Actual InitialDeductionAmtOne Value



After Screenshot : 2019/07/03 17:39:54

          - Read Actual attachableEarningsTwo Value



After Screenshot : 2019/07/03 17:39:55

          - Read Actual ProtectedEarningsOne Value



After Screenshot : 2019/07/03 17:39:56

- Read Actual BenefitTwo Value



After Screenshot : 2019/07/03 17:39:57

- Setting Actual values for ExcelWrite
  - Set Values: empName
  - Set Values: O.CourtOrders
  - Set Values: O.StudentLoan
  - Set Values: O.AttachableEarnings1
  - Set Values: O.NetPay
  - Set Values: O.InitialDeductionAmount1
  - Set Values: O.AttachableEarnings2
  - Set Values: O.ProtectedEarnings1
  - Set Values: O.Benefit2
- Write: Actual Values
  Completed writing data to excel sheet: StudentLoans1Priority1Other
- ExpectedValueFromSheet-Oct
  Loaded 1 rows from Parameter Value Source.
  - Comparing actual and expected vlaues
    - If: {ExcelDataExpectedVal.CourtOrders = CourtOrderValue.fields.courtOrder.value}
      - Else
        - Set Values: O.CourtOrders
    - If: {ExcelDataExpectedVal.StudentLoan = studentLoanValue.fields.studentLoan.value}
      - Else
        - Set Values: O.StudentLoan
    - If: {ExcelDataExpectedVal.AttachableEarnings1 = attachableEarningsOneValue.fields.attachableEarnings1.value}
      - Else
        - Set Values: O.AttachableEarnings1
    - If: {ExcelDataExpectedVal.NetPay = NePayValue.fields.netPay.value}
      - Else
        - Set Values: O.NetPay
    - If: {ExcelDataExpectedVal.InitialDeductionAmount1 = InitialDeductionAmtOneValue.fields.initialDeductionAmount1.value}
      - Then
        - Set Values: O.InitialDeductionAmount1
    - If: {ExcelDataExpectedVal.AttachableEarnings2 = attachableEarningsTwoValue.fields.attachableEarnings2.value}
      - Else
        - Set Values: O.AttachableEarnings2
    - If: {ExcelDataExpectedVal.ProtectedEarnings1 = protectedEarningsOneValue.fields.protectedEarnings1.value}
      - Then
        - Set Values: O.ProtectedEarnings1
    - If: {ExcelDataExpectedVal.Benefit2 = benefitTwoValue.fields.benefit.value}
      - Then
        - Set Values: O.Benefit2
    - Write: Test Remarks
      Completed writing data to excel sheet: StudentLoans1Priority1Other
- With DoNotTouchPayrollReport row
  - Reading Actual Value

Read Actual InitialDeductionAmtOne Value



After Screenshot : 2019/07/03 17:40:00

Read Actual attachableEarningsTwo Value



After Screenshot : 2019/07/03 17:40:01

Read Actual ProtectedEarningsOne Value



After Screenshot : 2019/07/03 17:40:02

Read Actual BenefitOne Value



After Screenshot : 2019/07/03 17:40:03

Setting Actual values for ExcelWrite

- Set Values: empName
- Set Values: N.InitialDeductionAmount2
- Set Values: N.AttachableEarnings3
- Set Values: N.ProtectedEarnings2
- Set Values: N.Benefit1

Write: Actual Values

Completed writing data to excel sheet: StudentLoans1Priority1Other

ExpectedValueFromSheet-Oct

Loaded 1 rows from Parameter Value Source.

Comparing actual and expected vlaues

- If: {ExcelDataExpectedVal.InitialDeductionAmount2 = InitialDeductionAmtTwoValue.fields.initialDeductionAmount1.value}
  - Then
    - Set Values: N.InitialDeductionAmount2
- If: {ExcelDataExpectedVal.AttachableEarnings3 = attachableEarningsThreeValue.fields.attachableEarnings2.value}
  - Else
    - Set Values: N.AttachableEarnings3
- If: {ExcelDataExpectedVal.ProtectedEarnings2 = protectedEarningsTwoValue.fields.protectedEarnings1.value}
  - Then
    - Set Values: N.ProtectedEarnings2
- If: {ExcelDataExpectedVal.Benefit1 = benefitOneValue.fields.benefit.value}
  - Then
    - Set Values: N.Benefit1
- Write: Test Remarks

  Completed writing data to excel sheet: StudentLoans1Priority1Other

With DoNotTouchPayrollReport row



Error Screenshot

- The row locator did not match any rows.

- One or more Sub-Test Steps failed.

- On Report View Screen
  - UI Assert
    - A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@7260ae78
    - A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@7260ae78
  - Set Values: rowcount
  - Extracting Expected Value
    Loaded 1 rows from Parameter Value Source.
  - While: {true}
    - Sub Steps
      - With DoNotTouchPayrollReport row
        - Extracting current column values



Error Screenshot

- Error performing Ui Assert. Connection Name: Admin, cause: [NoSuchElementException: No elements matched the field locator. Field name: benefit For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: ProvarSeleniumDriver]

- org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: benefit

- For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'

- System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191'

- Driver info: driver.version: ProvarSeleniumDriver

- at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:90)

- at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

- at com.sun.proxy.$Proxy102.getWrappedElement(Unknown Source)

- at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)

- at com.google.common.collect.Iterators$7.transform(Iterators.java:750)

- at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)

- at com.google.common.collect.Iterators.addAll(Iterators.java:367)

- at com.google.common.collect.Lists.newArrayList(Lists.java:165)

- at com.google.common.collect.Lists.newArrayList(Lists.java:150)

- at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)

- at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778)

- at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1763)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.assertFieldAttributes(SeleniumUiHandler.java:6260)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performAssert(SeleniumUiHandler.java:6042)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:382)

at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:356)

at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:345)

at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:

at com.provar.plugins.forcedotcom.core.ui.UiAssert.execute(UiAssert.java:166)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:688)

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContain

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access $10(LocalTestExecutionContainerRunner.java:573)

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner $MessageProcessor.run(LocalTestExecutionContainerRunner.java:1180)

- If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"}
  - Else
    - If: {colValues.fields.type.value = "Student loan"}

One or more Sub-Test Steps failed.

- Sub Steps
  - With DoNotTouchPayrollReport row
    - Extracting current column values
    - If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"}
      - Then
        - Setting Actual values for ExcelWrite
          - If: {colValues.fields.benefit.value = "Ben-384"}
            - Then
              - If: {colValues.fields.type.value = "Court order payment to third party"}
              - If: {colValues.fields.type.value = "Court order deduction"}
                - Then
                  - Set Values: L.TypeCODeductionAmount1
              - Write: Actual Values
                Completed writing data to excel sheet: StudentLoans1Priority1Other
              - ExpectedValueFromSheet-Nov payroll period
                Loaded 1 rows from Parameter Value Source.
              - Comparing actual and expected vlaues
                - If: {colValues.fields.type.value = "Court order payment to third party"}
                - If: {colValues.fields.type.value = "Court order deduction"}
                  - Then
                    - If: {ExcelDataExpectedVal.TypeCODeductionAmount1 = EmpName.columns.amount1.columnValues[LoopCounter]}
                      - Else
                        - Set Values: M.TypeCODeductionAmount1
                        - Write: Test Remarks
                          Completed writing data to excel sheet: StudentLoans1Priority1Other

- Sub Steps
  - With DoNotTouchPayrollReport row
    - Extracting current column values
    - If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"}
      - Then
        - Setting Actual values for ExcelWrite
          - If: {colValues.fields.benefit.value = "Ben-384"}
            - Else
              - If: {colValues.fields.type.value = "Court order payment to third party"}
              - If: {colValues.fields.type.value = "Court order deduction"}
                - Then
                  - Set Values: L.TypeCODeductionAmount2
              - Write: Actual Values
                Completed writing data to excel sheet: StudentLoans1Priority1Other
              - ExpectedValueFromSheet-Nov payroll period
                Loaded 1 rows from Parameter Value Source.
              - Comparing actual and expected vlaues
                - If: {colValues.fields.type.value = "Court order payment to third party"}
                - If: {colValues.fields.type.value = "Court order deduction"}
                  - Then
                    - If: {ExcelDataExpectedVal.TypeCODeductionAmount2 = EmpName.columns.amount1.columnValues[LoopCounter]}
                      - Else
                        - Set Values: M.TypeCODeductionAmount2
                        - Write: Test Remarks
                          Completed writing data to excel sheet: StudentLoans1Priority1Other

One or more Sub-Test Steps failed.

Salesforce Connection closed successfully. Name: Admin

B_StudentLoan1Priorty1Other_NovemberPayPeriod.testcase

Output

- Salesforce Connect: Admin (Test)
  Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test
- Click On Payroll Link
  - Sleep for {15} seconds
    Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15
  - On PayrollTab page
    - Click the Payroll Tab
  - Process Payroll ID
    Loaded 1 rows from Parameter Value Source.
    - On SF xcdhcm__Payroll page with pageobject Xcdhcm__ Payroll
      - UI Assert
    - On SF Payroll Screen
      - Sleep for {10} seconds
        Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10
      - Set the Search field to : StdntLoanPriorty1Other1_Payroll
      - On Payroll page
        - With PayrollTable row
          - Click the Pay Roll
- On SF xcdhcm__PayrollDetailView page with pageobject Xcdhcm__ Payroll Detail View
  - Sleep for {10} seconds
    Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10
  - Click the Go To List button

Background activity wait successful. Actual duration(seconds): 0.363

- Navigate: Refresh
- Sleep for {10} seconds
  Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10
- On SF Payroll (UK Net Payroll) Pay Runs related list
  - With xcdhcm__XCD_PAY_Periods__r rows {8}
    Populated the row elements.

    The row locator matched 1 row.

    - Click the Payroll period field
- On SF xcdhcm__PayrollPeriod page with pageobject Xcdhcm__ Payroll Period
  - Navigate: Refresh
  - Sleep for {15} seconds
    Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15
  - Uncheck the Payroll Set Up Un Select field
  - For Each: {ExcelData}=>payrun
    Loaded 1 rows from Parameter Value Source.

    - Sub Steps
      - With Employees rows {employeeName = $payrun.EmpName}
        - Check the Employee Namechk field
  - Click the Generate Draft button
  - UI Assert
  - Wait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
    - Sub Steps
      - UI Assert
- If: {DraftStatus.fields.draftStatus.value = "Draft"}
  - Then
    - Call Reports Script
      Loaded 1 rows from Parameter Value Source.

      - Call 4_StudentLoan1Priorty1Other_NovemberPayPeriod__ReportOne
        - 4_StudentLoan1Priorty1Other_NovemberPayPeriod__ReportOne.testcase
          - Salesforce Connect: Admin (Test)
            Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test
          - Reports Tab for all fields excluding TYPE Fields
            Loaded 1 rows from Parameter Value Source.

            - On MyPageObjectReportPage page
              - Click the Reports Tab
                Background activity wait successful. Actual duration(seconds): 0.277
              - Click the All Reports
                Background activity wait successful. Actual duration(seconds): 0.825
              - Set the Search All Reports to DO NOT StLonPrityOtr NOV
                Background activity wait successful. Actual duration(seconds): 0.260
              - Click the Report Selection
                Background activity wait successful. Actual duration(seconds): 0.258
            - On Report View Screen
              - For Each: {ReportData}=>rep
                - Sub Steps
                  - With DoNotTouchPayrollReport row
                    - Reading Actual Value
                      - Read Actual CourtOrder Value



After Screenshot : 2019/07/03 17:45:38

- Read Actual StudentLoan Value



After Screenshot : 2019/07/03 17:45:38

Read Actual Attachable Earnings One Value



After Screenshot : 2019/07/03 17:45:39

Read Actual InitialDeductionAmtOne Value



After Screenshot : 2019/07/03 17:45:40

Read Actual attachableEarningsTwo Value



After Screenshot : 2019/07/03 17:45:42

Read Actual ProtectedEarningsOne Value



After Screenshot : 2019/07/03 17:45:42

Read Actual BenefitTwo Value



After Screenshot : 2019/07/03 17:45:43

Setting Actual values for ExcelWrite

- Set Values: empName
- Set Values: O.CourtOrders
- Set Values: O.StudentLoan
- Set Values: O.AttachableEarnings1
- Set Values: O.InitialDeductionAmount1
- Set Values: O.AttachableEarnings2
- Set Values: O.ProtectedEarnings1
- Set Values: O.Benefit2

Write: Actual Values

Completed writing data to excel sheet: StudentLoans1Priority1Other

ExpectedValueFromSheet-Oct

Loaded 1 rows from Parameter Value Source.

- Comparing actual and expected vlaues
  - If: {ExcelDataExpectedVal.CourtOrders = CourtOrderValue.fields.courtOrder.value}
    - Else
      - Set Values: O.CourtOrders
  - If: {ExcelDataExpectedVal.StudentLoan = studentLoanValue.fields.studentLoan.value}

- Else
  - Set Values: O.StudentLoan
- If: {ExcelDataExpectedVal.AttachableEarnings1 = attachableEarningsOneValue.fields.attachableEarnings1.value}
  - Else
    - Set Values: O.AttachableEarnings1
- If: {ExcelDataExpectedVal.InitialDeductionAmount1 = InitialDeductionAmtOneValue.fields.initialDeductionAmount1.value}
  - Else
    - Set Values: O.InitialDeductionAmount1
- If: {ExcelDataExpectedVal.AttachableEarnings2 = attachableEarningsTwoValue.fields.attachableEarnings2.value}
  - Else
    - Set Values: O.AttachableEarnings2
- If: {ExcelDataExpectedVal.ProtectedEarnings1 = protectedEarningsOneValue.fields.protectedEarnings1.value}
  - Else
    - Set Values: O.ProtectedEarnings1
- If: {ExcelDataExpectedVal.Benefit2 = benefitTwoValue.fields.benefit.value}
  - Then
    - Set Values: O.Benefit2
- Write: Test Remarks

  Completed writing data to excel sheet: StudentLoans1Priority1Other

- With DoNotTouchPayrollReport row
  - Reading Actual Value
    - Read Actual InitialDeductionAmtOne Value



After Screenshot : 2019/07/03 17:45:46

    - Read Actual attachableEarningsTwo Value



After Screenshot : 2019/07/03 17:45:48

    - Read Actual ProtectedEarningsOne Value



After Screenshot : 2019/07/03 17:45:49

    - Read Actual BenefitOne Value



After Screenshot : 2019/07/03 17:45:50

  - Setting Actual values for ExcelWrite
    - Set Values: empName
    - Set Values: N.InitialDeductionAmount2
    - Set Values: N.AttachableEarnings3
    - Set Values: N.ProtectedEarnings2
    - Set Values: N.Benefit1
  - Write: Actual Values

    Completed writing data to excel sheet: StudentLoans1Priority1Other

- ExpectedValueFromSheet-Oct
  Loaded 1 rows from Parameter Value Source.
  - Comparing actual and expected vlaues
    - If: {ExcelDataExpectedVal.InitialDeductionAmount2 = InitialDeductionAmtTwoValue.fields.initialDeductionAmount1.value}
      - Then
        - Set Values: N.InitialDeductionAmount2
    - If: {ExcelDataExpectedVal.AttachableEarnings3 = attachableEarningsThreeValue.fields.attachableEarnings2.value}
      - Else
        - Set Values: N.AttachableEarnings3
    - If: {ExcelDataExpectedVal.ProtectedEarnings2 = protectedEarningsTwoValue.fields.protectedEarnings1.value}
      - Then
        - Set Values: N.ProtectedEarnings2
    - If: {ExcelDataExpectedVal.Benefit1 = benefitOneValue.fields.benefit.value}
      - Then
        - Set Values: N.Benefit1
    - Write: Test Remarks
      Completed writing data to excel sheet: StudentLoans1Priority1Other
- With DoNotTouchPayrollReport row



Error Screenshot

- The row locator did not match any rows.

- One or more Sub-Test Steps failed.

- On Report View Screen
  - UI Assert
    - A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@7f418c96
    - A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@7f418c96
  - Set Values: rowcount
  - Extracting Expected Value
    Loaded 1 rows from Parameter Value Source.
  - While: {true}
    - Sub Steps
      - With DoNotTouchPayrollReport row
        - Extracting current column values



Error Screenshot

- Error performing Ui Assert. Connection Name: Admin, cause: [NoSuchElementException: No elements matched the field locator. Field name: benefit For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: ProvarSeleniumDriver]

- org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: benefit

- For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'

- System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191'

- Driver info: driver.version: ProvarSeleniumDriver

at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:90)

at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

at com.sun.proxy.$Proxy105.getWrappedElement(Unknown Source)

at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)

at com.google.common.collect.Iterators$7.transform(Iterators.java:750)

at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)

at com.google.common.collect.Iterators.addAll(Iterators.java:367)

at com.google.common.collect.Lists.newArrayList(Lists.java:165)

at com.google.common.collect.Lists.newArrayList(Lists.java:150)

at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)

at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778)

at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1763)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.assertFieldAttributes(SeleniumUiHandler.java:6260)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performAssert(SeleniumUiHandler.java:6042)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:382)

at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:356)

at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:345)

at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:

at com.provar.plugins.forcedotcom.core.ui.UiAssert.execute(UiAssert.java:166)

at sun.reflect.GeneratedMethodAccessor100.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:688)

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContain

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$10(LocalTestExecutionContainerRunner.java:573)

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1180)

If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"}

Else

If: {colValues.fields.type.value = "Student loan"}

One or more Sub-Test Steps failed.

Sub Steps

With DoNotTouchPayrollReport row

Extracting current column values

If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"}

Else

If: {colValues.fields.type.value = "Student loan"}

Sub Steps

With DoNotTouchPayrollReport row

Extracting current column values

If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"}
Then
Setting Actual values for ExcelWrite
If: {colValues.fields.benefit.value = "Ben-384"}
Then
If: {colValues.fields.type.value = "Court order payment to third party"}
If: {colValues.fields.type.value = "Court order deduction"}
Then
Set Values: L.TypeCODeductionAmount1
Write: Actual Values
Completed writing data to excel sheet: StudentLoans1Priority1Other
ExpectedValueFromSheet-Nov payroll period
Loaded 1 rows from Parameter Value Source.
Comparing actual and expected vlaues
If: {colValues.fields.type.value = "Court order payment to third party"}
If: {colValues.fields.type.value = "Court order deduction"}
Then
If: {ExcelDataExpectedVal.TypeCODeductionAmount1 = EmpName.columns.amount1.columnValues[LoopCounter]}
Else
Set Values: M.TypeCODeductionAmount1
Write: Test Remarks
Completed writing data to excel sheet: StudentLoans1Priority1Other

Sub Steps
With DoNotTouchPayrollReport row
Extracting current column values
If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"}
Then
Setting Actual values for ExcelWrite
If: {colValues.fields.benefit.value = "Ben-384"}
Else
If: {colValues.fields.type.value = "Court order payment to third party"}
If: {colValues.fields.type.value = "Court order deduction"}
Then
Set Values: L.TypeCODeductionAmount2
Write: Actual Values
Completed writing data to excel sheet: StudentLoans1Priority1Other
ExpectedValueFromSheet-Nov payroll period
Loaded 1 rows from Parameter Value Source.
Comparing actual and expected vlaues
If: {colValues.fields.type.value = "Court order payment to third party"}
If: {colValues.fields.type.value = "Court order deduction"}
Then
If: {ExcelDataExpectedVal.TypeCODeductionAmount2 = EmpName.columns.amount1.columnValues[LoopCounter]}
Else
Set Values: M.TypeCODeductionAmount2
Write: Test Remarks
Completed writing data to excel sheet: StudentLoans1Priority1Other

One or more Sub-Test Steps failed.

Salesforce Connection closed successfully. Name: Admin