Test Run Report



failed

failed

failed


failed

Test Run Overview

Started 03 Jul 2019, 16:40:49 Ended 03 Jul 2019, 17:12:40

Duration (mm:ss) 31:50.903

Test Results Summary



Test Case Summary

- E Jamie spec Student Loan Project for all tax years
 - Optimised Student loans1 Priority 1 Other
 - A_StudentLoan1Priorty1Other_OctoberPayPeriod.testcase
- Failing Test Step because the Loop Limit has been reached.
- One or more Sub-Test Steps failed.
- The required connection name isn't present. This should come from the containing With Screen API.
- The required connection name isn't present. This should come from the containing With Screen API.
 - B_StudentLoan1Priorty1Other_NovemberPayPeriod.testcase
- The row locator did not match any rows.
- One or more Sub-Test Steps failed.
- A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@3d15d74a
- A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@3d15d74a
- © Error performing Ui Assert. Connection Name: Admin, cause: [NoSuchElementException: No elements matched the field locator. Field name: benefit For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: ProvarSeleniumDriver]
- org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: benefit
- For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
- System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191'
- Oriver info: driver.version: ProvarSeleniumDriver

 at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.j.) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:3 at com.sun.proxy.\$Proxy104.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50) at com.google.common.collect.Iterators\$7.transform(Iterators.java:750) at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47) at com.google.common.collect.Literators.addAll(Iterators.java:367) at com.google.common.collect.Lists.newArrayList(Lists.java:165) at com.google.common.collect.Lists.newArrayList(Lists.java:150) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1763) 	,
 at com.sun.proxy.\$Proxy104.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50) at com.google.common.collect.Iterators\$7.transform(Iterators.java:750) at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47) at com.google.common.collect.Iterators.addAll(Iterators.java:367) at com.google.common.collect.Lists.newArrayList(Lists.java:165) at com.google.common.collect.Lists.newArrayList(Lists.java:150) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) 	38)
 at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50) at com.google.common.collect.Iterators\$7.transform(Iterators.java:750) at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47) at com.google.common.collect.Iterators.addAll(Iterators.java:367) at com.google.common.collect.Lists.newArrayList(Lists.java:165) at com.google.common.collect.Lists.newArrayList(Lists.java:150) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) 	
 at com.google.common.collect.Iterators\$7.transform(Iterators.java:750) at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47) at com.google.common.collect.Iterators.addAll(Iterators.java:367) at com.google.common.collect.Lists.newArrayList(Lists.java:165) at com.google.common.collect.Lists.newArrayList(Lists.java:150) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) 	
 at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47) at com.google.common.collect.Iterators.addAll(Iterators.java:367) at com.google.common.collect.Lists.newArrayList(Lists.java:165) at com.google.common.collect.Lists.newArrayList(Lists.java:150) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) 	
 at com.google.common.collect.lterators.addAll(lterators.java:367) at com.google.common.collect.Lists.newArrayList(Lists.java:165) at com.google.common.collect.Lists.newArrayList(Lists.java:150) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) 	
 at com.google.common.collect.Lists.newArrayList(Lists.java:165) at com.google.common.collect.Lists.newArrayList(Lists.java:150) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) 	
 at com.google.common.collect.Lists.newArrayList(Lists.java:150) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) 	
 at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571) at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778) 	
at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778)	
at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1763)	
3 at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.assertFieldAttributes(SeleniumUiHandler.java:6260)	
at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performAssert(SeleniumUiHandler.java:6042)	
3 at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:382)	
3 at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandle	er.java:356)
3 at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:345)	
3 at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionCo	ntextImpl.java:813)
at com.provar.plugins.forcedotcom.core.ui.UiAssert.execute(UiAssert.java:166)	
3 at sun.reflect.GeneratedMethodAccessor111.invoke(Unknown Source)	
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	
at java.lang.reflect.Method.invoke(Method.java:498)	
3 at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainer	Impl.java:688)
at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContain	ecutionContainerRunner.java:627)
at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$10(LocalTestExecutionContainerRunner.access\$10(LocalTestExecutionContainerRunner.access\$10(LocalTestExecutionContainerRunner.access\$10(LocalTestExecutionContainerRunner.access\$10(LocalTestExecutionContainerRunner.access\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10(LocalTestExecutionContainer.acces\$10	nContainerRunner.java:573)
at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1180)	
One or more Sub-Test Steps failed.	
One or more Sub-Test Steps failed.	
 Optimized Student loans A_StudentLoan_OctoberPayPeriod.testcase B_StudentLoan_NovemberPayPeriod.testcase Optimized StudentLoansCTAEO A_StudentLoanAndCTAEO_OctoberPayPeriod.testcase B_StudentLoanAndCTAEO_NovemberPayPeriod.testcase 	successfulsuccessfulsuccessfulsuccessfulsuccessfulsuccessfulsuccessfulsuccessful

A_StudentLoan1Priorty1Other_OctoberPayPeriod.testcase

Output

Salesforce Connect: Admin (Test)

Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test

- Click On Payroll Link
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- On PayrollTab page
 - Click the Payroll Tab
- Process Payroll ID

Loaded 1 rows from Parameter Value Source.

- On SF xcdhcm__Payroll page with pageobject Xcdhcm__ Payroll
 - Ul Assert
- On SF Payroll Screen
 - Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

- Set the Search field to : StdntLoanPriorty1Other1_Payroll
- On Payroll page
 - With PayrollTable row
 - Click the Pay Roll
- On SF xcdhcm_PayrollDetailView page with pageobject Xcdhcm_Payroll Detail View
 - Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

Click the Go To List button

Background activity wait successful. Actual duration(seconds): 0.347

- Navigate: Refresh
- Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

- On SF Payroll (UK Net Payroll) Pay Runs related list
 - With xcdhcm__XCD_PAY_Periods__r rows {7}

Populated the row elements.

The row locator matched 1 row.

- Click the Payroll period field
- On SF xcdhcm__PayrollPeriod page with pageobject Xcdhcm__ Payroll Period
 - Navigate: Refresh
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- Uncheck the Payroll Set Up Un Select field
- For Each: {ExcelData}=>payrun

- Sub Steps
 - With Employees rows {employeeName = \$payrun.EmpName}
 - Check the Employee Namechk field
- Click the Generate Draft button
- Ul Assert
- Wait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
 - Sub Steps
 - UI Assert
 - Sub Steps
 - UI Assert
 - Failing Test Step because the Loop Limit has been reached.
- One or more Sub-Test Steps failed.
- If: {DraftStatus.fields.draftStatus.value = "Draft"}
 - Else
 - Navigate: Refresh

- The required connection name isn't present. This should come from the containing With Screen API.
- The required connection name isn't present. This should come from the containing With Screen API.
- Sleep for {20} seconds

Timed sleep successful. Requested duration(seconds): 20, Actual duration(seconds): 20

- On SF xcdhcm__PayrollPeriod page with pageobject Xcdhcm__ Payroll Period
 - UI Assert
 - Mait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
- If: {DraftStatus.fields.draftStatus.value = "Draft"}
 - Else
 - On SF xcdhcm_PayrollPeriod page with pageobject Xcdhcm_Payroll Period
 - Click the Generate Draft button
 - UI Assert
 - Mait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
 - If: {DraftStatus.fields.draftStatus.value = "Draft"}

B_StudentLoan1Priorty1Other_NovemberPayPeriod.testcase

Output

Salesforce Connect: Admin (Test)

Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test

- Click On Payroll Link
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- On PayrollTab page
 - Click the Payroll Tab
- Process Payroll ID

Loaded 1 rows from Parameter Value Source.

- On SF xcdhcm__Payroll page with pageobject Xcdhcm__ Payroll
 - UI Assert
- On SF Payroll Screen
 - Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

- Set the Search field to : StdntLoanPriorty1Other1_Payroll
- On Payroll page
 - With PayrollTable row
 - Click the Pay Roll
- On SF xcdhcm__PayrollDetailView page with pageobject Xcdhcm__ Payroll Detail View
 - Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

Click the Go To List button

Background activity wait successful. Actual duration(seconds): 0.400

- Navigate: Refresh
- Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

- On SF Payroll (UK Net Payroll) Pay Runs related list
 - With xcdhcm_XCD_PAY_Periods_r rows {8}

Populated the row elements.

The row locator matched 1 row.

- Click the Payroll period field
- On SF xcdhcm__PayrollPeriod page with pageobject Xcdhcm__ Payroll Period
 - Navigate: Refresh
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- Uncheck the Payroll Set Up Un Select field
- For Each: {ExcelData}=>payrun

Loaded 1 rows from Parameter Value Source.

Sub Steps

- With Employees rows {employeeName = \$payrun.EmpName}
 - Check the Employee Namechk field
- Click the Generate Draft button
- Ul Assert
- Wait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
- If: {DraftStatus.fields.draftStatus.value = "Draft"}
 - Then
 - Call Reports Script

Loaded 1 rows from Parameter Value Source.

- © Call 4_StudentLoan1Priorty1Other_NovemberPayPeriod__ReportOne
 - 4_StudentLoan1Priorty1Other_NovemberPayPeriod__ReportOne.testcase
 - Salesforce Connect: Admin (Test)
 Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test
 - Reports Tab for all fields excluding TYPE Fields Loaded 1 rows from Parameter Value Source.
 - On MyPageObjectReportPage page
 - Click the Reports Tab Background activity wait successful. Actual duration(seconds): 0.281
 - Click the All Reports Background activity wait successful. Actual duration(seconds): 0.844
 - Set the Search All Reports to DO NOT StLonPrityOtr NOV Background activity wait successful. Actual duration(seconds): 0.270
 - Click the Report Selection Background activity wait successful. Actual duration(seconds): 1.257
 - On Report View Screen
 - For Each: {ReportData}=>rep
 - Sub Steps
 - With DoNotTouchPayrollReport row
 - Reading Actual Value
 - Read Actual CourtOrder Value



After Screenshot : 2019/07/03 16:51:26

Read Actual StudentLoan Value



After Screenshot : 2019/07/03 16:51:27

Read Actual Attachable Earnings One Value



After Screenshot : 2019/07/03 16:51:28

Read Actual InitialDeductionAmtOne Value



After Screenshot : 2019/07/03 16:51:29

Read Actual attachableEarningsTwo Value



After Screenshot : 2019/07/03 16:51:30

Read Actual ProtectedEarningsOne Value



Read Actual BenefitTwo Value



After Screenshot: 2019/07/03 16:51:32

- Setting Actual values for ExcelWrite
 - Set Values: empName
 - Set Values: O.CourtOrders
 - Set Values: O.StudentLoan
 - Set Values: O.AttachableEarnings1
 - Set Values: O.InitialDeductionAmount1
 - Set Values: O.AttachableEarnings2
 - Set Values: O.ProtectedEarnings1
 - Set Values: O.Benefit2
- Write: Actual Values

Completed writing data to excel sheet: StudentLoans1Priority1Other

ExpectedValueFromSheet-Oct

- Comparing actual and expected vlaues
 - If: {ExcelDataExpectedVal.CourtOrders = CourtOrderValue.fields.courtOrder.value}
 - Else
 - Set Values: O.CourtOrders
 - If: {ExcelDataExpectedVal.StudentLoan = studentLoanValue.fields.studentLoan.value}
 - Else
 - Set Values: O.StudentLoan
 - If: {ExcelDataExpectedVal.AttachableEarnings1 = attachableEarningsOneValue.fields.attachableEarnings1.value}
 - Else
 - Set Values: O.AttachableEarnings1
 - If: {ExcelDataExpectedVal.InitialDeductionAmount1 = InitialDeductionAmtOneValue.fields.initialDeductionAmount1.value}
 - Else
 - Set Values: O.InitialDeductionAmount1
 - ☑ If: {ExcelDataExpectedVal.AttachableEarnings2 =
 - attachableEarningsTwoValue.fields.attachableEarnings2.value}
 - Else
 - Set Values: O.AttachableEarnings2
 - If: {ExcelDataExpectedVal.ProtectedEarnings1 = protectedEarningsOneValue.fields.protectedEarnings1.value}
 - Else
 - Set Values: O.ProtectedEarnings1
 - If: {ExcelDataExpectedVal.Benefit2 = benefitTwoValue.fields.benefit.value}
 - Then
 - Set Values: O.Benefit2
 - Write: Test Remarks

- With DoNotTouchPayrollReport row
 - Reading Actual Value
 - Read Actual InitialDeductionAmtOne Value



After Screenshot : 2019/07/03 16:51:36

Read Actual attachableEarningsTwo Value



After Screenshot : 2019/07/03 16:51:37

Read Actual ProtectedEarningsOne Value



After Screenshot : 2019/07/03 16:51:38

Read Actual BenefitOne Value



After Screenshot : 2019/07/03 16:51:39

- Setting Actual values for ExcelWrite
 - Set Values: empName
 - Set Values: N.InitialDeductionAmount2
 - Set Values: N.AttachableEarnings3
 - Set Values: N.ProtectedEarnings2
 - Set Values: N.Benefit1
- Write: Actual Values

Completed writing data to excel sheet: StudentLoans1Priority1Other

ExpectedValueFromSheet-Oct Loaded 1 rows from Parameter Value Source.

- Comparing actual and expected vlaues
 - If: {ExcelDataExpectedVal.InitialDeductionAmount2 = InitialDeductionAmtTwoValue.fields.initialDeductionAmount1.value}
 - Then
 - Set Values: N.InitialDeductionAmount2
 - If: {ExcelDataExpectedVal.AttachableEarnings3 = attachableEarningsThreeValue.fields.attachableEarnings2.value}
 - Else
 - Set Values: N.AttachableEarnings3
 - If: {ExcelDataExpectedVal.ProtectedEarnings2 = protectedEarningsTwoValue.fields.protectedEarnings1.value}
 - Then
 - Set Values: N.ProtectedEarnings2
 - If: {ExcelDataExpectedVal.Benefit1 = benefitOneValue.fields.benefit.value}
 - Then
 - Set Values: N.Benefit1
 - Write: Test Remarks

Completed writing data to excel sheet: StudentLoans1Priority1Other

With DoNotTouchPayrollReport row



- The row locator did not match any rows.
- One or more Sub-Test Steps failed.
- On Report View Screen
 - Ul Assert
 - A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@3d15d74a
 - A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@3d15d74a
 - Set Values: rowcount
 - Extracting Expected Value

Loaded 1 rows from Parameter Value Source.

- While: {true}
 - Sub Steps
 - With DoNotTouchPayrollReport row
 - Extracting current column values



Error Screenshot

- © Error performing Ui Assert. Connection Name: Admin, cause: [NoSuchElementException: No elements matched the field locator. Field name: benefit For documentation on this error, please visit: http:// seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: ProvarSeleniumDriver]
- org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name:
- For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
- System info: host: 'XCD_92WLKP2', ip: '192.168.1.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191'
- 8 Driver info: driver.version: ProvarSeleniumDriver
- at

com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:90)

at

org. open qa. selenium. support. page factory. internal. Locating Element Handler. invoke (Locating Element Handler. java: 38)

- at com.sun.proxy.\$Proxy104.getWrappedElement(Unknown Source)
- at

org. open qa. selenium. remote. internal. Web Element To Js on Converter. apply (Web Element To Js on Converter. java: 50)

- at com.google.common.collect.lterators\$7.transform(lterators.java:750)
- at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)
- at com.google.common.collect.lterators.addAll(lterators.java:367)
- at com.google.common.collect.Lists.newArrayList(Lists.java:165)
- at com.google.common.collect.Lists.newArrayList(Lists.java:150)
- at org.openga.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)
- at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1778)
- at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:1763)
- at

com.provar.plugins.forced ot com.core.ui. Selenium Ui Handler.assert Field Attributes (Selenium Ui Handler.java: 6260)

at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performAssert(SeleniumUiHandler.java:6042) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:382) com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:356) com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:345) com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java at com.provar.plugins.forcedotcom.core.ui.UiAssert.execute(UiAssert.java:166) at sun.reflect.GeneratedMethodAccessor111.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:688) com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContain at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access \$10(LocalTestExecutionContainerRunner.iava:573) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1180) If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"} Else If: {colValues.fields.type.value = "Student loan"} One or more Sub-Test Steps failed. Sub Steps With DoNotTouchPayrollReport row Extracting current column values If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"} Else If: {colValues.fields.type.value = "Student loan"} Sub Steps With DoNotTouchPayrollReport row Extracting current column values If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"} Then Setting Actual values for ExcelWrite If: {colValues.fields.benefit.value = "Ben-384"} Then If: {colValues.fields.type.value = "Court order payment to third" party"} If: {colValues.fields.type.value = "Court order deduction"} Then Set Values: L.TypeCODeductionAmount1 Write: Actual Values Completed writing data to excel sheet: StudentLoans1Priority1Other ExpectedValueFromSheet-Nov payroll period Loaded 1 rows from Parameter Value Source. Comparing actual and expected vlaues If: {colValues.fields.type.value = "Court order payment to third If: {colValues.fields.type.value = "Court order deduction"} Then

☑ If: {ExcelDataExpectedVal.TypeCODeductionAmount1 = EmpName.columns.amount1.columnValues[LoopCounter]}
 ☑ Else
 ☑ Set Values: M.TypeCODeductionAmount1
 ☑ Write: Test Remarks

Completed writing data to excel sheet: StudentLoans1Priority1Other

- Sub Steps
 - With DoNotTouchPayrollReport row
 - Extracting current column values
 - ☑ If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"}
 - Then
 - Setting Actual values for ExcelWrite
 - If: {colValues.fields.benefit.value = "Ben-384"}
 - Else
 - If: {colValues.fields.type.value = "Court order payment to third party"}
 - If: {colValues.fields.type.value = "Court order deduction"}
 - Then
 - Set Values: L.TypeCODeductionAmount2
 - Write: Actual Values Completed writing data to excel sheet: StudentLoans1Priority1Other
 - ExpectedValueFromSheet-Nov payroll period Loaded 1 rows from Parameter Value Source.
 - Comparing actual and expected vlaues
 - If: {colValues.fields.type.value = "Court order payment to third party"}
 - If: {colValues.fields.type.value = "Court order deduction"}
 - Then
 - If: {ExcelDataExpectedVal.TypeCODeductionAmount2 = EmpName.columns.amount1.columnValues[LoopCounter]}
 - Else
 - Set Values: M.TypeCODeductionAmount2
 - Write: Test Remarks Completed writing data to excel sheet: StudentLoans1Priority1Other
- One or more Sub-Test Steps failed.

Salesforce Connection closed successfully. Name: Admin

A_StudentLoan_OctoberPayPeriod.testcase

Output

Salesforce Connect: Admin (Test)

Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test

- Click On Payroll Link
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- On PayrollTab page
 - Click the Payroll Tab
- Process Payroll ID

Loaded 1 rows from Parameter Value Source.

- On SF xcdhcm_Payroll page with pageobject Xcdhcm_Payroll
 - Ul Assert
- On SF Payroll Screen
 - Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

Set the Search field to : StudentLoan_Payroll

- On Payroll page
 - With PayrollTable row
 - Click the Pay Roll
- On SF xcdhcm__PayrollDetailView page with pageobject Xcdhcm__ Payroll Detail View
 - Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

Click the Go To List button

Background activity wait successful. Actual duration(seconds): 0.396

- Navigate: Refresh
- Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

- On SF Payroll (UK Net Payroll) Pay Runs related list
 - With xcdhcm__XCD_PAY_Periods__r rows {7}

Populated the row elements.

The row locator matched 1 row.

- Click the Payroll period field
- On SF xcdhcm__PayrollPeriod page with pageobject Xcdhcm__ Payroll Period
 - Navigate: Refresh
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- Uncheck the Payroll Set Up Un Select field
- For Each: {ExcelData}=>payrun

Loaded 1 rows from Parameter Value Source.

- Sub Steps
 - With Employees rows {employeeName = \$payrun.EmpName}
 - Check the Employee Namechk field
- Click the Generate Draft button
- Ul Assert
- Wait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
- If: {DraftStatus.fields.draftStatus.value = "Draft"}
 - Then
 - Call Reports Script

Loaded 1 rows from Parameter Value Source.

- Call 2_StudentLoan_OctoberPayPeriod_ReportOne
 - 2_StudentLoan_OctoberPayPeriod__ReportOne.testcase
 - Salesforce Connect: Admin (Test)

Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test

Reports Tab for all fields excluding TYPE Fields

Loaded 1 rows from Parameter Value Source.

- On MyPageObjectReportPage page
 - Click the Reports Tab

Background activity wait successful. Actual duration(seconds): 0.310

Click the All Reports

Background activity wait successful. Actual duration(seconds): 0.870

- Set the Search All Reports to DO NOT StudentLoanOct Background activity wait successful. Actual duration(seconds): 0.269
- Click the Report Selection

Background activity wait successful. Actual duration(seconds): 1.282

- On Report View Screen
 - For Each: {ReportData}=>rep
 - Sub Steps
 - With DoNotTouchPayrollReport row
 - Reading Actual Value
 - Read Actual StudentLoan Value



Read Actual Net Pay Value



Read Actual InitialDeduction Value

After Screenshot : 2019/07/03 16:56:41



After Screenshot: 2019/07/03 16:56:42

Read Actual attachableEarningsTwo Value



After Screenshot : 2019/07/03 16:56:42

Read Actual ProtectedEarnings Value



After Screenshot : 2019/07/03 16:56:43

- Setting Actual values for ExcelWrite
 - Set Values: empName
 - Set Values: O.StudentLoan
 - Set Values: O.NetPay
 - Set Values: O.InitialDeductionAmount
 - Set Values: O.AttachableEarnings
 - Set Values: O.ProtectedEarnings
- Write: Actual Values

Completed writing data to excel sheet: StudentLoans

ExpectedValueFromSheet-Oct

Loaded 1 rows from Parameter Value Source.

- Comparing actual and expected vlaues
 - If: {ExcelDataExpectedVal.StudentLoan = studentloanValue.fields.studentLoan.value}
 - Then
 - Set Values: O.StudentLoan
 - If: {ExcelDataExpectedVal.NetPay = NePayValue.fields.netPay.value}
 - Ther
 - Set Values: O.NetPay
 - If: {ExcelDataExpectedVal.InitialDeductionAmount = InitialDeductionValue.fields.initialDeduction.value}
 - The
 - Set Values: O.InitialDeductionAmount
 - If: {ExcelDataExpectedVal.AttachableEarnings = attachableEarningsValue.fields.attachableEarnings.value}
 - Else
 - Set Values: O.AttachableEarnings
 - If: {ExcelDataExpectedVal.ProtectedEarnings = protectedEarningsValue.fields.protectedEarnings.value}
 - Then
 - Set Values: O.ProtectedEarnings
 - Write: Test Remarks

Completed writing data to excel sheet: StudentLoans

Reports for only TYPE Loaded 1 rows from Parameter Value Source. On Report View Screen UI Assert A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@19f286db A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@19f286db Set Values: rowcount Extracting Expected Value Loaded 1 rows from Parameter Value Source. While: {true} Sub Steps With DoNotTouchPayrollReport row Extracting current column values If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Student loan"} Sub Steps With DoNotTouchPayrollReport row Extracting current column values If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Student loan"} Then Reading Actual Value Setting Actual values for ExcelWrite If: {colValues.fields.type.value = "Student loan"} Set Values: L.TypeStudentLoan Write: Actual Values Completed writing data to excel sheet: StudentLoans ExpectedValueFromSheet-Nov payroll period Loaded 1 rows from Parameter Value Source. Comparing actual and expected vlaues If: {colValues.fields.type.value = "Student loan"} If: {ExcelDataExpectedVal.TypeStudentLoan = EmpName.columns.amount1.columnValues[LoopCounter]}

Set Values: M.TypeStudentLoan

Completed writing data to excel sheet: StudentLoans

Write: Test Remarks

Salesforce Connection closed successfully. Name: Admin

B_StudentLoan_NovemberPayPeriod.testcase

Output

Salesforce Connect: Admin (Test)

Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test

- Click On Payroll Link
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- On PayrollTab page
 - Click the Payroll Tab
- Process Payroll ID

- On SF xcdhcm__Payroll page with pageobject Xcdhcm__ Payroll
 - UI Assert
- On SF Payroll Screen

| Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10 |
|---|
| Set the Search field to: StudentLoan_Payroll On Payroll page With PayrollTable row Click the Pay Roll On SF xcdhcmPayrollDetailView page with pageobject Xcdhcm Payroll Detail View Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10 |
| Click the Go To List button
Background activity wait successful. Actual duration(seconds): 0.398 |
| Navigate: Refresh Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10 |
| On SF Payroll (UK Net Payroll) Pay Runs related list With xcdhcmXCD_PAY_Periodsr rows {8} Populated the row elements. |
| The row locator matched 1 row. |
| Click the Payroll period field On SF xcdhcmPayrollPeriod page with pageobject Xcdhcm Payroll Period Navigate: Refresh Sleep for {15} seconds Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15 |
| Uncheck the Payroll Set Up Un Select field For Each: {ExcelData}=>payrun Loaded 1 rows from Parameter Value Source. |
| ☑ Sub Steps ☑ With Employees rows {employeeName = \$payrun.EmpName} ☑ Check the Employee Namechk field ☑ Click the Generate Draft button ☑ UI Assert ☑ Wait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30} ☑ Sub Steps ☑ UI Assert ☑ If: {DraftStatus.fields.draftStatus.value = "Draft"} ☑ Then ☑ Call Reports Script Loaded 1 rows from Parameter Value Source. |
| Call 4_StudentLoan_NovemberPayPeriodReportOne 4_StudentLoan_NovemberPayPeriodReportOne.testcase Salesforce Connect: Admin (Test) Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test |
| Reports Tab for all fields excluding TYPE Fields
Loaded 1 rows from Parameter Value Source. |
| On MyPageObjectReportPage page Click the Reports Tab Background activity wait successful. Actual duration(seconds): 0.320 |
| Click the All Reports
Background activity wait successful. Actual duration(seconds): 0.834 |
| Set the Search All Reports to DO NOT StudentLoanNov
Background activity wait successful. Actual duration(seconds): 0.267 |
| Click the Report Selection
Background activity wait successful. Actual duration(seconds): 3.563 |
| On Report View Screen For Each: {ReportData}=>rep Sub Steps With DoNotTouchPayrollReport row Reading Actual Value Read Actual StudentLoan Value |



Read Actual Net Pay Value

After Screenshot: 2019/07/03 17:02:11



After Screenshot: 2019/07/03 17:02:12

Setting Actual values for ExcelWrite

Set Values: empName

Set Values: O.StudentLoan

Set Values: O.NetPay

Write: Actual Values

Completed writing data to excel sheet: StudentLoans

ExpectedValueFromSheet-Oct

Loaded 1 rows from Parameter Value Source.

Comparing actual and expected vlaues

If: {ExcelDataExpectedVal.StudentLoan = studentloanValue.fields.studentLoan.value}

Then

Set Values: O.StudentLoan

If: {ExcelDataExpectedVal.NetPay = NePayValue.fields.netPay.value}

Else

Set Values: O.NetPay

Write: Test Remarks

Completed writing data to excel sheet: StudentLoans

Salesforce Connection closed successfully. Name: Admin

A_StudentLoanAndCTAEO_OctoberPayPeriod.testcase

Output

Salesforce Connect: Admin (Test)

Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test

Click On Payroll Link

Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

On PayrollTab page

Click the Payroll Tab

Process Payroll ID

Loaded 1 rows from Parameter Value Source.

On SF xcdhcm__Payroll page with pageobject Xcdhcm__ Payroll

UI Assert

On SF Payroll Screen

Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

Set the Search field to : StdntLoanNCTAEO_Payroll

On Payroll page

With PayrollTable row

Click the Pay Roll

On SF xcdhcm__PayrollDetailView page with pageobject Xcdhcm__ Payroll Detail View

Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

Click the Go To List button

| | Background activity wait successful. Actual duration(seconds): 0.265 |
|---|--|
| _ | Navigate: Refresh Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10 |
| _ | SF Payroll (UK Net Payroll) Pay Runs related list With xcdhcmXCD_PAY_Periodsr rows {7} Populated the row elements. |
| | The row locator matched 1 row. |
| | |

- Click the Payroll period field
- On SF xcdhcm__PayrollPeriod page with pageobject Xcdhcm__ Payroll Period
 - Navigate: Refresh
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- Uncheck the Payroll Set Up Un Select field
- For Each: {ExcelData}=>payrun Loaded 1 rows from Parameter Value Source.

- Sub Steps
 - With Employees rows {employeeName = \$payrun.EmpName}
 - Check the Employee Namechk field
- Click the Generate Draft button
- Ul Assert
- Wait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
- If: {DraftStatus.fields.draftStatus.value = "Draft"}
 - Then
 - Call Reports Script

Loaded 1 rows from Parameter Value Source.

- Call 2_StudentLoanAndCTAEO_OctoberPayPeriod__ReportOne
 - 2_StudentLoanAndCTAEO_OctoberPayPeriod__ReportOne.testcase
 - Salesforce Connect: Admin (Test)

Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test

- Reports Tab for all fields excluding TYPE Fields Loaded 1 rows from Parameter Value Source.
 - On MyPageObjectReportPage page
 - Click the Reports Tab

Background activity wait successful. Actual duration(seconds): 0.279

- Click the All Reports Background activity wait successful. Actual duration(seconds): 0.808
- Set the Search All Reports to DO NOT StLoanCTAEO OCT Background activity wait successful. Actual duration(seconds): 0.267
- Click the Report Selection Background activity wait successful. Actual duration(seconds): 3.528
- On Report View Screen
 - For Each: {ReportData}=>rep
 - Sub Steps
 - With DoNotTouchPayrollReport row
 - Reading Actual Value
 - Read Actual CourtOrder Value



After Screenshot: 2019/07/03 17:06:57

Read Actual AttachableEarningsForCouncilTax Value

| | | _ | | | | | | | _ | | | | | | | | |
|----|--------------------|-----------------------|-----------------|--------|------------|---------------|---------|--------|------|----------|-----------|------------|----------------|------|------|--------|-----------|
| | | | | 60.4 | | beauty Salved | Nonce | | | | | | * | · 6 | 3 ? | 101 | 4 6 |
| II | Payroll Ferrorat v | | sensation 🗸 | Payrot | Esport | V (07 | | | v | Payrol I | neg manie | Financi | Payrot Sets | · · | M | tore w | |
| | DO NOT StLoenCTAEC | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| B | DO NOT StLoanCTAEC | oc | т | | | | | | | | | | | 11.7 | عاد | | M. Y |
| | DO NOT StLoanCTAEC | oc | т | | | | | | | | | | | | | | |
| | | oc | т | | | | | | | | | | | | | | |
| | of Records | | | | | | | | | | | | | | | | |
| | of focusion | | Court enters (* | | habis sami | | | | | | | ble used T | eduction amoun | | | | arrings (|
| 2 | of Records | 141 | | | habis sami | | Fac (*) | 08F0.0 | OSP4 | 339.09 | | ble med * | aduction amoun | | Atta | | |

After Screenshot: 2019/07/03 17:06:58 Read Actual StudentLoan Value After Screenshot: 2019/07/03 17:06:58 Read Actual Net Pay Value After Screenshot: 2019/07/03 17:06:59 Read DeductionTable Value After Screenshot : 2019/07/03 17:07:00 Read Actual InitialDeduction Value After Screenshot : 2019/07/03 17:07:01 Read Actual attachableEarningsTwo Value After Screenshot : 2019/07/03 17:07:02 Setting Actual values for ExcelWrite Set Values: empName Set Values: O.CourtOrders Set Values: O.AttachableEarningsForCouncilTax Set Values: O.StudentLoan Set Values: O.NetPay Set Values: O.DeductionTableUsed Set Values: O.InitialDeductionAmount Set Values: O.AttachableEarningsTwo

- Write: Actual Values

Completed writing data to excel sheet: StudentLoansCTAEO

ExpectedValueFromSheet-Oct

- Comparing actual and expected vlaues
 - If: {ExcelDataExpectedVal.CourtOrders = CourtOrderValue.fields.courtOrder.value}
 - Else
 - Set Values: O.CourtOrders
 - If: {ExcelDataExpectedVal.AttachableEarningsForCouncilTax = AttahableEarningsValueCT.fields.attachableEarningsForCouncilTax.value}
 - Else
 - Set Values: O.AttachableEarningsForCouncilTax
 - If: {ExcelDataExpectedVal.StudentLoan = studentloanValue.fields.studentLoan.value}
 - Then

Set Values: O.StudentLoan If: {ExcelDataExpectedVal.NetPay = NePayValue.fields.netPay.value} Set Values: O.NetPay If: {ExcelDataExpectedVal.DeductionTableUsed = deductionTableValue.fields.deductionTableUsed.value} Then Set Values: O.DeductionTableUsed If: {ExcelDataExpectedVal.InitialDeductionAmount = InitialDeductionValue.fields.intitialDeduction.value} Fise Set Values: O.InitialDeductionAmount If: {ExcelDataExpectedVal.AttachableEarningsTwo = attachableEarningsTwoValue.fields.attachableEarningsTwo.value} Set Values: O.AttachableEarningsTwo Write: Test Remarks Completed writing data to excel sheet: StudentLoansCTAEO Reports for only TYPE Loaded 1 rows from Parameter Value Source. On Report View Screen A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@3ec7040b A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@3ec7040b Set Values: rowcount Extracting Expected Value Loaded 1 rows from Parameter Value Source. While: {true} Sub Steps With DoNotTouchPayrollReport row Extracting current column values If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order administrative cost" OR colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"} Sub Steps With DoNotTouchPayrollReport row Extracting current column values If: {colValues.fields.employeeName.value = ExcelData.AutomationEmployeeNames AND colValues.fields.type.value = "Court order administrative cost" OR colValues.fields.type.value = "Court order payment to third party" OR colValues.fields.type.value = "Court order deduction"} Then Reading Actual Value Setting Actual values for ExcelWrite If: {colValues.fields.type.value = "Court order payment to third party"} If: {colValues.fields.type.value = "Court order deduction"} Set Values: L.TypeCODeductionAmount Write: Actual Values Completed writing data to excel sheet: StudentLoansCTAEO ExpectedValueFromSheet-Nov payroll period Loaded 1 rows from Parameter Value Source. Comparing actual and expected vlaues If: {colValues.fields.type.value = "Court order payment to third party"} If: {colValues.fields.type.value = "Court order deduction"} Then If: {ExcelDataExpectedVal.TypeCODeductionAmount = EmpName.columns.amount1.columnValues[LoopCounter]} Set Values: M.TypeCODeductionAmount Write: Test Remarks

UI Assert

B_StudentLoanAndCTAEO_NovemberPayPeriod.testcase

Output

Salesforce Connect: Admin (Test)
Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test

- Click On Payroll Link
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- On PayrollTab page
 - Click the Payroll Tab
- Process Payroll ID

Loaded 1 rows from Parameter Value Source.

- On SF xcdhcm__Payroll page with pageobject Xcdhcm__ Payroll
 - Ul Assert
- On SF Payroll Screen
 - Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

- Set the Search field to : StdntLoanNCTAEO_Payroll
- On Payroll page
 - With PayrollTable row
 - Click the Pay Roll
- On SF xcdhcm__PayrollDetailView page with pageobject Xcdhcm__ Payroll Detail View
 - Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

Click the Go To List button

Background activity wait successful. Actual duration(seconds): 0.257

- Navigate: Refresh
- Sleep for {10} seconds

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

- On SF Payroll (UK Net Payroll) Pay Runs related list
 - With xcdhcm__XCD_PAY_Periods__r rows {8}

Populated the row elements.

The row locator matched 1 row.

- Click the Payroll period field
- On SF xcdhcm__PayrollPeriod page with pageobject Xcdhcm__ Payroll Period
 - Navigate: Refresh
 - Sleep for {15} seconds

Timed sleep successful. Requested duration(seconds): 15, Actual duration(seconds): 15

- Uncheck the Payroll Set Up Un Select field
- For Each: {ExcelData}=>payrun

Loaded 1 rows from Parameter Value Source.

- Sub Steps
 - With Employees rows {employeeName = \$payrun.EmpName}
 - Check the Employee Namechk field
- Click the Generate Draft button
- Ul Assert
- Wait For: {DraftStatus.fields.draftStatus.value = "Draft"}=>{30}
 - Sub Steps
 - UI Assert
- If: {DraftStatus.fields.draftStatus.value = "Draft"}
 - Then
 - Call Reports Script

Loaded 1 rows from Parameter Value Source.

Call 4_StudentLoanAndCTAEO_NovemberPayPeriod__ReportOne

4_StudentLoanAndCTAEO_NovemberPayPeriod__ReportOne.testcase Salesforce Connect: Admin (Test) Salesforce connection opened successfully. Connection name: Admin, ResultName: Admin, resultScope: Test Reports Tab for all fields excluding TYPE Fields Loaded 1 rows from Parameter Value Source. On MyPageObjectReportPage page Click the Reports Tab Background activity wait successful. Actual duration(seconds): 0.274 Click the All Reports Background activity wait successful. Actual duration(seconds): 0.887 Set the Search All Reports to DO NOT StLoanCTAEO NOV Background activity wait successful. Actual duration(seconds): 0.268 Click the Report Selection Background activity wait successful. Actual duration(seconds): 0.257 On Report View Screen For Each: {ReportData}=>rep Sub Steps With DoNotTouchPayrollReport row Reading Actual Value Read Actual CourtOrder Value After Screenshot: 2019/07/03 17:12:21 Read Actual AttachableEarningsForCouncilTax Value After Screenshot : 2019/07/03 17:12:22 Read Actual StudentLoan Value After Screenshot : 2019/07/03 17:12:22 Read Actual Net Pay Value

Read Actual InitialDeduction Value

After Screenshot : 2019/07/03 17:12:24

After Screenshot : 2019/07/03 17:12:25

Read Actual attachableEarningsTwo Value



After Screenshot : 2019/07/03 17:12:25

Read Actual ProtectedEarnings Value



After Screenshot: 2019/07/03 17:12:26

- Setting Actual values for ExcelWrite
 - Set Values: empName
 - Set Values: O.CourtOrders
 - Set Values: O.AttachableEarningsForCouncilTax
 - Set Values: O.StudentLoan
 - Set Values: O.NetPay
 - Set Values: O.InitialDeductionAmount
 - Set Values: O.AttachableEarningsTwo
 - Set Values: O.ProtectedEarnings
- Write: Actual Values

Completed writing data to excel sheet: StudentLoansCTAEO

ExpectedValueFromSheet-Oct

Loaded 1 rows from Parameter Value Source.

- Comparing actual and expected vlaues
 - If: {ExcelDataExpectedVal.CourtOrders = CourtOrderValue.fields.courtOrder.value}
 - Then
 - Set Values: O.CourtOrders
 - If: {ExcelDataExpectedVal.AttachableEarningsForCouncilTax = AttahableEarningsValueCT.fields.attachableEarningsForCouncilTax.value}
 - Else
 - Set Values: O.AttachableEarningsForCouncilTax
 - If: {ExcelDataExpectedVal.StudentLoan = studentloanValue.fields.studentLoan.value}
 - Else
 - Set Values: O.StudentLoan
 - If: {ExcelDataExpectedVal.NetPay = NePayValue.fields.netPay.value}
 - Else
 - Set Values: O.NetPay
 - If: {ExcelDataExpectedVal.InitialDeductionAmount = InitialDeductionValue.fields.initialDeduction.value}
 - Else
 - Set Values: O.InitialDeductionAmount
 - If: {ExcelDataExpectedVal.AttachableEarningsTwo = attachableEarningsTwoValue.fields.attachableEarningsTwo.value}
 - Else
 - Set Values: O.AttachableEarningsTwo
 - If: {ExcelDataExpectedVal.ProtectedEarnings = protectedEarningsValue.fields.protectedEarnings.value}
 - Then
 - Set Values: O.ProtectedEarnings
 - Write: Test Remarks

Completed writing data to excel sheet: StudentLoansCTAEO

Reports for only TYPE

- On Report View Screen
 - UI Assert
 - A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@3969288e

- A Salesforce target is required. Target: com.provar.core.model.base.java.UiTargetValueImpl@3969288e
- Set Values: rowcount
- Extracting Expected Value

Loaded 1 rows from Parameter Value Source.

- While: {true}
 - Sub Steps
 - With DoNotTouchPayrollReport row
 - Extracting current column values
 - If: {colValues.fields.type.value = "Student loan"}
 - Sub Steps
 - With DoNotTouchPayrollReport row
 - Extracting current column values
 - If: {colValues.fields.type.value = "Student loan"}

Salesforce Connection closed successfully. Name: Admin