

ICPSR 30181

**Study of Women's Health Across
the Nation (SWAN), 1998-2001:
Family Medical History From Visits
02, 03, and 04**

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 1998-2001: Family Medical History From Visits 02, 03, and 04

Kim Sutton-Tyrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers
University of Michigan

Robert Neer
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry - New Jersey Medical School

Karen Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/30181.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



FAMILY MEDICAL HISTORY

CODEBOOK

Collected at Visits 2, 3, and 4

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

Documentation for the SWAN Family History Dataset	4
Family Medical History Interview.....	5

DOCUMENTATION FOR THE PUBLIC-USE SWAN FAMILY MEDICAL HISTORY DATASET

1. Who is included in the public use dataset:

This dataset contains the family medical history collected primarily at follow-up visit 2 (2,721 collected at Visit 2, 86 collected at visit 3, and 22 collected at visit 4) for the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, Newark, NJ, and Chicago, IL.

2. How this codebook is constructed:

Following this documentation section is a copy of the family medical questionnaire. Since most of these were collected at visit 2, the variables have a 2 at end of each variable name. A list of additional variables is also provided. The variables available for public use are listed next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable, are not underlined, and are in blue. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. The *baseline* interview date is denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Family Medical History Questionnaire was collected two years after the baseline interview, the day for the Family Medical History would be day 730 and the Baseline Interview would be day 0.

3. Missing data coding:

The following coding convention is used to indicate different forms of missing data:

- 9 = Missing
- 8 = Do not know
- 7 = Refused
- 1 = Not Applicable

Study of Women's Health Across the Nation

FAMILY MEDICAL HISTORY INTERVIEW

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID: **SWANID**

A2. SWAN STUDY VISIT # **#VISIT**

A3. FORM VERSION: 02/01/1998 **#FORM_V**

A4. DATE FORM COMPLETED: / / **FHXDAY2[†]**

A5. INTERVIEWER'S INITIALS: **#INITS**

A6. RESPONDENT'S DOB: / / **#DOB**

VERIFY WITH RESPONDENT

A7. INTERVIEW COMPLETED IN: **#LOCATIO2**

RESPONDENT'S HOME 1
 CLINIC/OFFICE 2
 RESPONDENT'S HOME BY PROXY 3
 CLINIC/OFFICE BY PROXY 4

A8. INTERVIEW LANGUAGE: **LANGFHX2**

ENGLISH.....1
 SPANISH.....2
 CANTONESE3
 JAPANESE4

[†] This date is given in days since the initial baseline interview, which is day zero.

Variable Excluded from Public Use Data File

During this section of the interview, I am going to ask you about your family medical history. One's family history may play an important role in that person's own health. Thus, it is important for us in assessing the health of women in our study to have an understanding of health and illness in their families. Please include information about the health of all your relatives even if some are deceased. We realize that some of these questions may be difficult or sensitive. Please be assured that we appreciate any information you wish to provide, and we will treat it confidentially, as we do with all of your information. However, as always, you are free to refuse to answer any question you do not wish to.

- B1. Is your biological mother (the one who gave birth to you) still living? **MOMALIV2**
- NO 1
- YES 2 **(B1b)**
- DON'T KNOW -8 **(B2)**
- B1a. How old was your mother when she died? _____ YEARS **MOMDIED2**
- DON'T KNOW -8
- B1a1. What was the cause of death? _____ **(B2) MOMCOD2**
- DON'T KNOW -8
- REFUSED -7
- B1b. How old is your mother now? _____ YEARS **MOMAGE2**
- DON'T KNOW -8
- B2. Is your biological father still living? **DADALIV2**
- NO 1
- YES 2 **(B2b)**
- DON'T KNOW -8 **(B3)**
- B2a. How old was your father when he died? _____ YEARS **DADDIED2**
- DON'T KNOW -8
- B2a1. What was the cause of death? _____ **(B3) DADCOD2**
- DON'T KNOW -8
- REFUSED -7
- B2b. How old is your father now? _____ YEARS **DADAGE2**
- DON'T KNOW -8
- B3. How many brothers do you have, including brothers who may have died? Include only blood relatives -- full or half. Do not include step- or adopted brothers.
- _____ BROTHERS **NUMBROS**

Next, we are interested in learning more about your sisters and some of their menstrual history. Each woman's menstrual history may be affected by a number of factors, and we are interested in learning whether the menstrual history of women in your family may be related to your own menstrual experiences. We realize that you may not know some of the answers.

B4. How many sisters do you have, including sisters who may have died? Include only blood relatives -- full or half. Do not include step- or adopted sisters. **NUMSIS2**

_____ SISTERS (IF NONE, GO TO QUESTION C1)

I would like to obtain some more information about each of your sisters.

What is the first name of each of your sisters?	a. Is this sister still living?		b. Is / was she a full or half sister?		c. How old is she? (OR: How old was she when she died?) IF DECEASED, SKIP QUESTION d-f AND GO TO NEXT SISTER		d. Has she had a period in the last year?			e. At what age did she stop having periods?		f. Did her periods stop naturally, because of current pregnancy or breast feeding, due to surgery, or due to medication or radiation?					
	NO	YES	FULL	HALF	AGE IN YEARS	DON'T KNOW	NO	YES	DON'T KNOW	AGE IN YEARS	DON'T KNOW	NATURAL	PREGNANT OR BREAST-FEEDING	SURGERY	MEDICATION OR RADIATION	DON'T KNOW	
B5. #SISTER12	1 2 <u>SISLVN12</u>		1 2 <u>FULHAL12</u>		-8 <u>SISAGE12</u>		1 2 (B6) <u>SISPER12</u>		-8 (B6)		-8 <u>AGESTO12</u>	1 2 <u>SISSTO12</u>		3		4	-8
B6. #SISTER22	1 2 <u>SISLVN22</u>		1 2 <u>FULHAL22</u>		-8 <u>SISAGE22</u>		1 2 (B7) <u>SISPER22</u>		-8 (B7)		-8 <u>AGESTO22</u>	1 2 <u>SISSTO22</u>		3		4	-8
B7. #SISTER32	1 2 <u>SISLVN32</u>		1 2 <u>FULHAL32</u>		-8 <u>SISAGE32</u>		1 2 (B8) <u>SISPER32</u>		-8 (B8)		-8 <u>AGESTO32</u>	1 2 <u>SISSTO32</u>		3		4	-8
B8. #SISTER42	1 2 <u>SISLVN42</u>		1 2 <u>FULHAL42</u>		-8 <u>SISAGE42</u>		1 2 (B9) <u>SISPER42</u>		-8 (B9)		-8 <u>AGESTO42</u>	1 2 <u>SISSTO42</u>		3		4	-8
B9. #SISTER52	1 2 <u>SISLVN52</u>		1 2 <u>FULHAL52</u>		-8 <u>SISAGE52</u>		1 2 (B10) <u>SISPER52</u>		-8 (B10)		-8 <u>AGESTO52</u>	1 2 <u>SISSTO52</u>		3		4	-8
B10. #SISTER62	1 2 <u>SISLVN62</u>		1 2 <u>FULHAL62</u>		-8 <u>SISAGE62</u>		1 2 (B11) <u>SISPER62</u>		-8 (B11)		-8 <u>AGESTO62</u>	1 2 <u>SISSTO62</u>		3		4	-8
B11. #SISTER72	1 2 <u>SISLVN72</u>		1 2 <u>FULHAL72</u>		-8 <u>SISAGE72</u>		1 2 (B12) <u>SISPER72</u>		-8 (B12)		-8 <u>AGESTO72</u>	1 2 <u>SISSTO72</u>		3		4	-8

What is the <u>first</u> name of each of your sisters?	a. Is this sister still living?		b. Is / was she a full or half sister?		c. How old is she? (OR: How old was she when she died?) IF DECEASED, SKIP QUESTION d-f AND GO TO NEXT SISTER		d. Has she had a period in the last year?			e. At what age did she stop having periods?		f. Did her periods stop naturally, because of current pregnancy or breast feeding, due to surgery, or due to medication or radiation?						
	NO	YES	FULL	HALF	AGE IN YEARS	DON'T KNOW	NO	YES	DON'T KNOW	AGE IN YEARS	DON'T KNOW	NATURAL	PREGNANT OR BREAST-FEEDING	SURGERY	MEDICATION OR RADIATION	DON'T KNOW		
B12. #SISTER82	1 2 <u>SISLVN82</u>		1 2 <u>FULHAL82</u>		-8 <u>SISAGE82</u>		1 2 (B13) <u>SIPER82</u>		-8 (B13)		-8 <u>AGESTO82</u>	1 2 <u>SISSTO82</u>		3		4		-8
B13. #SISTER92	1 2 <u>SISLVN92</u>		1 2 <u>FULHAL92</u>		-8 <u>SISAGE92</u>		1 2 (B14) <u>SIPER92</u>		-8 (B14)		-8 <u>AGESTO92</u>	1 2 <u>SISSTO92</u>		3		4		-8
B14. #SITER102	1 2 <u>SILVN102</u>		1 2 <u>FUHAL102</u>		-8 <u>SIAGE102</u>		1 2 (B15) <u>SIPER102</u>		-8 (B15)		-8 <u>AGEST102</u>	1 2 <u>SISTO102</u>		3		4		-8
B15. #SITER112	1 2 <u>SILVN112</u>		1 2 <u>FUHAL112</u>		-8 <u>SIAGE112</u>		1 2 (B16) <u>SIPER112</u>		-8 (B16)		-8 <u>AGEST112</u>	1 2 <u>SISTO112</u>		3		4		-8
B16. #SITER122	1 2 <u>SILV122</u>		1 2 <u>FUHAL122</u>		-8 <u>SIAGE122</u>		1 2 (B17) <u>SIPER122</u>		-8 (B17)		-8 <u>AGEST122</u>	1 2 <u>SISTO122</u>		3		4		-8
B17. #SITER132	1 2 <u>SILVN132</u>		1 2 <u>FUHAL132</u>		-8 <u>SIAGE132</u>		1 2 (B18) <u>SIPER132</u>		-8 (B18)		-8 <u>AGEST132</u>	1 2 <u>SISTO132</u>		3		4		-8
B18. #SITER142	1 2 <u>SILVN142</u>		1 2 <u>FUHAL142</u>		-8 <u>SIAGE142</u>		1 2 (B19) <u>SIPER142</u>		-8 (B19)		-8 <u>AGEST142</u>	1 2 <u>SISTO142</u>		3		4		-8
B19. #SITER152	1 2 <u>SILVN152</u>		1 2 <u>FUHAL152</u>		-8 <u>SIAGE152</u>		1 2 (B20) <u>SIPER152</u>		-8 (B20)		-8 <u>AGEST152</u>	1 2 <u>SISTO152</u>		3		4		-8
B20. #SITER162	1 2 <u>SILVN162</u>		1 2 <u>FUHAL162</u>		-8 <u>SIAGE162</u>		1 2 (B21) <u>SIPER162</u>		-8 (B21)		-8 <u>AGEST162</u>	1 2 <u>SISTO162</u>		3		4		-8

C1. Do you know at about what age your biological mother stopped menstruating?

AGESTOP2

<30	1	
30-34	2	
35-39	3	
40-44	4	
45-49	5	
50-54	6	
55+	7	
STILL MENSTRUATING WHEN SHE DIED	8	(C4)
UNCERTAIN IF STILL MENSTRUATING WHEN SHE DIED.....	9	(C4)
STILL MENSTRUATING DUE TO TAKING HORMONES.....	10	(C4)
DON'T KNOW.....	-8	

C2. Did she stop menstruating naturally or did she stop due to surgery, medication or radiation treatments?
(CIRCLE ONLY ONE)

STOPMEN2

NATURAL	1
SURGERY	2
MEDICATION OR RADIATION.....	3
DON'T KNOW.....	-8

C3. Did your biological mother have any symptoms such as hot flashes, irregular or heavy periods, sleep problems or mood changes or problems associated with stopping her menstruation?

SYMPTOM2

NO	1	(C4)
YES	2	
DON'T KNOW.....	-8	(C4)

C3a. Which of the following did she have?

	NO	YES	DON'T KNOW	
1. Hot flashes?	1	2	-8	<u>HOTFLA2</u>
2. Irregular or heavy periods?	1	2	-8	<u>HEVYPER2</u>
3. Sleep problems?	1	2	-8	<u>SLEEPRO2</u>
4. Mood changes or problems?	1	2	-8	<u>PSYPROB2</u>
5. Other?	1	2	-8	<u>OTHRPRO</u>
SPECIFY				<u>OTHRPRS2</u>

Now, we would like to ask you a few questions about the woman who raised you. This might be, for example, your biological mother, a step-mother, an aunt, or a grandmother.

- C4. How much did the woman who raised you discuss her menopause with you? **HERMENO2**
- | | |
|-----------------------|---------|
| Not at all | 1 |
| In some detail | 2 |
| In great detail | 3 |
| NOT APPLICABLE | -1 (D1) |
- C5. How often did she discuss menopause in general with you? **GENMENO2**
- | | |
|------------------------------|---|
| Never | 1 |
| Occasionally or rarely | 2 |
| Sometimes..... | 3 |
| Often..... | 4 |
- C6. Which of the following best describes her overall attitudes or perceptions about menopause? **ATTIMEN2**
- | | |
|------------------|----|
| Neutral | 1 |
| Positive | 2 |
| Negative | 3 |
| DON'T KNOW | -8 |

Now, I'm going to read you a list of medical conditions. Please tell me if anyone in your immediate family has ever been told by a health care provider that she/he had any of the following conditions? Please include only blood relatives.

	a. Mother?			b. Father?			c. Any sisters?			d. How many of your sisters had this?	e. Any brothers?			f. How many of your brothers had this?
	NO	YES	D K	NO	YES	DK	NO	YES	DK		NO	YES	DK	
D1. Arthritis?	1 <u>ARTHRMO2</u>	2 <u>ARTHRDA2</u>	-8 <u>ARTHRDA2</u>	1 <u>ARTHRDA2</u>	2 <u>ARTHRDA2</u>	-8 <u>ARTHRDA2</u>	1 (D1e) <u>ARTHRSI2</u>	2 <u>ARTHRSI2</u>	-8 (D1e) <u>ARTHRSI2</u>	<u>ARTNUMS2</u>	1 (D2) <u>ARTHRBR2</u>	2 <u>ARTHRBR2</u>	-8 (D2) <u>ARTHRBR2</u>	<u>ARTNUMB2</u>
D2. High blood pressure?	1 <u>HIBPMOM2</u>	2 <u>HIBPDAD2</u>	-8 <u>HIBPDAD2</u>	1 <u>HIBPDAD2</u>	2 <u>HIBPDAD2</u>	-8 <u>HIBPDAD2</u>	1 (D2e) <u>HIBPSIS2</u>	2 <u>HIBPSIS2</u>	-8 (D2e) <u>HIBPSIS2</u>	<u>BPNUMS2</u>	1 (D3) <u>HIBPBRO2</u>	2 <u>HIBPBRO2</u>	-8 (D3) <u>HIBPBRO2</u>	<u>BPNUMB2</u>
D3. Diabetes?	1 <u>DIABMOM2</u>	2 <u>DIABDAD2</u>	-8 <u>DIABDAD2</u>	1 <u>DIABDAD2</u>	2 <u>DIABDAD2</u>	-8 <u>DIABDAD2</u>	1 (D3e) <u>DIABSIS2</u>	2 <u>DIABSIS2</u>	-8 (D3e) <u>DIABSIS2</u>	<u>DIANUMS2</u>	1 (D4) <u>DIABBRO2</u>	2 <u>DIABBRO2</u>	-8 (D4) <u>DIABBRO2</u>	<u>DIANUMB2</u>
D4. Stroke?	1 <u>STRKMOM2</u>	2 <u>STRKDAD2</u>	-8 <u>STRKDAD2</u>	1 <u>STRKDAD2</u>	2 <u>STRKDAD2</u>	-8 <u>STRKDAD2</u>	1 (D4e) <u>STRKSIS2</u>	2 <u>STRKSIS2</u>	-8 (D4e) <u>STRKSIS2</u>	<u>STRNUMS2</u>	1 (D5) <u>STRKBRO2</u>	2 <u>STRKBRO2</u>	-8 (D5) <u>STRKBRO2</u>	<u>STRNUMB2</u>
D5. Heart attack?	1 <u>HEARTMO2</u>	2 <u>HEARTDA2</u>	-8 <u>HEARTDA2</u>	1 <u>HEARTDA2</u>	2 <u>HEARTDA2</u>	-8 <u>HEARTDA2</u>	1 (D5e) <u>HEARTSI2</u>	2 <u>HEARTSI2</u>	-8 (D5e) <u>HEARTSI2</u>	<u>HRTNUMS2</u>	1 (D6) <u>HEARTBR2</u>	2 <u>HEARTBR2</u>	-8 (D6) <u>HEARTBR2</u>	<u>HRTNUMB2</u>
D6. Other heart disease?	1 <u>OHDMOM2</u>	2 <u>OHDDAD2</u>	-8 <u>OHDDAD2</u>	1 <u>OHDDAD2</u>	2 <u>OHDDAD2</u>	-8 <u>OHDDAD2</u>	1 (D6e) <u>OHDSIS2</u>	2 <u>OHDSIS2</u>	-8 (D6e) <u>OHDSIS2</u>	<u>OHDNUMS2</u>	1 (D7) <u>OHDBRO2</u>	2 <u>OHDBRO2</u>	-8 (D7) <u>OHDBRO2</u>	<u>OHDNUMB2</u>
D7. Hip fracture?	1 <u>HIPMOM2</u>	2 <u>HIPDAD2</u>	-8 <u>HIPDAD2</u>	1 <u>HIPDAD2</u>	2 <u>HIPDAD2</u>	-8 <u>HIPDAD2</u>	1 (D7e) <u>HIPSIS2</u>	2 <u>HIPSIS2</u>	-8 (D7e) <u>HIPSIS2</u>	<u>HIPNUMS2</u>	1 (D8) <u>HIPBRO2</u>	2 <u>HIPBRO2</u>	-8 (D8) <u>HIPBRO2</u>	<u>HIPNUMB2</u>
D8. Osteoporosis (brittle bones)?	1 <u>OSTEOMO2</u>	2 <u>OSTEODA2</u>	-8 <u>OSTEODA2</u>	1 <u>OSTEODA2</u>	2 <u>OSTEODA2</u>	-8 <u>OSTEODA2</u>	1 (D8e) <u>OSTEOSI2</u>	2 <u>OSTEOSI2</u>	-8 (D8e) <u>OSTEOSI2</u>	<u>OSTNUMS2</u>	1 (D9) <u>OSTEOBR2</u>	2 <u>OSTEOBR2</u>	-8 (D9) <u>OSTEOBR2</u>	<u>OSTNUMB2</u>
D9. Spine fractures?	1 <u>SPINEMOM2</u>	2 <u>SPINEDA2</u>	-8 <u>SPINEDA2</u>	1 <u>SPINEDA2</u>	2 <u>SPINEDA2</u>	-8 <u>SPINEDA2</u>	1 (D9e) <u>SPINESI2</u>	2 <u>SPINESI2</u>	-8 (D9e) <u>SPINESI2</u>	<u>SPNNUMS2</u>	1 (D10) <u>SPINEBR2</u>	2 <u>SPINEBR2</u>	-8 (D10) <u>SPINEBR2</u>	<u>SPNNUMB2</u>
D10. Dowager's (spine) hump?	1 <u>HUMPMOM2</u>	2 <u>HUMPDAD2</u>	-8 <u>HUMPDAD2</u>	1 <u>HUMPDAD2</u>	2 <u>HUMPDAD2</u>	-8 <u>HUMPDAD2</u>	1 (D10e) <u>HUMPSIS2</u>	2 <u>HUMPSIS2</u>	-8 (D10e) <u>HUMPSIS2</u>	<u>HMPNUMS2</u>	1 (D11) <u>HUMPBRO2</u>	2 <u>HUMPBRO2</u>	-8 (D11) <u>HUMPBRO2</u>	<u>HMPNUMB2</u>
D11. Colon cancer?	1 <u>COLONMO2</u>	2 <u>COLONDA2</u>	-8 <u>COLONDA2</u>	1 <u>COLONDA2</u>	2 <u>COLONDA2</u>	-8 <u>COLONDA2</u>	1 (D11e) <u>COLONSI2</u>	2 <u>COLONSI2</u>	-8 (D11e) <u>COLONSI2</u>	<u>COLNUMS2</u>	1 (D12) <u>COLONBR2</u>	2 <u>COLONBR2</u>	-8 (D12) <u>COLONBR2</u>	<u>COLNUMB2</u>
D12. Depression lasting longer than 4 weeks?	1 <u>DEPRMOM2</u>	2 <u>DEPRDAD2</u>	-8 <u>DEPRDAD2</u>	1 <u>DEPRDAD2</u>	2 <u>DEPRDAD2</u>	-8 <u>DEPRDAD2</u>	1 (D12e) <u>DEPRSI2</u>	2 <u>DEPRSI2</u>	-8 (D12e) <u>DEPRSI2</u>	<u>DPRNUMS2</u>	1 (E1) <u>DEPRBR2</u>	2 <u>DEPRBR2</u>	-8 (E1) <u>DEPRBR2</u>	<u>DPRNUMB2</u>

Have any of the following blood relatives had breast cancer?

	NO	YES	NOT APPLICABLE	DON'T KNOW													
E1. Mother? <u>BCMOM2</u>	1 (E2)	2		-8 (E2)	<u>BCDIAMO2</u> ____ years												
E2. Sister(s)? <u>BCSIS2</u>	1 (E3)	2		-8 (E3)	b. Is/was she a full or half sister? <table><thead><tr><th></th><th>FULL</th><th>HALF</th></tr></thead><tbody><tr><td><u>BCDIAS12</u> years <u>BCSIS1F2</u></td><td>1</td><td>2</td></tr><tr><td><u>BCDIAS22</u> years <u>BCSIS2F2</u></td><td>1</td><td>2</td></tr><tr><td><u>BCDIAS32</u> years <u>BCSIS3F2</u></td><td>1</td><td>2</td></tr></tbody></table>		FULL	HALF	<u>BCDIAS12</u> years <u>BCSIS1F2</u>	1	2	<u>BCDIAS22</u> years <u>BCSIS2F2</u>	1	2	<u>BCDIAS32</u> years <u>BCSIS3F2</u>	1	2
	FULL	HALF															
<u>BCDIAS12</u> years <u>BCSIS1F2</u>	1	2															
<u>BCDIAS22</u> years <u>BCSIS2F2</u>	1	2															
<u>BCDIAS32</u> years <u>BCSIS3F2</u>	1	2															
E2.1. How many sisters had breast cancer? <u>BCNUMSI2</u> ____ (E2a)																	
E3. Maternal Grandmother (your mother's mother)? <u>BCMGR2</u>	1 (E4)	2		-8 (E4)	<u>BCDIAMG2</u> ____ years												
E4. Paternal Grandmother (your father's mother)? <u>BCPGR2</u>	1 (E5)	2		-8 (E5)	<u>BCDIAPG2</u> ____ years												
E5. Maternal Aunt (s) (your mother's sisters)? <u>BCMAU2</u>	1 (E6)	2	-1 (E6)	-8 (E6)	<u>BCDIAM12</u> ____ years <u>BCDIAM22</u> ____ years <u>BCDIAM32</u> ____ years												
E5.1. How many maternal aunts had breast cancer? <u>BCNUMMA2</u> ____ (E5a)																	
E6. Paternal Aunt (s) (your father's sisters)? <u>BCPAU2</u>	1 (E7)	2	-1 (E7)	-8 (E7)	<u>BCDIAP12</u> ____ years <u>BCDIAP22</u> ____ years <u>BCDIAP32</u> ____ years												
E6.1. How many paternal aunts had breast cancer? <u>BCNUMPA2</u> ____ (E6a)																	
E7. Other blood relatives? <u>BCOTH2</u>	1	2		-8	<u>BCDIAO12 – BCDIAO92</u> ____ years ____ years ____ years												
E7.1 Please specify relationship <u>BCOTH12</u> ____ <u>BCOTH22</u> ____ <u>BCOTH32 – BCOTH92</u>																	

ICPSR 30181

Study of Womens Health Across the Nation (SWAN), Family Medical History: Visits 02, 03, and 04.

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Study of Womens Health Across the Nation (SWAN), Family Medical History: Visits 02, 03, and 04.

SWANID SWANID

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT Study Visit

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
02	2721	96.2 %
03	86	3.0 %
04	22	0.8 %

FXHDAY2 Family History Day

Location: 8-11 (width: 4; decimal: 0)

Variable Type: numeric

LANGFHX2 Language of Family History

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2503	88.5 %
2	Spanish	133	4.7 %
3	Cantonese	86	3.0 %
4	Japanese	107	3.8 %

MOMALIV2 Mother Still Living

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	13	0.5 %
1	No	945	33.4 %
2	Yes	1871	66.1 %

MOMDIED2 Mother's Age at Death

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	9	0.3 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1884	66.6 %
19	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.1 %
26	-	1	0.0 %
27	-	2	0.1 %
28	-	2	0.1 %
29	-	4	0.1 %
30	-	4	0.1 %
32	-	5	0.2 %
33	-	4	0.1 %
34	-	3	0.1 %
35	-	6	0.2 %
36	-	5	0.2 %
37	-	5	0.2 %
38	-	8	0.3 %
39	-	5	0.2 %
40	-	3	0.1 %
41	-	4	0.1 %
42	-	10	0.4 %
43	-	8	0.3 %
44	-	5	0.2 %
45	-	10	0.4 %
46	-	9	0.3 %
47	-	8	0.3 %
48	-	9	0.3 %
49	-	10	0.4 %
50	-	9	0.3 %
51	-	9	0.3 %
52	-	17	0.6 %
53	-	12	0.4 %
54	-	11	0.4 %
55	-	14	0.5 %
56	-	21	0.7 %
57	-	15	0.5 %
58	-	17	0.6 %
59	-	22	0.8 %
60	-	17	0.6 %
61	-	17	0.6 %
62	-	37	1.3 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
63	-	27	1.0 %
64	-	21	0.7 %
65	-	37	1.3 %
66	-	20	0.7 %
67	-	32	1.1 %
68	-	31	1.1 %
69	-	32	1.1 %
70	-	27	1.0 %
71	-	22	0.8 %
72	-	49	1.7 %
73	-	26	0.9 %
74	-	39	1.4 %
75	-	38	1.3 %
76	-	18	0.6 %
77	-	23	0.8 %
78	-	22	0.8 %
79	-	18	0.6 %
80	-	17	0.6 %
81	-	11	0.4 %
82	-	10	0.4 %
83	-	15	0.5 %
84	-	15	0.5 %
85	-	7	0.2 %
86	-	9	0.3 %
87	-	8	0.3 %
88	-	5	0.2 %
89	-	2	0.1 %
90	-	1	0.0 %
91	-	2	0.1 %

MOMCOD2 **Mother's Cause of Death**

Location: 17-61 (width: 45; decimal: 0)

Variable Type: character

MOMAGE2 **Mother's Age**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	10	0.4 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	957	33.8 %
57	-	2	0.1 %
60	-	3	0.1 %
61	-	4	0.1 %
62	-	18	0.6 %
63	-	26	0.9 %
64	-	23	0.8 %
65	-	46	1.6 %
66	-	49	1.7 %
67	-	80	2.8 %
68	-	89	3.1 %
69	-	84	3.0 %
70	-	127	4.5 %
71	-	78	2.8 %
72	-	126	4.5 %
73	-	124	4.4 %
74	-	132	4.7 %
75	-	113	4.0 %
76	-	105	3.7 %
77	-	91	3.2 %
78	-	97	3.4 %
79	-	88	3.1 %
80	-	75	2.7 %
81	-	54	1.9 %
82	-	51	1.8 %
83	-	31	1.1 %
84	-	37	1.3 %
85	-	45	1.6 %
86	-	17	0.6 %
87	-	15	0.5 %
88	-	3	0.1 %
89	-	10	0.4 %
90	-	5	0.2 %
91	-	3	0.1 %
92	-	4	0.1 %
93	-	3	0.1 %
94	-	1	0.0 %
95	-	1	0.0 %

DADALIV2

Father Still Living

- Study 30181 -

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	55	1.9 %
1	No	1614	57.1 %
2	Yes	1160	41.0 %

DADDIED2 **Father's Age at Death**

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-8	Do not know	65	2.3 %
-1	N/A	1215	42.9 %
20	-	2	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	3	0.1 %
25	-	7	0.2 %
26	-	1	0.0 %
27	-	3	0.1 %
28	-	3	0.1 %
29	-	3	0.1 %
30	-	4	0.1 %
31	-	1	0.0 %
32	-	4	0.1 %
33	-	6	0.2 %
34	-	6	0.2 %
35	-	6	0.2 %
36	-	9	0.3 %
37	-	4	0.1 %
38	-	3	0.1 %
39	-	8	0.3 %
40	-	15	0.5 %
41	-	5	0.2 %
42	-	19	0.7 %
43	-	7	0.2 %
44	-	8	0.3 %
45	-	15	0.5 %
46	-	12	0.4 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
47	-	12	0.4 %
48	-	16	0.6 %
49	-	17	0.6 %
50	-	18	0.6 %
51	-	15	0.5 %
52	-	22	0.8 %
53	-	19	0.7 %
54	-	35	1.2 %
55	-	24	0.8 %
56	-	31	1.1 %
57	-	34	1.2 %
58	-	29	1.0 %
59	-	25	0.9 %
60	-	36	1.3 %
61	-	30	1.1 %
62	-	35	1.2 %
63	-	37	1.3 %
64	-	35	1.2 %
65	-	51	1.8 %
66	-	21	0.7 %
67	-	53	1.9 %
68	-	51	1.8 %
69	-	61	2.2 %
70	-	53	1.9 %
71	-	27	1.0 %
72	-	72	2.5 %
73	-	51	1.8 %
74	-	43	1.5 %
75	-	45	1.6 %
76	-	47	1.7 %
77	-	41	1.4 %
78	-	44	1.6 %
79	-	44	1.6 %
80	-	33	1.2 %
81	-	23	0.8 %
82	-	27	1.0 %
83	-	23	0.8 %
84	-	20	0.7 %
85	-	17	0.6 %
86	-	16	0.6 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
87	-	10	0.4 %
88	-	12	0.4 %
89	-	7	0.2 %
90	-	5	0.2 %
91	-	6	0.2 %
92	-	4	0.1 %
93	-	2	0.1 %
94	-	2	0.1 %
95	-	3	0.1 %
96	-	1	0.0 %
97	-	1	0.0 %
98	-	1	0.0 %
102	-	1	0.0 %

DADCOD2 **Father's Cause of Death**

Location: 69-109 (width: 41; decimal: 0)

Variable Type: character

DADAGE2 **Father's Age**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	12	0.4 %
-1	N/A	1664	58.8 %
56	-	1	0.0 %
63	-	4	0.1 %
64	-	8	0.3 %
65	-	14	0.5 %
66	-	7	0.2 %
67	-	24	0.8 %
68	-	32	1.1 %
69	-	42	1.5 %
70	-	54	1.9 %
71	-	48	1.7 %
72	-	79	2.8 %
73	-	80	2.8 %
74	-	75	2.7 %
75	-	92	3.3 %
76	-	76	2.7 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
77	-	79	2.8 %
78	-	68	2.4 %
79	-	55	1.9 %
80	-	51	1.8 %
81	-	49	1.7 %
82	-	46	1.6 %
83	-	41	1.4 %
84	-	32	1.1 %
85	-	26	0.9 %
86	-	21	0.7 %
87	-	12	0.4 %
88	-	5	0.2 %
89	-	10	0.4 %
90	-	4	0.1 %
91	-	3	0.1 %
92	-	3	0.1 %
93	-	3	0.1 %
94	-	2	0.1 %
96	-	1	0.0 %

NUMBROS2

How many brothers

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	5	0.2 %
0	-	515	18.2 %
1	-	850	30.0 %
2	-	664	23.5 %
3	-	372	13.1 %
4	-	183	6.5 %
5	-	112	4.0 %
6	-	64	2.3 %
7	-	32	1.1 %
8	-	14	0.5 %
9	-	10	0.4 %
10	-	3	0.1 %
12	-	2	0.1 %
14	-	1	0.0 %

- Study 30181 -

NUMSIS2 **How many sisters**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %
0	-	607	21.5 %
1	-	818	28.9 %
2	-	590	20.9 %
3	-	354	12.5 %
4	-	228	8.1 %
5	-	119	4.2 %
6	-	58	2.1 %
7	-	25	0.9 %
8	-	11	0.4 %
9	-	9	0.3 %
10	-	2	0.1 %
11	-	1	0.0 %
12	-	2	0.1 %
13	-	1	0.0 %
16	-	1	0.0 %

SISLVN12 **Sister 1 Living**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-8	Do not know	3	0.1 %
-1	N/A	610	21.6 %
1	No	145	5.1 %
2	Yes	2068	73.1 %

FULHAL12 **Sister 1 Full/Half**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	610	21.6 %
1	Full Sister	1948	68.9 %
2	Half Sister	269	9.5 %

- Study 30181 -

SISAGE12

Sister 1 Age

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
-8	Do not know	33	1.2 %
-1	N/A	610	21.6 %
0	-	7	0.2 %
1	-	16	0.6 %
2	-	3	0.1 %
3	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
12	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
21	-	2	0.1 %
22	-	1	0.0 %
23	-	3	0.1 %
24	-	2	0.1 %
25	-	2	0.1 %
26	-	5	0.2 %
27	-	4	0.1 %
28	-	1	0.0 %
29	-	4	0.1 %
30	-	6	0.2 %
31	-	3	0.1 %
32	-	8	0.3 %
33	-	14	0.5 %
34	-	17	0.6 %
35	-	14	0.5 %
36	-	17	0.6 %
37	-	19	0.7 %
38	-	28	1.0 %
39	-	35	1.2 %
40	-	59	2.1 %
41	-	50	1.8 %
42	-	83	2.9 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	105	3.7 %
44	-	77	2.7 %
45	-	97	3.4 %
46	-	110	3.9 %
47	-	126	4.5 %
48	-	147	5.2 %
49	-	139	4.9 %
50	-	133	4.7 %
51	-	102	3.6 %
52	-	124	4.4 %
53	-	74	2.6 %
54	-	71	2.5 %
55	-	94	3.3 %
56	-	54	1.9 %
57	-	49	1.7 %
58	-	26	0.9 %
59	-	32	1.1 %
60	-	48	1.7 %
61	-	21	0.7 %
62	-	31	1.1 %
63	-	17	0.6 %
64	-	18	0.6 %
65	-	16	0.6 %
66	-	10	0.4 %
67	-	9	0.3 %
68	-	8	0.3 %
69	-	4	0.1 %
70	-	11	0.4 %
71	-	1	0.0 %
72	-	4	0.1 %
73	-	2	0.1 %
74	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
81	-	1	0.0 %

SISPER12

Sister 1 Pd Last Yr

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	450	15.9 %
-1	N/A	761	26.9 %
1	No	667	23.6 %
2	Yes	950	33.6 %

AGESTO12

Sister 1 Age Stop Pd

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-8	Do not know	208	7.4 %
-1	N/A	2162	76.4 %
18	-	1	0.0 %
19	-	1	0.0 %
21	-	2	0.1 %
26	-	6	0.2 %
27	-	3	0.1 %
28	-	5	0.2 %
29	-	2	0.1 %
30	-	11	0.4 %
31	-	2	0.1 %
32	-	3	0.1 %
33	-	7	0.2 %
34	-	8	0.3 %
35	-	12	0.4 %
36	-	7	0.2 %
37	-	6	0.2 %
38	-	8	0.3 %
39	-	11	0.4 %
40	-	32	1.1 %
41	-	9	0.3 %
42	-	23	0.8 %
43	-	13	0.5 %
44	-	16	0.6 %
45	-	21	0.7 %
46	-	16	0.6 %
47	-	39	1.4 %
48	-	26	0.9 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
49	-	14	0.5 %
50	-	49	1.7 %
51	-	20	0.7 %
52	-	29	1.0 %
53	-	24	0.8 %
54	-	9	0.3 %
55	-	12	0.4 %
56	-	3	0.1 %
57	-	1	0.0 %
58	-	3	0.1 %
59	-	1	0.0 %
62	-	1	0.0 %

SISSTO12

Sister 1 Pds Stop Nat

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-8	Do not know	47	1.7 %
-1	N/A	2162	76.4 %
1	Natural	315	11.1 %
2	Pregnant/Bfeeding	4	0.1 %
3	Surgery	288	10.2 %
4	Medication/Radiation	8	0.3 %

SISLVN22

Sister 2 Living

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	1428	50.5 %
1	No	80	2.8 %
2	Yes	1319	46.6 %

FULHAL22

Sister 2 Full/Half

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	1428	50.5 %
1	Full Sister	1223	43.2 %
2	Half Sister	176	6.2 %

SISAGE22

Sister 2 Age

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.4 %
-8	Do not know	23	0.8 %
-1	N/A	1428	50.5 %
0	-	3	0.1 %
1	-	5	0.2 %
2	-	1	0.0 %
3	-	2	0.1 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
22	-	3	0.1 %
23	-	1	0.0 %
24	-	2	0.1 %
25	-	2	0.1 %
26	-	5	0.2 %
27	-	4	0.1 %
28	-	7	0.2 %
29	-	3	0.1 %
30	-	14	0.5 %
31	-	4	0.1 %
32	-	16	0.6 %
33	-	15	0.5 %
34	-	17	0.6 %
35	-	34	1.2 %
36	-	15	0.5 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
37	-	22	0.8 %
38	-	36	1.3 %
39	-	40	1.4 %
40	-	77	2.7 %
41	-	62	2.2 %
42	-	67	2.4 %
43	-	70	2.5 %
44	-	73	2.6 %
45	-	84	3.0 %
46	-	57	2.0 %
47	-	56	2.0 %
48	-	65	2.3 %
49	-	79	2.8 %
50	-	60	2.1 %
51	-	51	1.8 %
52	-	46	1.6 %
53	-	30	1.1 %
54	-	30	1.1 %
55	-	36	1.3 %
56	-	23	0.8 %
57	-	20	0.7 %
58	-	16	0.6 %
59	-	19	0.7 %
60	-	19	0.7 %
61	-	12	0.4 %
62	-	12	0.4 %
63	-	6	0.2 %
64	-	7	0.2 %
65	-	9	0.3 %
66	-	5	0.2 %
67	-	5	0.2 %
68	-	2	0.1 %
69	-	3	0.1 %
70	-	2	0.1 %
71	-	1	0.0 %
73	-	2	0.1 %
79	-	1	0.0 %

SISPER22

Sister 2 Pd Last Yr

Location:

134-135 (width: 2; decimal: 0)

- Study 30181 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	246	8.7 %
-1	N/A	1510	53.4 %
1	No	297	10.5 %
2	Yes	775	27.4 %

AGESTO22

Sister 2 Age Stop Pd

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	89	3.1 %
-1	N/A	2532	89.5 %
13	-	1	0.0 %
21	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	3	0.1 %
27	-	2	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	6	0.2 %
31	-	1	0.0 %
32	-	2	0.1 %
33	-	5	0.2 %
34	-	2	0.1 %
35	-	5	0.2 %
37	-	3	0.1 %
38	-	7	0.2 %
39	-	8	0.3 %
40	-	9	0.3 %
41	-	4	0.1 %
42	-	9	0.3 %
43	-	5	0.2 %
44	-	7	0.2 %
45	-	17	0.6 %
46	-	8	0.3 %
47	-	12	0.4 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
48	-	14	0.5 %
49	-	13	0.5 %
50	-	16	0.6 %
51	-	7	0.2 %
52	-	19	0.7 %
53	-	6	0.2 %
54	-	3	0.1 %
55	-	4	0.1 %
56	-	2	0.1 %
58	-	1	0.0 %

SISSTO22

Sister 2 Pds Stop Nat

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	18	0.6 %
-1	N/A	2532	89.5 %
1	Natural	127	4.5 %
2	Pregnant/Bfeeding	2	0.1 %
3	Surgery	146	5.2 %
4	Medication/Radiation	2	0.1 %

SISLVN32

Sister 3 Living

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2018	71.3 %
1	No	58	2.1 %
2	Yes	750	26.5 %

FULHAL32

Sister 3 Full/Half

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2018	71.3 %
1	Full Sister	674	23.8 %
2	Half Sister	134	4.7 %

SISAGE32

Sister 3 Age

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	24	0.8 %
-1	N/A	2018	71.3 %
0	-	4	0.1 %
1	-	5	0.2 %
2	-	3	0.1 %
3	-	3	0.1 %
7	-	1	0.0 %
10	-	1	0.0 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	3	0.1 %
15	-	1	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %
21	-	2	0.1 %
22	-	2	0.1 %
24	-	1	0.0 %
25	-	4	0.1 %
27	-	5	0.2 %
28	-	7	0.2 %
29	-	3	0.1 %
30	-	13	0.5 %
31	-	5	0.2 %
32	-	13	0.5 %
33	-	10	0.4 %
34	-	16	0.6 %
35	-	28	1.0 %
36	-	35	1.2 %
37	-	18	0.6 %
38	-	35	1.2 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	-	36	1.3 %
40	-	38	1.3 %
41	-	38	1.3 %
42	-	47	1.7 %
43	-	39	1.4 %
44	-	28	1.0 %
45	-	27	1.0 %
46	-	36	1.3 %
47	-	29	1.0 %
48	-	32	1.1 %
49	-	37	1.3 %
50	-	27	1.0 %
51	-	9	0.3 %
52	-	20	0.7 %
53	-	16	0.6 %
54	-	20	0.7 %
55	-	7	0.2 %
56	-	16	0.6 %
57	-	6	0.2 %
58	-	9	0.3 %
59	-	4	0.1 %
60	-	11	0.4 %
61	-	5	0.2 %
62	-	4	0.1 %
63	-	1	0.0 %
64	-	3	0.1 %
65	-	5	0.2 %
66	-	1	0.0 %
67	-	1	0.0 %
70	-	2	0.1 %
72	-	1	0.0 %
77	-	1	0.0 %
85	-	1	0.0 %

SISPER32

Sister 3 Pd Last Yr

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	144	5.1 %
-1	N/A	2079	73.5 %
1	No	128	4.5 %
2	Yes	477	16.9 %

AGESTO32

Sister 3 Age Stop Pd

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	40	1.4 %
-1	N/A	2702	95.5 %
18	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
32	-	2	0.1 %
33	-	1	0.0 %
35	-	4	0.1 %
36	-	2	0.1 %
37	-	2	0.1 %
38	-	2	0.1 %
39	-	4	0.1 %
40	-	5	0.2 %
42	-	6	0.2 %
43	-	2	0.1 %
44	-	5	0.2 %
45	-	6	0.2 %
46	-	4	0.1 %
47	-	5	0.2 %
48	-	3	0.1 %
49	-	5	0.2 %
50	-	10	0.4 %
51	-	4	0.1 %
52	-	2	0.1 %
53	-	2	0.1 %
54	-	3	0.1 %
55	-	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	-	1	0.0 %

SISSTO32

Sister 3 Pds Stop Nat

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	9	0.3 %
-1	N/A	2702	95.5 %
1	Natural	53	1.9 %
2	Pregnant/Bfeeding	3	0.1 %
3	Surgery	59	2.1 %
4	Medication/Radiation	2	0.1 %

SISLVN42

Sister 4 Living

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2372	83.8 %
1	No	40	1.4 %
2	Yes	416	14.7 %

FULHAL42

Sister 4 Full/Half

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2372	83.8 %
1	Full Sister	370	13.1 %
2	Half Sister	85	3.0 %

SISAGE42

Sister 4 Age

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	20	0.7 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2372	83.8 %
0	-	7	0.2 %
1	-	4	0.1 %
2	-	1	0.0 %
3	-	3	0.1 %
7	-	1	0.0 %
10	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.1 %
18	-	1	0.0 %
21	-	2	0.1 %
22	-	1	0.0 %
24	-	2	0.1 %
25	-	2	0.1 %
26	-	4	0.1 %
27	-	2	0.1 %
28	-	5	0.2 %
30	-	11	0.4 %
31	-	4	0.1 %
32	-	9	0.3 %
33	-	7	0.2 %
34	-	13	0.5 %
35	-	18	0.6 %
36	-	20	0.7 %
37	-	20	0.7 %
38	-	25	0.9 %
39	-	21	0.7 %
40	-	28	1.0 %
41	-	11	0.4 %
42	-	16	0.6 %
43	-	17	0.6 %
44	-	21	0.7 %
45	-	18	0.6 %
46	-	16	0.6 %
47	-	18	0.6 %
48	-	11	0.4 %
49	-	10	0.4 %
50	-	11	0.4 %
51	-	5	0.2 %
52	-	11	0.4 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
53	-	9	0.3 %
54	-	12	0.4 %
55	-	7	0.2 %
56	-	4	0.1 %
57	-	4	0.1 %
58	-	2	0.1 %
59	-	2	0.1 %
60	-	3	0.1 %
61	-	1	0.0 %
62	-	2	0.1 %
63	-	3	0.1 %
64	-	3	0.1 %
65	-	1	0.0 %
67	-	1	0.0 %
77	-	1	0.0 %

SISPER42

Sister 4 Pd Last Yr

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	71	2.5 %
-1	N/A	2413	85.3 %
1	No	66	2.3 %
2	Yes	279	9.9 %

AGESTO42

Sister 4 Age Stop Pd

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	24	0.8 %
-1	N/A	2764	97.7 %
21	-	1	0.0 %
24	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	2	0.1 %
37	-	2	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	-	1	0.0 %
41	-	1	0.0 %
42	-	2	0.1 %
43	-	2	0.1 %
44	-	3	0.1 %
45	-	3	0.1 %
46	-	1	0.0 %
47	-	4	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	7	0.2 %
51	-	1	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
66	-	1	0.0 %

SISSTO42

Sister 4 Pds Stop Nat

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-8	Do not know	7	0.2 %
-1	N/A	2764	97.7 %
1	Natural	25	0.9 %
3	Surgery	28	1.0 %
4	Medication/Radiation	2	0.1 %

SISLVN52

Sister 5 Living

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2600	91.9 %
1	No	29	1.0 %
2	Yes	200	7.1 %

FULHAL52

Sister 5 Full/Half

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2600	91.9 %
1	Full Sister	186	6.6 %
2	Half Sister	42	1.5 %

SISAGE52

Sister 5 Age

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	14	0.5 %
-1	N/A	2600	91.9 %
0	-	1	0.0 %
1	-	11	0.4 %
2	-	2	0.1 %
3	-	2	0.1 %
5	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	3	0.1 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	2	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	6	0.2 %
31	-	2	0.1 %
32	-	8	0.3 %
33	-	9	0.3 %
34	-	11	0.4 %
35	-	9	0.3 %
36	-	8	0.3 %
37	-	10	0.4 %
38	-	9	0.3 %
39	-	6	0.2 %
40	-	8	0.3 %
41	-	8	0.3 %
42	-	14	0.5 %
43	-	6	0.2 %
44	-	8	0.3 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
45	-	8	0.3 %
46	-	8	0.3 %
47	-	4	0.1 %
48	-	5	0.2 %
49	-	4	0.1 %
50	-	7	0.2 %
51	-	5	0.2 %
52	-	3	0.1 %
53	-	3	0.1 %
54	-	1	0.0 %
55	-	3	0.1 %
56	-	3	0.1 %
57	-	2	0.1 %
58	-	3	0.1 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
63	-	2	0.1 %
70	-	1	0.0 %

SISPER52

Sister 5 Pd Last Yr

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	35	1.2 %
-1	N/A	2629	92.9 %
1	No	29	1.0 %
2	Yes	136	4.8 %

AGESTO52

Sister 5 Age Stop Pd

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	13	0.5 %
-1	N/A	2800	99.0 %
28	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	-	2	0.1 %
40	-	2	0.1 %
43	-	2	0.1 %
49	-	1	0.0 %
50	-	2	0.1 %
51	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %

SISSTO52 Sister 5 Pds Stop Nat

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %
-1	N/A	2800	99.0 %
1	Natural	11	0.4 %
3	Surgery	15	0.5 %

SISLVN62 Sister 6 Living

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2719	96.1 %
1	No	15	0.5 %
2	Yes	95	3.4 %

FULHAL62 Sister 6 Full/Half

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2719	96.1 %
1	Full Sister	87	3.1 %
2	Half Sister	23	0.8 %

SISAGE62 Sister 6 Age

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	7	0.2 %
-1	N/A	2719	96.1 %
0	-	1	0.0 %
1	-	4	0.1 %
5	-	2	0.1 %
14	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	4	0.1 %
31	-	2	0.1 %
32	-	6	0.2 %
33	-	3	0.1 %
34	-	5	0.2 %
35	-	3	0.1 %
36	-	3	0.1 %
37	-	1	0.0 %
38	-	7	0.2 %
39	-	3	0.1 %
40	-	6	0.2 %
41	-	1	0.0 %
42	-	4	0.1 %
43	-	3	0.1 %
44	-	6	0.2 %
46	-	1	0.0 %
47	-	1	0.0 %
49	-	4	0.1 %
50	-	6	0.2 %
51	-	3	0.1 %
52	-	1	0.0 %
53	-	3	0.1 %
55	-	2	0.1 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
60	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %

SISPER62 Sister 6 Pd Last Yr

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	21	0.7 %
-1	N/A	2734	96.6 %
1	No	21	0.7 %
2	Yes	53	1.9 %

AGESTO62 Sister 6 Age Stop Pd

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	10	0.4 %
-1	N/A	2808	99.3 %
27	-	1	0.0 %
39	-	2	0.1 %
43	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.1 %
52	-	1	0.0 %

SISSTO62 Sister 6 Pds Stop Nat

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2808	99.3 %
1	Natural	10	0.4 %
3	Surgery	7	0.2 %
4	Medication/Radiation	1	0.0 %

SISLVN72

Sister 7 Living

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2777	98.2 %
1	No	5	0.2 %
2	Yes	47	1.7 %

FULHAL72

Sister 7 Full/Half

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2777	98.2 %
1	Full Sister	35	1.2 %
2	Half Sister	17	0.6 %

SISAGE72

Sister 7 Age

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	5	0.2 %
-1	N/A	2777	98.2 %
1	-	2	0.1 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	2	0.1 %
30	-	1	0.0 %
31	-	2	0.1 %
34	-	1	0.0 %
36	-	2	0.1 %
37	-	3	0.1 %
38	-	4	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	-	1	0.0 %
40	-	2	0.1 %
41	-	1	0.0 %
42	-	2	0.1 %
44	-	2	0.1 %
45	-	3	0.1 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	3	0.1 %
50	-	2	0.1 %
51	-	2	0.1 %
54	-	1	0.0 %
58	-	1	0.0 %
64	-	1	0.0 %
66	-	1	0.0 %
72	-	2	0.1 %

SISPER72 **Sister 7 Pd Last Yr**

Location: 194-195 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	14	0.5 %
-1	N/A	2782	98.3 %
1	No	8	0.3 %
2	Yes	25	0.9 %

AGESTO72 **Sister 7 Age Stop Pd**

Location: 196-197 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	4	0.1 %
-1	N/A	2821	99.7 %
31	-	1	0.0 %
40	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %

SISSTO72 **Sister 7 Pds Stop Nat**

Location: 198-199 (width: 2; decimal: 0)

- Study 30181 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2821	99.7 %
1	Natural	6	0.2 %
3	Surgery	2	0.1 %

SISLVN82 Sister 8 Living

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	2802	99.0 %
1	No	5	0.2 %
2	Yes	21	0.7 %

FULHAL82 Sister 8 Full/Half

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2802	99.0 %
1	Full Sister	17	0.6 %
2	Half Sister	10	0.4 %

SISAGE82 Sister 8 Age

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	4	0.1 %
-1	N/A	2802	99.0 %
1	-	1	0.0 %
2	-	1	0.0 %
13	-	1	0.0 %
16	-	1	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	-	2	0.1 %
41	-	2	0.1 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.1 %
55	-	1	0.0 %
73	-	1	0.0 %

SISPER82 **Sister 8 Pd Last Yr**

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	9	0.3 %
-1	N/A	2808	99.3 %
1	No	1	0.0 %
2	Yes	11	0.4 %

AGESTO82 **Sister 8 Age Stop Pd**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	2828	100.0 %

SISSTO82 **Sister 8 Pds Stop Nat**

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2828	100.0 %
1	Natural	1	0.0 %

SISLVN92 **Sister 9 Living**

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	3	0.1 %
2	Yes	12	0.4 %
. (M)	-	2813	99.4 %

FULHAL92 **Sister 9 Full/Half**

Location: 214-214 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full Sister	8	0.3 %
2	Half Sister	8	0.3 %
. (M)	-	2813	99.4 %

SISAGE92 **Sister 9 Age**

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	5	0.2 %
1	-	1	0.0 %
11	-	1	0.0 %
18	-	1	0.0 %
28	-	1	0.0 %
33	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
46	-	1	0.0 %
54	-	1	0.0 %
. (M)	-	2813	99.4 %

SISPER92 **Sister 9 Pd Last Yr**

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	6	0.2 %
1	No	2	0.1 %
2	Yes	4	0.1 %
. (M)	-	2817	99.6 %

- Study 30181 -

AGESTO92 Sister 9 Age Stop Pd

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
. (M)	-	2828	100.0 %

SISSTO92 Sister 9 Pds Stop Nat

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
. (M)	-	2828	100.0 %

SILVN102 Sister 10 Living

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	1	0.0 %
2	Yes	5	0.2 %
. (M)	-	2822	99.8 %

FUHAL102 Sister 10 Full/Half

Location: 225-225 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full Sister	4	0.1 %
2	Half Sister	3	0.1 %
. (M)	-	2822	99.8 %

SIAGE102 Sister 10 Age

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	3	0.1 %
1	-	1	0.0 %
32	-	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	-	1	0.0 %
54	-	1	0.0 %
. (M)	-	2822	99.8 %

SIPER102 Sister 10 Pd Last Yr

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	2824	99.8 %

AGEST102 Sister 10 Age Stop Pd

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
. (M)	-	2828	100.0 %

SISTO102 Sister 10 Pds Stop Nat

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
. (M)	-	2828	100.0 %

SILVN112 Sister 11 Living

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	1	0.0 %
2	Yes	3	0.1 %
. (M)	-	2824	99.8 %

FUHAL112 Sister 11 Full/Half

Location: 236-236 (width: 1; decimal: 0)

- Study 30181 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full Sister	3	0.1 %
2	Half Sister	2	0.1 %
. (M)	-	2824	99.8 %

SIAGE112 Sister 11 Age

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %
1	-	1	0.0 %
40	-	1	0.0 %
47	-	1	0.0 %
. (M)	-	2824	99.8 %

SIPER112 Sister 11 Pd Last Yr

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	2826	99.9 %

AGEST112 Sister 11 Age Stop Pd

Location: 241-241 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SISTO112 Sister 11 Pds Stop Nat

Location: 242-242 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SILVN122 Sister 12 Living

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	2	0.1 %
2	Yes	1	0.0 %
. (M)	-	2825	99.9 %

FUHAL122 **Sister 12 Full/Half**

Location: 245-245 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full Sister	2	0.1 %
2	Half Sister	2	0.1 %
. (M)	-	2825	99.9 %

SIAGE122 **Sister 12 Age**

Location: 246-246 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SIPER122 **Sister 12 Pd Last Yr**

Location: 247-247 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	1	0.0 %
. (M)	-	2828	100.0 %

AGEST122 **Sister 12 Age Stop Pd**

Location: 248-248 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SISTO122 **Sister 12 Pds Stop Nat**

Location: 249-249 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

- Study 30181 -

SILVN132 Sister 13 Living

Location: 250-250 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2	0.1 %
. (M)	-	2827	99.9 %

FUHAL132 Sister 13 Full/Half

Location: 251-251 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Full Sister	1	0.0 %
2	Half Sister	1	0.0 %
. (M)	-	2827	99.9 %

SIAGE132 Sister 13 Age

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	-	1	0.0 %
. (M)	-	2827	99.9 %

SIPER132 Sister 13 Pd Last Yr

Location: 254-254 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

AGEST132 Sister 13 Age Stop Pd

Location: 255-255 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SISTO132 Sister 13 Pds Stop Nat

Location: 256-256 (width: 1; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SILVN142 Sister 14 Living

Location: 257-257 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1	0.0 %
. (M)	-	2828	100.0 %

FUHAL142 Sister 14 Full/Half

Location: 258-258 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Half Sister	1	0.0 %
. (M)	-	2828	100.0 %

SIAGE142 Sister 14 Age

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
. (M)	-	2828	100.0 %

SIPER142 Sister 14 Pd Last Yr

Location: 261-261 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

AGEST142 Sister 14 Age Stop Pd

Location: 262-262 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SISTO142 Sister 14 Pds Stop Nat

Location: 263-263 (width: 1; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SILVN152 Sister 15 Living

Location: 264-264 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1	0.0 %
. (M)	-	2828	100.0 %

FUHAL152 Sister 15 Full/Half

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Half Sister	1	0.0 %
. (M)	-	2828	100.0 %

SIAGE152 Sister 15 Age

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
. (M)	-	2828	100.0 %

SIPER152 Sister 15 Pd Last Yr

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

AGEST152 Sister 15 Age Stop Pd

Location: 269-269 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SISTO152 Sister 15 Pds Stop Nat

Location: 270-270 (width: 1; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SILVN162 Sister 16 Living

Location: 271-271 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1	0.0 %
. (M)	-	2828	100.0 %

FUHAL162 Sister 16 Full/Half

Location: 272-272 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Half Sister	1	0.0 %
. (M)	-	2828	100.0 %

SIAGE162 Sister 16 Age

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
. (M)	-	2828	100.0 %

SIPER162 Sister 16 Pd Last Yr

Location: 275-275 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

AGEST162 Sister 16 Age Stop Pd

Location: 276-276 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

SISTO162 Sister 16 Pds Stop Nat

Location: 277-277 (width: 1; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2829	100.0 %

AGESTOP2 **Age Mother Pds Stopped**

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	758	26.8 %
-1	N/A	1	0.0 %
1	<30	23	0.8 %
2	30-34	54	1.9 %
3	35-39	128	4.5 %
4	40-44	228	8.1 %
5	45-49	434	15.3 %
6	50-54	748	26.4 %
7	55+	335	11.8 %
8	Still menstr when died	99	3.5 %
9	Uncert if still men when died	14	0.5 %
10	Still menstr due to horm	6	0.2 %

STOPMEN2 **Mother Pds Stop Nat**

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	194	6.9 %
-1	N/A	120	4.2 %
1	Natural	1850	65.4 %
2	Surgery	647	22.9 %
3	Medication/Radiation	16	0.6 %

SYMPTOM2 **Mother Symp Stop Pds**

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-8	Do not know	741	26.2 %
-1	N/A	120	4.2 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	550	19.4 %
2	Yes	1415	50.0 %

HOTFLA2 Hot Flashes

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	186	6.6 %
-1	N/A	1414	50.0 %
1	No	212	7.5 %
2	Yes	1017	35.9 %

HEVYPER2 Heavy Pds

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	452	16.0 %
-1	N/A	1414	50.0 %
1	No	290	10.3 %
2	Yes	673	23.8 %

SLEEPRO2 Sleep Problems

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	412	14.6 %
-1	N/A	1414	50.0 %
1	No	461	16.3 %
2	Yes	542	19.2 %

PSYPROB2 Mood chgs/probs

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	181	6.4 %
-1	N/A	1414	50.0 %
1	No	316	11.2 %
2	Yes	918	32.4 %

- Study 30181 -

OTHRPRO2 Other problems

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	186	6.6 %
-1	N/A	1414	50.0 %
1	No	1002	35.4 %
2	Yes	227	8.0 %

OTHRPRS2 Other meno problems-specify

Location: 294-325 (width: 32; decimal: 0)

Variable Type: character

HERMENO2 Mom discuss meno

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	71	2.5 %
1	Not at all	1692	59.8 %
2	In some detail	926	32.7 %
3	In great detail	138	4.9 %

GENMENO2 Mom discuss meno in gen

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	72	2.5 %
1	Never	1494	52.8 %
2	Occasionally/rarely	906	32.0 %
3	Sometimes	257	9.1 %
4	Often	99	3.5 %

ATTIMEN2 Attitudes toward meno

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	583	20.6 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	72	2.5 %
1	Neutral	1376	48.6 %
2	Positive	462	16.3 %
3	Negative	336	11.9 %

ARTHRMO2 Arthritis-Mother

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	110	3.9 %
1	No	1410	49.8 %
2	Yes	1309	46.3 %

ARTHRDA2 Arthritis-Father

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	291	10.3 %
1	No	1869	66.1 %
2	Yes	668	23.6 %

ARTHRSI2 Arthritis-Sisters

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	112	4.0 %
-1	N/A	610	21.6 %
1	No	1675	59.2 %
2	Yes	430	15.2 %

ARTNUMS2 Arthritis-# Sisters

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2399	84.8 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	322	11.4 %
2	-	80	2.8 %
3	-	15	0.5 %
4	-	8	0.3 %
5	-	2	0.1 %
7	-	1	0.0 %
9	-	1	0.0 %

ARTHRBR2 Arthritis-Brothers

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	130	4.6 %
-1	N/A	522	18.5 %
1	No	1952	69.0 %
2	Yes	223	7.9 %

ARTNUMB2 Arthritis-# Brothers

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2606	92.1 %
1	-	174	6.2 %
2	-	35	1.2 %
3	-	7	0.2 %
4	-	5	0.2 %
5	-	1	0.0 %
6	-	1	0.0 %

HIBPMOM2 High BP-Mother

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	119	4.2 %
1	No	1335	47.2 %
2	Yes	1375	48.6 %

HIBPDAD2 High BP-Father

- Study 30181 -

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	320	11.3 %
1	No	1460	51.6 %
2	Yes	1048	37.0 %

HIBPSIS2 High BP-Sisters

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	141	5.0 %
-1	N/A	610	21.6 %
1	No	1534	54.2 %
2	Yes	542	19.2 %

BPNUMSI2 High BP-# Sisters

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	2287	80.8 %
1	-	408	14.4 %
2	-	84	3.0 %
3	-	26	0.9 %
4	-	13	0.5 %
5	-	2	0.1 %
6	-	2	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %

HIBPBRO2 High BP-Brothers

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	182	6.4 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	523	18.5 %
1	No	1602	56.6 %
2	Yes	521	18.4 %

BPNUMBR2 High BP-# Brothers

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2307	81.5 %
1	-	420	14.8 %
2	-	77	2.7 %
3	-	14	0.5 %
4	-	10	0.4 %

DIABMOM2 Diabetes-Mother

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	69	2.4 %
1	No	2247	79.4 %
2	Yes	513	18.1 %

DIABDAD2 Diabetes-Father

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	192	6.8 %
1	No	2169	76.7 %
2	Yes	468	16.5 %

DIABSIS2 Diabetes-Sisters

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	60	2.1 %
-1	N/A	610	21.6 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1959	69.2 %
2	Yes	199	7.0 %

DIANUMS2 Diabetes-# Sisters

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2630	93.0 %
1	-	164	5.8 %
2	-	26	0.9 %
3	-	6	0.2 %
4	-	1	0.0 %
6	-	1	0.0 %

DIABBRO2 Diabetes-Brothers

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	72	2.5 %
-1	N/A	522	18.5 %
1	No	2005	70.9 %
2	Yes	229	8.1 %

DIANUMB2 Diabetes-# Brothers

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2600	91.9 %
1	-	195	6.9 %
2	-	26	0.9 %
3	-	5	0.2 %
4	-	2	0.1 %
6	-	1	0.0 %

STRKMOM2 Stroke-Mother

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	57	2.0 %
1	No	2383	84.2 %
2	Yes	389	13.8 %

STRKDAD2

Stroke-Father

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	157	5.5 %
1	No	2239	79.1 %
2	Yes	433	15.3 %

STRKSIS2

Stroke-Sisters

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	34	1.2 %
-1	N/A	610	21.6 %
1	No	2142	75.7 %
2	Yes	42	1.5 %

STRNUMS2

Stroke-# Sisters

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2787	98.5 %
1	-	39	1.4 %
2	-	3	0.1 %

STRKBRO2

Stroke-Brothers

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	47	1.7 %
-1	N/A	522	18.5 %
1	No	2211	78.2 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	48	1.7 %

STRNUMB2 **Stroke-# Brothers**

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2781	98.3 %
1	-	46	1.6 %
2	-	1	0.0 %
3	-	1	0.0 %

HEARTMO2 **Heart attack-Mother**

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	57	2.0 %
1	No	2381	84.2 %
2	Yes	391	13.8 %

HEARTDA2 **Heart attack-Father**

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	160	5.7 %
1	No	1926	68.1 %
2	Yes	743	26.3 %

HEARTSI2 **Heart attack-Sisters**

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	39	1.4 %
-1	N/A	610	21.6 %
1	No	2111	74.6 %
2	Yes	67	2.4 %

HRTNUMS2 **Heart attack-# Sisters**

- Study 30181 -

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2762	97.6 %
1	-	63	2.2 %
2	-	4	0.1 %

HEARTBR2 Heart attack-Brothers

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	44	1.6 %
-1	N/A	522	18.5 %
1	No	2134	75.4 %
2	Yes	128	4.5 %

HRTNUMB2 Heart attack-# Brothers

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2701	95.5 %
1	-	119	4.2 %
2	-	7	0.2 %
3	-	2	0.1 %

OHDMOM2 Oth Hrt Dis-Mother

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	83	2.9 %
1	No	2289	80.9 %
2	Yes	457	16.2 %

OHDDAD2 Oth Hrt Dis-Father

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	193	6.8 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2072	73.2 %
2	Yes	564	19.9 %

OHDSIS2 Oth Hrt Dis-Sisters

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	55	1.9 %
-1	N/A	610	21.6 %
1	No	2043	72.2 %
2	Yes	119	4.2 %

OHDNUMS2 Oth Hrt Dis-# Sisters

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2710	95.8 %
1	-	110	3.9 %
2	-	7	0.2 %
6	-	1	0.0 %

OHDBRO2 Oth Hrt Dis-Brothers

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	66	2.3 %
-1	N/A	522	18.5 %
1	No	2093	74.0 %
2	Yes	147	5.2 %

OHDNUMB2 Oth Hrt Dis-# Brothers

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2682	94.8 %
1	-	131	4.6 %
2	-	11	0.4 %
3	-	4	0.1 %

HIPMOM2 Hip Fract-Mother

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	49	1.7 %
1	No	2643	93.4 %
2	Yes	137	4.8 %

HIPDAD2 Hip Fract-Father

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	142	5.0 %
1	No	2632	93.0 %
2	Yes	55	1.9 %

HIPSIS2 Hip Fract-Sisters

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	34	1.2 %
-1	N/A	610	21.6 %
1	No	2169	76.7 %
2	Yes	15	0.5 %

HIPNUMS2 Hip Fract-# Sisters

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2814	99.5 %
1	-	15	0.5 %

HIPBRO2 Hip Fract-Brothers

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	42	1.5 %
-1	N/A	522	18.5 %
1	No	2249	79.5 %
2	Yes	15	0.5 %

HIPNUMB2 Hip Fract-# Brothers

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2814	99.5 %
1	-	14	0.5 %
2	-	1	0.0 %

OSTEOMO2 Osteopor-Mother

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	132	4.7 %
1	No	2308	81.6 %
2	Yes	389	13.8 %

OSTEODA2 Osteopor-Father

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	183	6.5 %
1	No	2602	92.0 %
2	Yes	44	1.6 %

OSTEOSI2 Osteopor-Sisters

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	67	2.4 %
-1	N/A	610	21.6 %
1	No	2108	74.5 %
2	Yes	43	1.5 %

OSTNUMS2 Osteopor-# Sisters

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2786	98.5 %
1	-	42	1.5 %
2	-	1	0.0 %

OSTEOBR2 Osteopor-Brothers

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	63	2.2 %
-1	N/A	522	18.5 %
1	No	2232	78.9 %
2	Yes	11	0.4 %

OSTNUMB2 Osteopor-# Brothers

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	99.6 %
1	-	11	0.4 %

SPINEMO2 Spine fract-Mother

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	55	1.9 %
1	No	2697	95.3 %
2	Yes	77	2.7 %

SPINEDA2 Spine fract-Father

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	141	5.0 %
1	No	2645	93.5 %
2	Yes	43	1.5 %

SPINESI2 Spine fract-Sisters

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	39	1.4 %
-1	N/A	610	21.6 %
1	No	2161	76.4 %
2	Yes	18	0.6 %

SPNNUMS2 Spine fract-# Sisters

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2811	99.4 %
1	-	17	0.6 %
2	-	1	0.0 %

SPINEBR2 Spine fract-Brothers

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	47	1.7 %
-1	N/A	522	18.5 %
1	No	2236	79.0 %
2	Yes	23	0.8 %

SPNNUMB2 Spine fract-# Brothers

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2806	99.2 %
1	-	23	0.8 %

HUMPMOM2 Dowager's hump-Mother

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	61	2.2 %
1	No	2555	90.3 %
2	Yes	213	7.5 %

HUMPDAD2 Dowager's hump-Father

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	141	5.0 %
1	No	2660	94.0 %
2	Yes	28	1.0 %

HUMPSIS2 Dowager's hump-Sisters

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	32	1.1 %
-1	N/A	610	21.6 %
1	No	2170	76.7 %
2	Yes	16	0.6 %

HMPNUMS2 Dowager's hump-# Sisters

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2813	99.4 %
1	-	15	0.5 %
2	-	1	0.0 %

HUMPBRO2 Dowager's hump-Brothers

- Study 30181 -

Location: 448-449 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	38	1.3 %
-1	N/A	522	18.5 %
1	No	2263	80.0 %
2	Yes	5	0.2 %

HMPNUMB2 Dowager's hump-# Brothers

Location: 450-451 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2824	99.8 %
1	-	5	0.2 %

COLONMO2 Colon cancer-Mother

Location: 452-453 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	51	1.8 %
1	No	2685	94.9 %
2	Yes	93	3.3 %

COLONDA2 Colon cancer-Father

Location: 454-455 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	144	5.1 %
1	No	2571	90.9 %
2	Yes	114	4.0 %

COLONSI2 Colon cancer-Sisters

Location: 456-457 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	31	1.1 %
-1	N/A	610	21.6 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2169	76.7 %
2	Yes	18	0.6 %

COLNUMS2 **Colon cancer-# Sisters**

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2811	99.4 %
1	-	18	0.6 %

COLONBR2 **Colon cancer-Brothers**

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	45	1.6 %
-1	N/A	522	18.5 %
1	No	2248	79.5 %
2	Yes	13	0.5 %

COLNUMB2 **Colon cancer-# Brothers**

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2816	99.5 %
1	-	13	0.5 %

DEPRMOM2 **Depression-Mother**

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	107	3.8 %
1	No	2200	77.8 %
2	Yes	522	18.5 %

DEPRDAD2 **Depression-Father**

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	208	7.4 %
1	No	2401	84.9 %
2	Yes	220	7.8 %

DEPRSIS2 Depression-Sisters

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	77	2.7 %
-1	N/A	610	21.6 %
1	No	1719	60.8 %
2	Yes	422	14.9 %

DPRNUMS2 Depression-# Sisters

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2407	85.1 %
1	-	341	12.1 %
2	-	55	1.9 %
3	-	16	0.6 %
4	-	6	0.2 %
5	-	3	0.1 %

DEPRBRO2 Depression-Brothers

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	98	3.5 %
-1	N/A	522	18.5 %
1	No	1990	70.3 %
2	Yes	218	7.7 %

DPRNUMB2 Depression-# Brothers

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2611	92.3 %
1	-	183	6.5 %
2	-	23	0.8 %
3	-	9	0.3 %
4	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %

BCMOM2 **Brst Canc-Mother**

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	25	0.9 %
1	No	2572	90.9 %
2	Yes	232	8.2 %

BCDIAMO2 **Mother-Age of dx**

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
-8	Do not know	2	0.1 %
-1	N/A	2597	91.8 %
26	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	3	0.1 %
34	-	3	0.1 %
35	-	2	0.1 %
36	-	1	0.0 %
40	-	4	0.1 %
41	-	4	0.1 %
42	-	1	0.0 %
44	-	2	0.1 %
45	-	8	0.3 %
46	-	5	0.2 %
47	-	2	0.1 %
48	-	2	0.1 %
49	-	2	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	-	10	0.4 %
51	-	3	0.1 %
52	-	8	0.3 %
53	-	3	0.1 %
54	-	3	0.1 %
55	-	7	0.2 %
56	-	3	0.1 %
57	-	5	0.2 %
58	-	6	0.2 %
59	-	3	0.1 %
60	-	16	0.6 %
61	-	3	0.1 %
62	-	4	0.1 %
63	-	4	0.1 %
64	-	3	0.1 %
65	-	15	0.5 %
66	-	5	0.2 %
67	-	3	0.1 %
68	-	6	0.2 %
69	-	5	0.2 %
70	-	10	0.4 %
71	-	5	0.2 %
72	-	5	0.2 %
73	-	6	0.2 %
74	-	5	0.2 %
75	-	9	0.3 %
76	-	4	0.1 %
77	-	2	0.1 %
78	-	4	0.1 %
79	-	4	0.1 %
80	-	4	0.1 %
82	-	1	0.0 %
83	-	2	0.1 %
84	-	1	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
87	-	1	0.0 %

BCSIS2

Brst Canc-Sisters

Location:

480-481 (width: 2; decimal: 0)

- Study 30181 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	28	1.0 %
-1	N/A	610	21.6 %
1	No	2094	74.0 %
2	Yes	96	3.4 %

BCNUMS12 Brst Canc-# Sisters

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2733	96.6 %
1	-	94	3.3 %
2	-	2	0.1 %

BCDIAS12 Brst Canc-Age dx sis 1

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2733	96.6 %
18	-	1	0.0 %
23	-	1	0.0 %
27	-	2	0.1 %
29	-	1	0.0 %
30	-	3	0.1 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	3	0.1 %
35	-	7	0.2 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	2	0.1 %
39	-	3	0.1 %
40	-	7	0.2 %
41	-	3	0.1 %
42	-	3	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	2	0.1 %
44	-	9	0.3 %
45	-	4	0.1 %
46	-	4	0.1 %
47	-	4	0.1 %
48	-	2	0.1 %
49	-	3	0.1 %
50	-	5	0.2 %
51	-	3	0.1 %
52	-	1	0.0 %
54	-	3	0.1 %
55	-	1	0.0 %
56	-	5	0.2 %
59	-	2	0.1 %
60	-	1	0.0 %
61	-	1	0.0 %
63	-	1	0.0 %
72	-	1	0.0 %

BCSIS1F2 **Sister 1-Full/Half Sis**

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2733	96.6 %
1	Full Sister	88	3.1 %
2	Half Sister	8	0.3 %

BCDIAS22 **Brst Canc-Age dx sis 2**

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2827	99.9 %
43	-	1	0.0 %
45	-	1	0.0 %

BCSIS2F2 **Sister 2-Full/Half Sis**

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2827	99.9 %
1	Full Sister	2	0.1 %

BCDIAS32 Brst Canc-Age dx sis 3

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2829	100.0 %

BCSIS3F2 Sister 3-Full/Half Sis

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2829	100.0 %

BCMGR2 Brst Canc-Mat Gmother

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	207	7.3 %
1	No	2498	88.3 %
2	Yes	124	4.4 %

BCDIAMG2 Mat Gmother-Age of dx

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	6	0.2 %
-1	N/A	2705	95.6 %
32	-	2	0.1 %
35	-	2	0.1 %
40	-	5	0.2 %
42	-	1	0.0 %
45	-	3	0.1 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	3	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
49	-	1	0.0 %
50	-	8	0.3 %
52	-	2	0.1 %
54	-	1	0.0 %
55	-	6	0.2 %
56	-	1	0.0 %
58	-	3	0.1 %
60	-	16	0.6 %
62	-	3	0.1 %
64	-	1	0.0 %
65	-	2	0.1 %
66	-	3	0.1 %
68	-	5	0.2 %
70	-	14	0.5 %
71	-	2	0.1 %
72	-	3	0.1 %
73	-	1	0.0 %
74	-	1	0.0 %
76	-	1	0.0 %
78	-	4	0.1 %
79	-	2	0.1 %
80	-	5	0.2 %
84	-	1	0.0 %
85	-	3	0.1 %
86	-	2	0.1 %
88	-	2	0.1 %
90	-	2	0.1 %
92	-	2	0.1 %
93	-	1	0.0 %
94	-	1	0.0 %

BCPGR2

Brst Canc-Pat Gmother

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	347	12.3 %
1	No	2397	84.7 %
2	Yes	85	3.0 %

BCDIAPG2

Pat Gmother-Age of dx

- Study 30181 -

Location:

502-503 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-8	Do not know	6	0.2 %
-1	N/A	2744	97.0 %
25	-	1	0.0 %
30	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	2	0.1 %
43	-	1	0.0 %
45	-	3	0.1 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	10	0.4 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	4	0.1 %
56	-	1	0.0 %
60	-	6	0.2 %
62	-	3	0.1 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	3	0.1 %
67	-	2	0.1 %
70	-	12	0.4 %
72	-	1	0.0 %
73	-	1	0.0 %
75	-	1	0.0 %
76	-	2	0.1 %
78	-	1	0.0 %
80	-	2	0.1 %
85	-	1	0.0 %
86	-	1	0.0 %
88	-	1	0.0 %
89	-	1	0.0 %
90	-	3	0.1 %
92	-	1	0.0 %
93	-	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
94	-	1	0.0 %

BCMAU2 **Brst Canc-Mat Aunts**

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	128	4.5 %
-1	N/A	146	5.2 %
1	No	2272	80.3 %
2	Yes	282	10.0 %

BCNUMMA2 **Brst Canc-# Mat Aunts**

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2546	90.0 %
0	-	1	0.0 %
1	-	225	8.0 %
2	-	41	1.4 %
3	-	11	0.4 %
4	-	3	0.1 %

BCDIAM12 **Mat Aunt 1-Age of dx**

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
-8	Do not know	11	0.4 %
-1	N/A	2547	90.0 %
20	-	2	0.1 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
30	-	7	0.2 %
32	-	2	0.1 %
35	-	8	0.3 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	-	2	0.1 %
40	-	16	0.6 %
41	-	2	0.1 %
42	-	2	0.1 %
43	-	2	0.1 %
44	-	2	0.1 %
45	-	26	0.9 %
46	-	3	0.1 %
47	-	3	0.1 %
48	-	9	0.3 %
49	-	3	0.1 %
50	-	17	0.6 %
51	-	3	0.1 %
52	-	6	0.2 %
54	-	4	0.1 %
55	-	6	0.2 %
56	-	1	0.0 %
57	-	6	0.2 %
58	-	3	0.1 %
59	-	3	0.1 %
60	-	28	1.0 %
61	-	2	0.1 %
62	-	4	0.1 %
63	-	1	0.0 %
64	-	5	0.2 %
65	-	17	0.6 %
66	-	3	0.1 %
67	-	2	0.1 %
68	-	8	0.3 %
69	-	1	0.0 %
70	-	12	0.4 %
71	-	2	0.1 %
72	-	3	0.1 %
73	-	4	0.1 %
74	-	2	0.1 %
75	-	6	0.2 %
76	-	2	0.1 %
77	-	1	0.0 %
79	-	1	0.0 %
80	-	3	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
81	-	1	0.0 %
82	-	1	0.0 %
84	-	1	0.0 %
88	-	1	0.0 %
89	-	1	0.0 %
90	-	1	0.0 %
92	-	1	0.0 %

BCDIAM22

Mat Aunt 2-Age of dx

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-8	Do not know	6	0.2 %
-1	N/A	2774	98.1 %
25	-	1	0.0 %
33	-	1	0.0 %
35	-	2	0.1 %
38	-	1	0.0 %
40	-	3	0.1 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	3	0.1 %
51	-	1	0.0 %
52	-	2	0.1 %
54	-	1	0.0 %
55	-	2	0.1 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	10	0.4 %
65	-	2	0.1 %
67	-	2	0.1 %
68	-	1	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
73	-	2	0.1 %
78	-	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
80	-	1	0.0 %
85	-	1	0.0 %

BCDIAM32 **Mat Aunt 3-Age of dx**

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2815	99.5 %
40	-	1	0.0 %
45	-	1	0.0 %
50	-	2	0.1 %
60	-	3	0.1 %
62	-	1	0.0 %
71	-	1	0.0 %
75	-	1	0.0 %

BCPAU2 **Brst Canc-Pat Aunts**

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	252	8.9 %
-1	N/A	108	3.8 %
1	No	2295	81.1 %
2	Yes	174	6.2 %

BCNUMPA2 **Brst Canc-# Pat Aunts**

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2655	93.8 %
1	-	154	5.4 %
2	-	18	0.6 %
3	-	2	0.1 %

BCDIAP12 **Pat Aunt 1-Age of dx**

Location: 518-519 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	7	0.2 %
-1	N/A	2655	93.8 %
29	-	1	0.0 %
30	-	2	0.1 %
32	-	1	0.0 %
35	-	8	0.3 %
36	-	2	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	9	0.3 %
41	-	2	0.1 %
42	-	3	0.1 %
44	-	2	0.1 %
45	-	7	0.2 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	3	0.1 %
50	-	21	0.7 %
54	-	2	0.1 %
55	-	8	0.3 %
56	-	2	0.1 %
57	-	2	0.1 %
58	-	2	0.1 %
59	-	1	0.0 %
60	-	18	0.6 %
61	-	3	0.1 %
62	-	1	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	12	0.4 %
66	-	4	0.1 %
67	-	1	0.0 %
68	-	3	0.1 %
70	-	12	0.4 %
72	-	2	0.1 %
75	-	5	0.2 %
76	-	2	0.1 %
77	-	3	0.1 %
78	-	2	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
80	-	4	0.1 %
82	-	1	0.0 %
84	-	1	0.0 %
87	-	1	0.0 %

BCDIAP22

Pat Aunt 2-Age of dx

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %
-1	N/A	2809	99.3 %
39	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
55	-	3	0.1 %
60	-	2	0.1 %
62	-	1	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
70	-	3	0.1 %
72	-	1	0.0 %
76	-	1	0.0 %
85	-	1	0.0 %

BCDIAP32

Pat Aunt 3-Age of dx

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2827	99.9 %
52	-	1	0.0 %
56	-	1	0.0 %

BCOTH2

Brst Canc-Oth Bld Rel

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	81	2.9 %
1	No	2458	86.9 %
2	Yes	288	10.2 %

BCOTH12 **Oth Rel 1-Relationship**

Location: 526-555 (width: 30; decimal: 0)

Variable Type: character

BCDIAO12 **Oth Rel 1-Age of dx**

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.4 %
-8	Do not know	17	0.6 %
-1	N/A	2542	89.9 %
20	-	2	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	3	0.1 %
25	-	6	0.2 %
27	-	4	0.1 %
28	-	4	0.1 %
29	-	2	0.1 %
30	-	8	0.3 %
31	-	1	0.0 %
32	-	7	0.2 %
33	-	3	0.1 %
35	-	12	0.4 %
36	-	4	0.1 %
37	-	1	0.0 %
38	-	10	0.4 %
39	-	3	0.1 %
40	-	26	0.9 %
41	-	1	0.0 %
42	-	7	0.2 %
43	-	7	0.2 %
45	-	17	0.6 %
46	-	5	0.2 %
47	-	6	0.2 %
48	-	7	0.2 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
49	-	1	0.0 %
50	-	24	0.8 %
51	-	1	0.0 %
52	-	7	0.2 %
53	-	4	0.1 %
54	-	1	0.0 %
55	-	3	0.1 %
56	-	1	0.0 %
57	-	2	0.1 %
58	-	5	0.2 %
59	-	4	0.1 %
60	-	19	0.7 %
61	-	2	0.1 %
62	-	4	0.1 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	6	0.2 %
67	-	1	0.0 %
68	-	2	0.1 %
70	-	11	0.4 %
75	-	4	0.1 %
77	-	1	0.0 %
78	-	3	0.1 %
79	-	1	0.0 %
80	-	2	0.1 %
82	-	1	0.0 %

BCOTH22

Oth Rel 2-Relationship

Location: 558-585 (width: 28; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2770	97.9 %
-8	1	0.0 %
1ST COUSIN	2	0.1 %
2ND COUSIN-FEML	1	0.0 %
2ND COUSN,F,PAT	1	0.0 %
3RD COUSIN	1	0.0 %
3RD COUSIN-PAT	1	0.0 %
AUNT	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
COUSIN	18	0.6 %
COUSIN (FATHER'	1	0.0 %
COUSIN 1ST	1	0.0 %
COUSIN, PATERNA	1	0.0 %
COUSIN-PATERNAL	1	0.0 %
FATHER 2ND CONSIN DAUGHTER	1	0.0 %
FATHER'S COUSIN	1	0.0 %
FEMALE COUSIN	1	0.0 %
FIRST COUSIN	3	0.1 %
GR.GRANDMOTHER	1	0.0 %
GRANDMOTHER SIS	1	0.0 %
GRANDMOTHER SISTER	1	0.0 %
GREAT AUNT	2	0.1 %
HALF 1ST COUSIN	1	0.0 %
M GMOTHER'S SIS	1	0.0 %
M. GREAT AUNT	1	0.0 %
MAT 1ST COUSIN	1	0.0 %
MAT GREAT AUNT	2	0.1 %
MAT. GREAT AUNT	1	0.0 %
MATERNAL COUSIN	1	0.0 %
MATERNAL GREAT	1	0.0 %
MATERNAL GREAT AUNT DAUGHTER	1	0.0 %
MOM'S COUSIN	1	0.0 %
NIECE	1	0.0 %
PAT. 2ND COUSIN	1	0.0 %
PATERNAL COUSIN	4	0.1 %
PTRNT 2ND COUSN	1	0.0 %

BCDIAO22

Oth Rel 2-Age of dx

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	4	0.1 %
-1	N/A	2771	97.9 %
28	-	1	0.0 %
32	-	2	0.1 %
34	-	1	0.0 %
35	-	4	0.1 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	-	5	0.2 %
40	-	3	0.1 %
41	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.1 %
45	-	6	0.2 %
47	-	2	0.1 %
48	-	1	0.0 %
50	-	4	0.1 %
54	-	2	0.1 %
55	-	2	0.1 %
58	-	1	0.0 %
60	-	3	0.1 %
63	-	1	0.0 %
65	-	3	0.1 %
69	-	1	0.0 %
70	-	4	0.1 %
75	-	1	0.0 %
88	-	1	0.0 %

BCOTH32

Oth Rel 3-Relationship

Location: 588-606 (width: 19; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2819	99.6 %
1ST COUSIN	1	0.0 %
2ND COUSIN-PAT	1	0.0 %
COUSIN	3	0.1 %
COUSIN (PATER.)	1	0.0 %
MAT GREAT AUNT	1	0.0 %
MATERNAL COUSIN	1	0.0 %
MOTHER FIRST CONSIN	1	0.0 %
PAT. 2ND COUSIN	1	0.0 %

BCDIAO32

Oth Rel 3-Age of dx

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2819	99.6 %
33	-	1	0.0 %
35	-	2	0.1 %
42	-	1	0.0 %
45	-	2	0.1 %
50	-	2	0.1 %
63	-	1	0.0 %

BCOTH42 **Oth Rel 4-Relationship**

Location: 609-627 (width: 19; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2826	99.9 %
COUSIN	1	0.0 %
MAT GREAT AUNT	1	0.0 %
MOTHER FIRST CONSIN	1	0.0 %

BCDIAO42 **Oth Rel 4-Age of dx**

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	2826	99.9 %
32	-	1	0.0 %
50	-	1	0.0 %

BCOTH52 **Oth Rel 5-Relationship**

Location: 630-635 (width: 6; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	2828	100.0 %
COUSIN	-	1	0.0 %

BCDIAO52 **Oth Rel 5-Age of dx**

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %

- Study 30181 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2828	100.0 %