VOXXED DAYS
LUXEMBOURG

Edge Routing Et HTTPS Pour Tous: Traefik En Pratique (📖)

How To Use These Slides?

- **Browse the slides:** Use the arrows
  - Change chapter: Left/Right arrows
  - Next or previous slide: Top and bottom arrows
- **Overview of the slides:** keyboard’s shortcut "o"
- **Speaker mode (and notes):** keyboard’s shortcut "s"

Whoami

- Damien DUPORTAL:
  - Træfik's Developer 🥑 Advocate @ Containous
- @DamienDuportal
- dduportal

Containous

https://containo.us

- We Believe in Open Source
- We Deliver Traefik and Traefik Enterprise Edition
- Commercial Support
- 20 people, 90% tech

Why Traefik?

Why, Mr Anderson?

Evolution Of Software Design

1990s and earlier	2000s	2010s
Coupling		
Pre-SOA (monolithic) Tight coupling	**Traditional SOA** Looser coupling	**Microservices** Decoupled

The Premise Of Microservices...

...And What Happens

Tools Of The Trade



Where's My Service?





Source: https://twitter.com/Caged/status/1039937162769096704

What If I Told You?

That You Don’t Have to Write This Configuration File...?

Here Comes Traefik!



Traefik Project

- https://github.com/containous/traefik
- MIT License
- Written in Go
- 22,000+ ☆ 750M+ ⬇ 350+
- Created in 2015
- Current stable branch: `v1.7`

BACK TO TRAEFIK PART 2.0

Traefik 2.0 Quick Overview

- Revamped Documentation
- Clarified Concepts
- Expressive Routing Rule Syntax
- Middlewares
- TCP Support
- TLS stores & options
- And so Much More...

Learn more on the blog post

Traefik (V2.0) Core Concepts

Traefik Is An Edge Router



Traefik Dynamically Discovers Services



Architecture (V2.0) At A Glance



Entrypoints



Routers


Requests
entrypoint-1
entrypoint-2
entrypoint-3
Router 1
rule: Host(api.domain)
Router 2
rule: Host(domain) && Path(/db)
middleware: auth-users
Service API
Service Dashboard
Calls the matching server
traefik

Middlewares



Services


Requests
EntryPoints
Routers
Service 1
LoadBalancer
Stickiness
Service 2
PassHostHeader
Server 1
Server 2
Server
traefik

Architecture (Again) At A Glance



Static & Dynamic Configuration



Show Me The Configuration!

Simple Example With



Traefik is the only accessible container from the outside.

Other services are deployed on demand and available throught traefik.

With

- With Docker Compose:

```yaml
version: '3'

services:
  reverse-proxy:
    image: traefik:v2.0
    command: --providers.docker
    ports:
      - "80:80"
    volumes:
      - /var/run/docker.sock:/var/run/docker.sock

  webapp:
    image: containous/whoami
    labels:
      - "traefik.http.routers.webapp.rule=Host(`localhost`)"
```

With : Context

```yaml
# https://mycompany.org/jenkins -> http://jenkins:8080/jenkins
jenkins:
    image: jenkins/jenkins:lts
    environment:
      - JENKINS_OPTS=--prefix=/jenkins
    labels:
      - "traefik.http.services.jenkins.LoadBalancer.server.Port=8080" # Because 50000 is also exposed
      - "traefik.http.routers.jenkins.rule=Host(`mycompany.org`) && PathPrefix(`/jenkins`)"
      - "traefik.http.routers.jenkins.service=jenkins"
```

With : Rewrites

```yaml
# https://mycompany.org/gitserver -> http://gitserver:3000/
gitserver:
    image: gitea/gitea
    labels:
      - "traefik.http.routers.gitserver.rule=Host(`mycompany.org`) && PathPrefix(`/gitserver`)"
      - "traefik.http.middlewares.gitserver-stripprefix.stripprefix.prefixes=/gitserver"
      - "traefik.http.routers.gitserver.middlewares=gitserver-stripprefix"
```

With : Websockets

```yaml
# https://mycompany.org/webterminal -> http://webterminal/
webterminal:
    image: tsl0922/ttyd
    labels:
      - "traefik.http.routers.devbox.rule=Host(`mycompany.org`) && PathPrefix(`/webterminal`)"
```

HTTP & TCP

Demo 1 - Straightforward TCP Routing



Demo Code on

Demo 1 - Configuration



Demo 2 - Let's Add TLS To TCP With Traefik



Demo Code on

Demo 2 - Configuration



Demo 3 - SNI Routing + TLS Passthrough



Demo Code on

Demo 3 - Configuration



Demo 4 - Muxing HTTPS And TCP On The Same Port



Demo Code on

Traefik With ⎈



Diagram from https://medium.com/@geraldcroes

Example Code With ⎈

```yaml
apiVersion: extensions/v1beta1
kind: Ingress
metadata:
  annotations:
    kubernetes.io/ingress.class: 'traefik'
spec:
  rules:
  - host: localhost
    http:
      paths:
      - path: "/whoami"
        backend:
          serviceName: webapp
          servicePort: 80
```

⎈ CRD - Custom Resources Definition

```yaml
# File "webapp.yaml"
apiVersion: traefik.containo.us/v1alpha1
kind: IngressRoute
metadata:
  name: simpleingressroute
spec:
  entryPoints:
    - web
  routes:
  - match: Host(`localhost`) && PathPrefix(`/whoami`)
    kind: Rule
    services:
    - name: webapp
      port: 80
```

```
$ kubectl apply -f webapp.yaml
$ kubectl get ingressroute
```

⎈ & TCP (With CRD)

🔥 (Merged this week)

```yaml
apiVersion: traefik.containo.us/v1alpha1
kind: IngressRouteTCP
metadata:
  name: ingressroutetcpmongo.crd
spec:
  entryPoints:
    - mongotcp
  routes:
  - match: HostSNI(`mongo-prod`)
    services:
    - name: mongo-prod
      port: 27017
```

More To Come For V2.0

- New WebUI
- New metrics
- UDP
- YAML
- Canary

More Info

bit.ly/traefik-v2

We Also Missed Talking About...

TO BE CONTINUED...

The Herd

You came to the wrong neighbour

Traefik Comes In Herd



HIGH AVAILABILITY

traefik ENTERPRISE EDITION

SECURITY

traefik ENTERPRISE EDITION

SCALABILITY

traefik ENTERPRISE EDITION


NTERNET
TO YOUR INFRA
Control Plane
traefikEE
?
ORCHESTR
Data Plane
traefikEE

As Simple As Traefik

- Install it:

```
# Cluster Installation
traefikeectl install \
    --licensekey="SuperSecretLicence" \
    --dashboard \
    --kubernetes # Or --swarm
```

- Configure it:

```
# Routing Configuration, same as Traefik's
traefikeectl deploy \
    --acme.email=ssl-admin@mycompany.org
    --acme.tlsChallenge
    ...
```

Early (Free) Access

https://containo.us/traefikee

Thanks!

We Have
Stickers!
træfik

We Are Hiring!

```
docker run -it containous/jobs
```

Thank You!

@DamienDuportal

dduportal

- Slides (HTML): https://containous.github.io/slides/voxxed-lux-2019
- Slides (PDF): https://containous.github.io/slides/voxxed-lux-2019/slides.pdf
- Source on : https://github.com/containous/slides/tree/voxxed-lux-2019