

AI TCL 脚本助手

- 功能：AI agent 帮助你实现 TCL 脚本
- 亮点：
 - 整合了 Ennocad EDA 工具让 agent 能够自我确认脚本正确
 - AI 可以阅读工具文档以及现有的 regression test

Step 1: 新增工作目录

<http://172.16.16.21:5000/>

← → ↻ ⚠ Not secure | 172.16.16.21:5000

🟢 #31386 - feat:... 🟢 #32128 - WIP:... 🔗 All open | Work... 👤 Dashboard [Jen...

🏠 📁 📁 📁

Name ↕

Last Modified ↕

Size ↕

Actions

📁 kevin-test	2026-04-01 13:49	2 items	🔗 🗑
📁 kevin-test-2	2026-04-01 16:22	2 items	🔗 🗑

Step 2: 上传文件

注意：不要上传客户资料

- 进入你创建的目录
- 上传 tcl 脚本需要的 .v .sdc .lib 文件


The screenshot shows a web browser window with the address bar displaying '172.16.16.21:5000/kevin-test-2/'. Below the address bar, there are tabs for '#31386 - feat:...', '#32128 - WIP:...', 'All open | Work...', and 'Dashboard [Jen...'. The main content area shows a file manager interface for the directory '/ kevin-test-2'. The breadcrumb path is '/ kevin-test-2'. There are icons for upload, folder, and a file icon with a plus sign, which is circled in red with an arrow pointing to it. Below the breadcrumb, there is a table with columns: Name, Last Modified, Size, and Actions. The table lists two files: 'clk_div.v' and 'constraints.sdc'.

Name	Last Modified	Size	Actions
clk_div.v	2026-04-01 16:06	546 B	Download Copy Delete Edit
constraints.sdc	2026-04-01 16:22	96 B	Download Copy Delete Edit


Step 3: AI 开启目录

- 开启你的目录
- 目录开头会是 /workdir

<https://opencode.ennocad.com/>



Step 4: 确认 AI 有看到上传的文件



Step 5: 提出需求

透过对话的方式向 AI 提出你的需求

