

Github URL


W06-P1: Insert 9 blogs into Supabase, and retrieve through route localhost:3000/api/blog_45

The screenshot shows a development environment with two main windows. The left window is a REST client (likely VS Code or similar) showing a REST client with a base URL of `localhost:3000/api/blog_45`. It contains a JSON array of 9 blog entries, with the first entry highlighted in a red box. The right window is the Supabase Table Editor for the `blog_45` table. It shows the same 9 blog entries, with the first entry highlighted in a red box. The table has columns: `id`, `title`, `description`, `category`, `img`, and `remote_img`.

id	title	description	category	img	remote_img
1	Seven Reasons Why Coffee Is Awesome	Lorem ipsum dolor sit amet consectetur adipiscing elit.	lifestyle	"/images/photo-1.jpg"	""
2	Travel To Paris	Lorem ipsum dolor sit amet consectetur adipiscing elit.	travel	"/images/photo-2.jpg"	""
3	Coffee Brings Friendship	Lorem ipsum dolor sit amet consectetur adipiscing elit.	lifestyle	"/images/photo-3.jpg"	""
4	Coffee Make You Feel Good	Lorem ipsum dolor sit amet consectetur adipiscing elit.	lifestyle	"/images/photo-4.jpg"	""
5	Coffee Make You Calm	Lorem ipsum dolor sit amet consectetur adipiscing elit.	lifestyle	"/images/photo-5.jpg"	""
6	101 Tower In Taipei	Lorem ipsum dolor sit amet consectetur adipiscing elit.	travel	"/images/photo-6.jpg"	""
7	Sun Rise From The Mountain	Lorem ipsum dolor sit amet consectetur adipiscing elit.	travel	"/images/photo-7.jpg"	""
8	Serene Lake With Trees	Lorem ipsum dolor sit amet consectetur adipiscing elit.	travel	"/images/photo-8.jpg"	""
9	Rocks Of Queen Head In Yehliu Taiwan	Lorem ipsum dolor sit amet consectetur adipiscing elit.	travel	"/images/photo-9.jpg"	""


628a91d Liucchien Wed Oct 16 21:22:53 2024 +0800 W06-P1: Insert 9 blogs into Supabase, and retrieve through route localhost:3000/api/blog_45

W06-P2: Create a vite, and show 4 static blogs from blog.html



af8689c Liucchien Wed Oct 16 21:23:33 2024 +0800 W06-P2: Create a vite, and show 4 static blogs from blog.html


W06-P3: Create BlogStaticPage_xx component to show 4 static photos with corresponding react-icons




80aa984 Liucchien Wed Oct 16 21:24:30 2024 +0800 W06-P3: Create BlogStaticPage_xx component to show 4 static photos with corresponding react-icons

W06-P4: Get the blogs from node server, view not yet rendered

=> use console to check if blogs are retrieved from the node server



=> use React DevTools to view blogs



=> server setup cors and morgan


```
server_blog_45 > JS server.js > app.listen() callback
1  import express from 'express'
2  import logger from 'morgan'
3  import cors from 'cors'
4
5  const app= express();
6
7  // import db from './utils/database.js'
8
9  import db from './utils/database.js'
10 import blogRouter from './routes/blogRouter.js'
11 import apiBlogRouter from './routes/api/apiBlogRouter.js'
12
13 app.use(express.json())
14 app.use(express.urlencoded({ extended: true}))
15 app.use(logger('dev'));
16 app.use(cors());
17
18 app.use(express.static('public'))
19 app.set('view engine', 'ejs')
20
21 app.use('/blog_45', blogRouter)
22
23 app.use('/api/blog_45', apiBlogRouter)
24
25 app.use('/', (req, res, next)=> {
26   res.send('Chienchun Liu, 212410145')
27 });
28
29 const port = process.env.PORT || 3000
30 app.listen(port, () =>{
31   console.log(`Server running on port ${port}`)
32 })
```

問題 87 輸出 偵錯主控台 終端機 連接埠 POSTMAN CONSOLE

```
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node --env-file=.env server.js`
connecting Supabase database postgres
Server running on port 3000
GET /api/blog_45 - - ms - -
GET /api/blog_45 200 317.523 ms - -
GET /favicon.ico 304 2.847 ms - -
GET /api/blog_45 304 312.231 ms - -
GET /api/blog_45 304 62.047 ms - -
[nodemon] restarting due to changes...
[nodemon] starting `node --env-file=.env server.js`
connecting Supabase database postgres
Server running on port 3000
[nodemon] restarting due to changes...
[nodemon] starting `node --env-file=.env server.js`
connecting Supabase database postgres
Server running on port 3000
```

4998125 Liucchien Wed Oct 16 21:25:08 2024 +0800 W06-P4: Get the blogs from node server, view not yet rendered

W06-P5: all git logs of W6



```
4998125 Liucchien      Wed Oct 16 21:25:08 2024 +0800  W06-P4: Get the blogs from
node server, view not yet rendered
80aa984 Liucchien      Wed Oct 16 21:24:30 2024 +0800  W06-P3: Create
BlogStaticPage_xx component to show 4 static photos with corresponding react-icons
af8689c Liucchien      Wed Oct 16 21:23:33 2024 +0800  W06-P2: Create a vite, and
show 4 static blogs from blog.html
628a91d Liucchien      Wed Oct 16 21:22:53 2024 +0800  W06-P1: Insert 9 blogs
into Supabase, and retrieve through route localhost:3000/api/blog_45
```

```
git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-10-15"
```