Cucumber Report

| Start : Apr 03, 8:00:53.805 PM	End : Apr 03, 8:01:02.785 PM	Duration : 8.980 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 17

Features: 1

Scenarios: 4

Steps: 22

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 4 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Booking hotel and validate the booking no	*8.980 s*	*4*	*0*	*4*	*0*	*22*	*1*	*4*	*17*

| #	Feature Name	Scenario Name
1	Booking hotel and validate the booking no	user login into his accout with valid username and pasword
2		Search for the required hote and select the required room with your requirements
3		user selects the hotel confirming the pricing details
4		user enters the booking details and payment details

#	Feature Name	T	P	F	S	Duration
1	Booking hotel and validate the booking no	4	0	4	0	8.980 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Booking hotel and validate the booking no	user login into his accout with valid username and pasword	3	1	1	1	5.302 s
2		Search for the required hote and select the required room with your requirements	10	0	1	9	0.093 s
3		user selects the hotel confirming the pricing details	1	0	1	0	3.371 s
4		user enters the booking details and payment details	8	0	1	7	0.058 s

Booking hotel and validate the booking no

FAILED	DURATION - 8.980 s		Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	 4	Steps Total - 22 Pass - 1 Fail - 4 Skip - 17	 22
/ 8:00:53.805 PM // 8:01:02.785 PM /						

user login into his accout with valid username and pasword

| FAILED	DURATION - 5.302 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	 3
/ 8:00:53.811 PM // 8:00:59.113 PM /				
Booking hotel and validate the booking no				

#	Step / Hook Details	Status	Duration
1	Given when user launches the url	PASSED	5.047 s
2	When user enters the valid username and valid password	FAILED	0.187 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=111.0.1661.62) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [36218c874674c0de5b8fff02c72a09f4, findElement {using=id, value=username}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.62, ms:edgeOptions: {debuggerAddress: localhost:57223}, msedge: {msedgedriverVersion: 111.0.1661.62 (0a8f453929e6..., userDataDir: C:\Users\ashin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57223/devtoo..., se:cdpVersion: 111.0.1661.62, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 36218c874674c0de5b8fff02c72a09f4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy29.sendKeys(Unknown Source)		
	at com.stepdefinition.BookingTheHotel_steps.user_enters_the_valid_username_and_valid_password(BookingTheHotel_steps.java:32)		
	at ?.user enters the valid username and valid password(file:///C:/Users/ashin/eclipse-workspace/adactinhotelapp/src/test/java/com/feature/Booking_hotel.feature:6)		
	* Not displayable characters are replaced by '?'.		
3	And clicks on login button	SKIPPED	0.002 s

Search for the required hote and select the required room with your requirements

FAILED	DURATION - 0.093 s
/ 8:00:59.180 PM // 8:00:59.273 PM /	
Booking hotel and validate the booking no	

Steps
Total - 10
Pass - 0
Fail - 1
Skip - 9

#	Step / Hook Details	Status	Duration
1	When user selects his location	FAILED	0.077 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=111.0.1661.62) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [36218c874674c0de5b8fff02c72a09f4, findElement {using=id, value=location}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.62, ms:edgeOptions: {debuggerAddress: localhost:57223}, msedge: {msedgedriverVersion: 111.0.1661.62 (0a8f453929e6..., userDataDir: C:\Users\ashin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57223/devtoo..., se:cdpVersion: 111.0.1661.62, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 36218c874674c0de5b8fff02c72a09f4		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:46) at com.baseclass.BaseClass.select_class(BaseClass.java:57) at com.stepdefinition.BookingTheHotel_steps.user_selects_his_location(BookingTheHotel_steps.java:45) at ?.user selects his location(file:///C:/Users/ashin/eclipse-workspace/adactinhotelapp/src/test/java/com/feature/Booking_hotel.feature:10) * Not displayable characters are replaced by '?'.		
2	And selects the hotel	SKIPPED	0.001 s
3	And selects the room type	SKIPPED	0.001 s
4	And selects the required no of rooms	SKIPPED	0.000 s
5	And selects his required checkin date	SKIPPED	0.001 s
6	And selects his checkout date	SKIPPED	0.002 s
7	And selects the no of adults per room	SKIPPED	0.000 s
8	And selects the no of children per room	SKIPPED	0.000 s
9	And clicks on search button	SKIPPED	0.001 s
10	Then user is navigated to select hotel page	SKIPPED	0.002 s

user selects the hotel confirming the pricing details

FAILED	DURATION - 3.371 s
/ 8:00:59.322 PM // 8:01:02.693 PM /	
Booking hotel and validate the booking no	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When user selects hotel and clicks on continue button	FAILED	3.369 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=111.0.1661.62) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [36218c874674c0de5b8fff02c72a09f4, findElement {using=xpath, value=//input[@name='radiobutton_0']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.62, ms:edgeOptions: {debuggerAddress: localhost:57223}, msedge: {msedgedriverVersion: 111.0.1661.62 (0a8f453929e6..., userDataDir: C:\Users\ashin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57223/devtoo..., se:cdpVersion: 111.0.1661.62, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 36218c874674c0de5b8fff02c72a09f4
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at com.stepdefinition.BookingTheHotel_steps.user_selects_hotel_and_clicks_on_continue_button(BookingTheHotel_steps.java:112)
	  at ?.user selects hotel and clicks on continue button(file:///C:/Users/ashin/eclipse-workspace/adactinhotelapp/src/test/java/com/feature/Booking_hotel.feature:22)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		

user enters the booking details and payment details

FAILED	DURATION - 0.058 s
/ 8:01:02.727 PM // 8:01:02.785 PM /	
Booking hotel and validate the booking no	

Steps
Total - 8
Pass - 0
Fail - 1
Skip - 7

8

#	Step / Hook Details	Status	Duration
1	When user enters his first name and enters his lastname	FAILED	0.043 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=111.0.1661.62) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [36218c874674c0de5b8fff02c72a09f4, findElement {using=id, value=first_name}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.62, ms:edgeOptions: {debuggerAddress: localhost:57223}, msedge: {msedgedriverVersion: 111.0.1661.62 (0a8f453929e6..., userDataDir: C:\Users\ashin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57223/devtoo..., se:cdpVersion: 111.0.1661.62, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 36218c874674c0de5b8fff02c72a09f4
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy29.sendKeys(Unknown Source) at com.stepdefinition.BookingTheHotel_steps.user_enters_his_first_name_and_enters_his_lastname(BookingTheHotel_steps.java:120) at ?.user enters his first name and enters his lastname(file:///C:/Users/ashin/eclipse-workspace/adactinhotelapp/src/test/java/com/feature/Booking_hotel.feature:25) * Not displayable characters are replaced by '?'.		
2	And enters his billing address	SKIPPED	0.001 s
3	And enters his creadit card no	SKIPPED	0.001 s
4	And selects credit card type	SKIPPED	0.000 s
5	And selects the expiry date of credit card	SKIPPED	0.003 s
6	And enters his cvv no	SKIPPED	0.000 s
7	And clicks book now	SKIPPED	0.000 s
8	Then the full details of roder is displayed user saves his order no for future reference	SKIPPED	0.000 s