

# Cucumber Report

Mar. 5, 2023, 11:28:26 a.m.

**Start : Mar. 05, 11:28:24.658 a.m.**

**End : Mar. 05, 11:28:24.985 a.m.**

**Duration : 0.327 s**

Features

Scenarios

Steps

PASSED - 0

FAILED - 4

SKIPPED - 0

PASSED - 0



FAILED - 6


SKIPPED - 0

PASSED - 0


FAILED - 0

SKIPPED - 27







| # | Feature Name              | T | P | F | S | Duration |
|---|---------------------------|---|---|---|---|----------|
| 1 | <u>Home Page feature</u>  | 1 | 0 | 1 | 0 | 0.121 s  |
| 2 | <u>Login page feature</u> | 2 | 0 | 2 | 0 | 0.057 s  |
| 3 | <u>Products detail</u>    | 1 | 0 | 1 | 0 | 0.023 s  |
| 4 | <u>Checking Details</u>   | 2 | 0 | 2 | 0 | 0.063 s  |





| # | Feature Name              | Scenario Name                        | T | P | F | S | Duration |
|---|---------------------------|--------------------------------------|---|---|---|---|----------|
| 1 | <u>Home Page feature</u>  | <u>Checking title of Home Page</u>   | 6 | 0 | 0 | 6 | 0.107 s  |
| 2 | <u>Login page feature</u> | <u>Title of your scenario</u>        | 3 | 0 | 0 | 3 | 0.020 s  |
| 3 | <u>Login page feature</u> | <u>Login with correct credential</u> | 6 | 0 | 0 | 6 | 0.020 s  |
| 4 | <u>Products detail</u>    | <u>Title of your scenario</u>        | 4 | 0 | 0 | 4 | 0.023 s  |
| 5 | <u>Checking Details</u>   | <u>Review an item</u>                | 4 | 0 | 0 | 4 | 0.022 s  |
| 6 | <u>Checking Details</u>   | <u>Review an item</u>                | 4 | 0 | 0 | 4 | 0.019 s  |

**(F)- Home Page feature**

|  |                           |           |   |           |   |
|--|---------------------------|-----------|---|-----------|---|
| <b>FAILED</b>                              | <b>DURATION - 0.121 s</b> | Scenarios |  | Steps     |  |
| / 11:28:24.658 a.m. // 11:28:24.779 a.m. / |                           | Total - 1 | 1   | Total - 6 | 6   |
|  |                           | Pass - 0  |   | Pass - 0  |   |
|  |                           | Fail - 1  |   | Fail - 0  |   |
|  |                           | Skip - 0  |   | Skip - 6  |   |

**(S)- Checking title of Home Page**

|   |  |  |           |  |   |
|---|--|--|-----------|--|---|
| <div>FAILED</div> <div>DURATION - 0.107 s</div> |  |  | Steps     |  |  |
| / 11:28:24.672 a.m. // 11:28:24.779 a.m. /      |  |  | Total - 6 |  |   |
| Home Page feature                               |  |  | Pass - 0  |  |   |
|   |  |  | Fail - 0  |  |   |
|   |  |  | Skip - 6  |  |   |

| # | Step / Hook Details   | Status        | Duration |
|---|---|---------------|----------|
|   | BEFORE - AppHooks.ApplicationHooks.launchBrowser()<br><br>java.lang.StackOverflowError<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8) | <b>FAILED</b> | 0.024 s  |

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]





[illegible]

[illegible]

[illegible]

[illegible]

[illegible]











[illegible]

[illegible]



[illegible]

| #                            | Step / Hook Details   | Status   | Duration |                              |                  |  |  |
|------------------------------|---|----------|----------|------------------------------|------------------|--|--|
|                              | <table> <tr> <td>username</td><td>password</td></tr> <tr> <td>AutomationPractice@gmail.com</td><td>givePassword1122</td></tr> </table>  | username | password | AutomationPractice@gmail.com | givePassword1122 |  |  |
| username                     | password  |          |          |                              |                  |  |  |
| AutomationPractice@gmail.com | givePassword1122  |          |          |                              |                  |  |  |
| 2                            | Given - Given user is on Home Page  | SKIPPED  | 0.000 s  |                              |                  |  |  |
| 3                            | When - When user checks title of the page   | SKIPPED  | 0.001 s  |                              |                  |  |  |
| 4                            | Then - Then page title should be "Automation Exercise"  | SKIPPED  | 0.001 s  |                              |                  |  |  |
| 5                            | And - And check username of an account  | SKIPPED  | 0.000 s  |                              |                  |  |  |
| 6                            | Then - Then username should be "Logged in as Yash1"   | SKIPPED  | 0.000 s  |                              |                  |  |  |
|                              | AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)<br>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null<br>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45) | FAILED   | 0.008 s  |                              |                  |  |  |
|                              | AFTER - AppHooks.ApplicationHooks.quitBrowser()<br>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null<br>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)   | FAILED   | 0.002 s  |                              |                  |  |  |

**(F)- Login page feature**

|  |                           |           |  |           |  |
|--|---------------------------|-----------|--|-----------|--|
| <b>FAILED</b>                              | <b>DURATION - 0.057 s</b> | Scenarios |  | Steps     |  |
| / 11:28:24.803 a.m. // 11:28:24.860 a.m. / |                           | Total - 2 |  | Total - 9 |  |
|  |                           | Pass - 0  |  | Pass - 0  |  |
|  |                           | Fail - 2  |  | Fail - 0  |  |
|  |                           | Skip - 0  |  | Skip - 9  |  |

**(S)- Title of your scenario**

|  |                           |  |           |   |
|--|---------------------------|--|-----------|---|
| <b>FAILED</b>                              | <b>DURATION - 0.020 s</b> |  | Steps     |  |
| / 11:28:24.803 a.m. // 11:28:24.823 a.m. / |                           |  | Total - 3 |   |
| Login page feature                         |                           |  | Pass - 0  |   |
| @Smoke @Regression                         |                           |  | Fail - 0  |   |
|  |                           |  | Skip - 3  |   |

[illegible]

[illegible]

[illegible]





















[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]















| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |         |          |
| 1 | Given - Given user is on login page  | SKIPPED | 0.000 s  |
| 2 | When - When user checks title of the page  | SKIPPED | 0.000 s  |
| 3 | Then - Then page title should be "Automation Exercise - Signup / Login"  | SKIPPED | 0.000 s  |
|   | AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null<br>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)   |         |          |
|   | AFTER - AppHooks.ApplicationHooks.quitBrowser()  | FAILED  | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null<br>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)   |         |          |

**(S)- Login with correct credential**

|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.020 s</div> |  |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div> |  |
| / 11:28:24.840 a.m. // 11:28:24.860 a.m. /      |  |  |   |   |
| Login page feature                              |  |  |   |   |
| @Smoke @Regression                              |  |  |   |   |







[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]



[illegible]

[illegible]



[illegible]

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |         |          |
| 1 | Given - Given user is on login page  | SKIPPED | 0.000 s  |
| 2 | When - When user enters username "AutomationPractice@gmail.com"  | SKIPPED | 0.001 s  |
| 3 | And - And user enters password "givePassword1122"  | SKIPPED | 0.000 s  |
| 4 | And - And user clicks on login button  | SKIPPED | 0.000 s  |
| 5 | Then - Then user gets title of the page  | SKIPPED | 0.002 s  |
| 6 | And - And login page title should be "Automation Exercise"   | SKIPPED | 0.001 s  |
|   | AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null<br>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)   |         |          |
|   | AFTER - AppHooks.ApplicationHooks.quitBrowser()  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null<br>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)   |         |          |

**(F)- Products detail**

|  |                           |           |   |           |   |
|--|---------------------------|-----------|---|-----------|---|
| <b>FAILED</b>                              | <b>DURATION - 0.023 s</b> | Scenarios |  | Steps     |  |
| / 11:28:24.883 a.m. // 11:28:24.906 a.m. / |                           | Total - 1 |   | Total - 4 |   |
|  |                           | Pass - 0  |   | Pass - 0  |   |
|  |                           | Fail - 1  |   | Fail - 0  |   |
|  |                           | Skip - 0  |   | Skip - 4  |   |

**(S)- Title of your scenario**

|   |  |  |           |  |   |
|---|--|--|-----------|--|---|
| <div>FAILED</div> <div>DURATION - 0.023 s</div> |  |  | Steps     |  |  |
| / 11:28:24.883 a.m. // 11:28:24.906 a.m. /      |  |  | Total - 4 |  |   |
| Products detail                                 |  |  | Pass - 0  |  |   |
|   |  |  | Fail - 0  |  |   |
|   |  |  | Skip - 4  |  |   |

| # | Step / Hook Details   | Status        | Duration |
|---|---|---------------|----------|
|   | BEFORE - AppHooks.ApplicationHooks.launchBrowser()            | <b>FAILED</b> | 0.010 s  |
|   | java.lang.StackOverflowError                                  |               |          |
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)         |               |          |
|   | at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |               |          |
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)         |               |          |
|   | at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |               |          |
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)         |               |          |
|   | at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |               |          |
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)         |               |          |
|   | at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |               |          |
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)         |               |          |
|   | at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |               |          |
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)         |               |          |
|   | at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |               |          |
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)         |               |          |
|   | at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |               |          |
|   | at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)         |               |          |



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]





| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 2 | When - When user checks title of the page  | SKIPPED | 0.000 s  |
| 3 | Then - Then page title should be "Automation Exercise - All Products"  | SKIPPED | 0.001 s  |
| 4 | And - And Product list is available  | SKIPPED | 0.001 s  |
|   | AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null<br>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45) |         |          |
|   | AFTER - AppHooks.ApplicationHooks.quitBrowser()  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null<br>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)   |         |          |

**(F)- Checking Details**

|   |                               |   |  |   |  |
|---|-------------------------------|---|--|---|--|
| <div>FAILED</div>                                     | <div>DURATION - 0.063 s</div> | <div>Scenarios</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 0</div> | <div></div> | <div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div> | <div></div> |
| <div>/ 11:28:24.922 a.m. // 11:28:24.985 a.m. /</div> |                               |   |  |   |  |
|   |                               |   |  |   |  |

**(S)- Review an item**

|   |  |   |           |   |
|---|--|---|-----------|---|
| <div>FAILED</div> <div>DURATION - 0.022 s</div> |  |  | Steps     |  |
| / 11:28:24.923 a.m. // 11:28:24.945 a.m. /      |  |   | Total - 4 |   |
| Checking Details                                |  |   | Pass - 0  |   |
|   |  |   | Fail - 0  |   |
|   |  |   | Skip - 4  |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - AppHooks.ApplicationHooks.launchBrowser()  | FAILED | 0.010 s  |
|   | java.lang.StackOverflowError<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8) |        |          |

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16)<br>at com.qa.util.ElementUtil.<init>(ElementUtil.java:8)<br>at com.qa.factory.DriverFactory.<init>(DriverFactory.java:16) |         |          |
| 1 | Given - Given user has already logged in to application<br>username password<br>AutomationPractice@gmail.com givePassword1122   | SKIPPED | 0.000 s  |
| 2 | Given - Given user is on products detail page   | SKIPPED | 0.000 s  |
| 3 | Then - Then user enters "Yash" ,gives "yashhirpara555@gmail.com" and describes "I really liked this product, thank you seller."   | SKIPPED | 0.001 s  |
| 4 | Then - Then user click on submit  | SKIPPED | 0.001 s  |
|   | AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)<br>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null<br>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)   | FAILED  | 0.001 s  |
|   | AFTER - AppHooks.ApplicationHooks.quitBrowser()<br>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null<br>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)   | FAILED  | 0.000 s  |

**(S)- Review an item**

|  |                           |  |   |  |
|--|---------------------------|--|---|--|
| <b>FAILED</b>                              | <b>DURATION - 0.019 s</b> |  | <b>Steps</b><br>Total - 4<br>Pass - 0<br>Fail - 0<br>Skip - 4 |  |
| / 11:28:24.966 a.m. // 11:28:24.985 a.m. / |                           |  |   |  |
| Checking Details                           |                           |  |   |  |
|  |                           |  |   |  |

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

| #                            | Step / Hook Details  | Status   | Duration |                              |                  |         |         |
|------------------------------|--|----------|----------|------------------------------|------------------|---------|---------|
|                              | <div>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)<br/>at com.qa.util.ElementUtil.&lt;init&gt;(ElementUtil.java:8)<br/>at com.qa.factory.DriverFactory.&lt;init&gt;(DriverFactory.java:16)</div> |          |          |                              |                  |         |         |
| 1                            | <div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>AutomationPractice@gmail.com</td><td>givePassword1122</td></tr></table>   | username | password | AutomationPractice@gmail.com | givePassword1122 | SKIPPED | 0.001 s |
| username                     | password   |          |          |                              |                  |         |         |
| AutomationPractice@gmail.com | givePassword1122   |          |          |                              |                  |         |         |
| 2                            | Given - Given user is on products detail page  | SKIPPED  | 0.000 s  |                              |                  |         |         |
| 3                            | Then - Then user enters "Hrithik" ,gives "hrithikroshan555@gmail.com" and describes "Best price, and color is good."   | SKIPPED  | 0.001 s  |                              |                  |         |         |
| 4                            | Then - Then user click on submit   | SKIPPED  | 0.001 s  |                              |                  |         |         |
|                              | <div>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</div> <div>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null<br/>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)</div>  | FAILED   | 0.001 s  |                              |                  |         |         |
|                              | <div>AFTER - AppHooks.ApplicationHooks.quitBrowser()</div> <div>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null<br/>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)</div>  | FAILED   | 0.001 s  |                              |                  |         |         |