

User & QA Manual

Everything currently implemented, explained for end users and mapped for test coverage.

Version: 1.0 **Covers build as of:** July 2026 **Prepared for:** End users & QA

Prepared by: ITMusketeers Consultancy Services

How to use this manual

This document has two audiences and both can read it straight through.

- **End users** get a plain-language walk-through of every screen: what it's for, what each field means, and the steps to complete common tasks.
- **QA testers** get the same walk-through plus two extra layers highlighted throughout in colored boxes: orange **QA Focus** boxes calling out specific things worth testing (edge cases, mismatches between what the screen offers and what the server actually allows), and red **Known Gap** boxes documenting things that are not yet built or behave differently than you might expect — these are not bugs to re-report, they're documented current behavior, useful as a checklist when triaging new findings.

Section 14, [Permissions Reference](#) lists every permission code in the system. Section 16, [Known Limitations & Test Focus Summary](#) collects every QA/Gap box in the manual into one master checklist.

Contents

- | | |
|---|---|
| 1. System Overview | 7. Sales Orders |
| 2. Getting Started (Login, Dashboard, Navigation) | 8. Customers |
| 3. My Profile (Photo & Out-of-Office Delegation) | 9. Departments |
| 4. Leads | 10. Territories |
| 5. Opportunities | 11. Users |
| 6. Quotations | 12. Roles, Permissions & Visibility Scope |
| | 13. Notifications & Reminders |

14. Activities, Documents & History
15. Permissions Reference
16. Glossary of Statuses & Fields

17. Known Limitations & Test Focus
Summary

1. System Overview

ZentavioCRM is a sales-pipeline CRM covering the full customer-acquisition lifecycle: a **Lead** comes in, gets qualified, converts into a **Customer** and/or an **Opportunity**, an **Opportunity** produces one or more **Quotations**, an accepted **Quotation** becomes a **Sales Order**, and a Sales Order tracks delivery until complete. Around this pipeline sit administrative modules (Users, Roles, Departments, Territories) and supporting features (Activities, Documents, Notifications, Audit History).

Access to every module is controlled by **permissions** assigned to a user's **Role**. On top of that, a Role also carries a **Visibility Scope** (Own / Team / All) that controls *which records* a user can see within Leads, Customers and Opportunities — see [section 12](#) for full details, since this is one of the most important behaviors to understand and to test.

Concept	What it means here
Lead	An unqualified prospect captured from a source (website, referral, campaign, etc.)
Customer	A qualified account — a company or individual with a full record of contacts, addresses, and history
Opportunity	A specific, tracked deal against a Customer, moving through sales stages
Quotation	A versioned, priced proposal document tied to one Opportunity
Sales Order	The confirmed order created once a Quotation is accepted; tracks delivery

2. Getting Started

2.1 Logging in

Go to the login screen and enter your email address and password (minimum 8 characters). Check **Remember Me** to stay signed in on this device between browser sessions; leave it unchecked and your session ends when you close the browser tab.

Known Gap — Session expiry

Your sign-in session (access token) expires after **15 minutes**. There is currently no automatic renewal and no "your session expired, please log in again" message — API calls will simply start failing. If the app seems to stop responding to actions, refresh the page and log in again.

Known Gap — Forgot Password / SSO

The *Forgot Password?* link is shown on the login screen but is **not functional yet**. There is also no password-reset or password-change feature anywhere in the app once an account is created — contact your administrator if you need your password changed.

2.2 The Dashboard

The Dashboard (`/dashboard`) is the landing page after login and is visible to every signed-in user regardless of permissions. It shows: Open Leads, Active Customers, Leads Converted This Month, total Pipeline Value, Open Opportunities, Win Rate percentage, and a Pipeline by Stage breakdown (count and value per Opportunity stage).

Behavior

Dashboard counts respect the viewer's Visibility Scope, the same as the Leads/Customers/Opportunities list screens. A user restricted to "Own" or "Team" sees totals limited to the records they're allowed to see, not company-wide figures — so the numbers here always match what that user can actually open elsewhere in the app.

2.3 Navigation

The left sidebar lists every module the signed-in user has permission to view; a module the user lacks permission for simply does not appear as a menu item (it is not just visually disabled — the underlying pages and API calls are also blocked, see section 12).

Menu item	Route	Shown when user has permission
Dashboard	<code>/dashboard</code>	always shown
Leads	<code>/leads</code>	<code>Leads.View</code>
Opportunities	<code>/opportunities</code>	<code>Opportunities.View</code>
Quotations	<code>/quotations</code>	<code>Quotations.View</code>
Sales Orders	<code>/sales-orders</code>	<code>SalesOrders.View</code>
Customers	<code>/customers</code>	<code>Customers.View</code>
Departments	<code>/departments</code>	<code>Departments.View</code>
Territories	<code>/territories</code>	<code>Territories.View</code>
Users	<code>/users</code>	<code>Users.View</code>
Roles	<code>/roles</code>	<code>Roles.View</code>

The bell icon in the top bar shows unread notifications (see section 13). Clicking your name/avatar in the top-right opens [My Profile](#). A **User Manual** link sits at the bottom-left of the sidebar at all times, opening this document in a new tab.

3. My Profile

Route: `/profile` · reached via your name/avatar in the top bar

3.1 Profile Photo

- 1 Open **My Profile** and click **Upload Photo** (or **Change Photo** if you already have one).
- 2 Choose an image file. Accepted types: PNG, JPEG, GIF, up to 5 MB.
- 3 The photo appears immediately across the app (top bar, Users list, avatars anywhere your name appears).
- 4 Use **Remove** to delete your photo and fall back to your initials.

You can manage your own photo at any time. An administrator holding the `Users.Manage` permission can also add/remove a photo for any other user from that user's edit screen.

Behavior

The file-type restriction is enforced on the server against the file's actual bytes (its signature), not the filename or the browser-supplied Content-Type. A renamed non-image file (e.g. a `.html` file saved with a `.png` extension) is rejected even though the browser would otherwise report it as `image/png`.

3.2 Out-of-Office / Delegation

Use this to temporarily hand off your assigned records and reminders to a colleague while you're away.

- 1 On **My Profile**, scroll to **Out of Office / Delegation**.
- 2 Choose a **Delegate To** colleague, a **Start Date** and **End Date**, and optional notes.
- 3 Click **Add**. The delegation appears in the list below with an Active/Not Active badge.
- 4 Click **Cancel** on any delegation you created to end it early.

While a delegation is active: your delegate can see your assigned Leads, Customers and Opportunities exactly as if they owned them — regardless of the delegate's own Visibility Scope — and your delegate **also** receives your due-date, follow-up, birthday and anniversary reminder notifications, in addition to you (you are not muted while delegating).

Business rule

You cannot delegate to yourself, and End Date must be on or after Start Date. Only the person who created a delegation can cancel it — cancelling someone else's delegation (e.g. by guessing an ID) returns a generic "not found" response.

4. Leads

OWN / TEAM / ALL SCOPED

Route: [/Leads](#) · Permissions: [Leads.View](#) [Leads.Create](#) [Leads.Edit](#)
[Leads.Delete](#) [Leads.Assign](#) [Leads.Convert](#)

A Lead is an unqualified prospect. It carries a lead number (auto-generated, e.g. [LEAD-000123](#)), company and contact details, source and campaign/UTM tracking, an expected value/budget/timeline, a status, and a calculated **Lead Score**.

4.1 Fields

Field	Notes
Company Name / Contact Name	Required
Email / Mobile	Optional; email is format-validated
Industry	Optional free text
Source	Website, Landing Page, Referral, Exhibition, WhatsApp, Facebook, LinkedIn, Email Campaign, Google Ads, Manual Entry, API Integration
Campaign	Free-text campaign label
UTM Source / Medium / Campaign / Term / Content	Structured tracking parameters, separate from the Campaign label
Budget / Expected Value	Numeric, optional
Timeline	Free text (e.g. "this quarter")
Territory (legacy free text)	Older free-text field, kept for backward compatibility with CSV import/export
Territory (structured)	Optional link to a Territory record — the two Territory fields are independent; a lead can have either, both, or neither
Status	See status flow below
Next Follow-Up Date	Drives the follow-up reminder — see section 13
Lead Score	0–100, calculated automatically (see below), read-only

4.2 Status flow

New → Assigned → Contacted → (Qualified or Nurturing) → Proposal Sent → (Converted, Lost, or Junk).

QA Focus — status transitions

The screen only offers a curated set of "next status" buttons, but the server accepts almost any status change (except leaving a terminal status). A direct API call can jump between non-adjacent statuses that the UI never offers — e.g. Nurturing straight back to New. Test both through the UI and via direct API calls if you have that access.

Business rule

A Reason is required when moving a Lead to Lost or Junk. Once a Lead is Converted, Lost, or Junk it becomes **read-only** — it cannot be edited, reassigned, or have its status changed again, even though the error message references "reopening" a lead, which is not an available action anywhere in the app.

4.3 Lead Score

Recalculated automatically every time a lead is saved: up to +15 for having an email, +15 for a mobile number, +10 for industry filled in, +10 for being assigned, up to +25 for a high expected value, +20 for a Referral source (+10 for several other sources), and +5 if the Timeline text suggests urgency. Capped at 100. This is a simple rule-based score, not AI-driven (an "AI Score" field exists in the data model for a future scoring engine but is not populated by anything today).

4.4 Everyday actions

- 1 **Create a Lead** — `Leads.Create` . As you enter Email or Mobile, the form checks for duplicates against existing Leads and Customers and shows a dismissible warning with links to the possible matches — this is informational only and does not block saving.
- 2 **Assign a Lead** — `Leads.Assign` . Sets the owner and automatically advances status from New to Assigned; the new owner gets a notification.
- 3 **Convert to Customer** — `Leads.Convert` . Creates a new Customer record from the lead's company details and marks the lead Converted.
- 4 **Convert to Opportunity** — `Leads.Convert` . Creates (or reuses, if already converted) the Customer *and* a new Opportunity in one step, carrying across the expected value.
- 5 **Delete a Lead** — `Leads.Delete` . Available on the Lead detail screen, with a confirmation prompt. This permanently removes the lead (it is not a soft-delete).

5. Opportunities

OWN / TEAM / ALL SCOPED

Route: </opportunities> · Permissions: [Opportunities.View](#) [Opportunities.Create](#) [Opportunities.Edit](#) [Opportunities.Delete](#) [Opportunities.Assign](#)

An Opportunity is a tracked deal against a specific Customer. It has line items (products/quantities/prices), a buying-committee contact list, a stage, and a value that is auto-computed from its line items whenever any exist.

5.1 Fields

Field	Notes
Name	Required
Customer	Required — picking a customer also filters the buying-committee contact list to that customer's own contacts
Value	Auto-calculated as the sum of line items once any line item is added; otherwise entered manually
Currency	Defaults from the customer's currency, editable afterward
Probability	0–100%
Products	Free-text summary, independent of the structured line items
Competitors	Free text
Expected Close Date	
Stage	See stage flow below
Next Step / Next Step Date	The single next action to move the deal forward
Line Items	Product name, quantity, unit price, discount % — each computes a line total
Buying Committee	Links existing contacts from the same customer, each tagged with a role: Champion, Economic Buyer, Blocker, Influencer, Decision Maker, Technical Evaluator, Other

5.2 Stage flow

Qualification → Discovery → Proposal → Negotiation → Verbal Commit → (Closed Won or Closed Lost).

Behavior

Stage transitions are enforced server-side to match this linear order — the same rules the UI presents are also checked on every direct API call, so a stage can't be skipped (e.g. Qualification straight to Negotiation) except for the deliberate direct jump to Closed Won/Closed Lost, which is allowed from any non-terminal stage. Once Closed Won/Closed Lost, no further change is possible, and Closed Lost requires a reason.

Reaching Closed Won or Closed Lost notifies both the assignee and the creator.

5.3 Everyday actions

- 1 **Create an Opportunity** directly, or via **Convert to Opportunity** from a Lead.
- 2 **Assign** — `Opportunities.Assign` ; blocked once the opportunity is closed.
- 3 **Create Quotation** button on the Opportunity detail page (requires `Quotations.Create`) jumps straight to a pre-linked new Quotation.
- 4 **Delete an Opportunity** — `Opportunities.Delete` , available on the detail screen with a confirmation prompt. Blocked with a clear message if the opportunity has any quotations — delete those first.

6. Quotations

NOT VISIBILITY-SCOPED

Route: `/quotations` · Permissions: `Quotations.View` `Quotations.Create`
`Quotations.Edit` `Quotations.Delete` `Quotations.Assign`

A Quotation is a versioned, priced proposal tied to exactly one Opportunity. Totals (subtotal, tax, grand total) are computed automatically from its line items, which additionally carry a tax percentage (unlike Opportunity line items).

Important behavior

Unlike Leads, Customers and Opportunities, Quotations are **not** subject to Own/Team/All Visibility Scope. Anyone holding `Quotations.View` can see every quotation in the system regardless of who created or is assigned to it.

6.1 Status flow (strictly enforced)

Draft → Sent → (Accepted, Rejected, or Expired). Unlike Leads/Opportunities, this transition list **is** fully enforced on the server — you cannot skip Draft straight to Accepted, and no transition is possible once Accepted/Rejected/Expired.

6.2 Everyday actions

- 1 **Create** — pick an Opportunity (locked once saved) and add at least one line item.
- 2 **Edit** — only possible while the quotation is still Draft.
- 3 **New Version** — clones the current line items into a fresh quotation at the next version number, always starting at Draft again. Available regardless of the current quotation's status, so you can spin up v2 from an Accepted, Rejected, or Expired v1.
- 4 **Convert to Sales Order** — appears once Status = Accepted and no sales order exists yet for it; requires `SalesOrders.Create`.
- 5 **Delete** — only possible while Draft (no UI button currently, API only).

Reaching Accepted notifies the assignee/creator that the quotation is ready to convert.

7. Sales Orders

NOT VISIBILITY-SCOPED

Route: `/sales-orders` · Permissions: `SalesOrders.View` `SalesOrders.Create`
`SalesOrders.Edit` `SalesOrders.Assign`

A Sales Order is created only by converting an Accepted Quotation — there is no standalone "New Sales Order" screen. Its pricing (subtotal/tax/total, line items) is a permanent **snapshot** taken at conversion time; later changes to the source quotation never retroactively change an already-created order. One Quotation can produce at most one Sales Order.

7.1 Status flow

Draft/Confirmed (set automatically at creation) → Partially Delivered → Delivered, or Cancelled at any point before full delivery. Partially Delivered and Delivered are calculated automatically from recorded deliveries — there is no manual "set status" action for those two.

7.2 Everyday actions

- 1 **Record Delivery** — on the order detail page, enter delivered quantity per line item (capped at the remaining undelivered amount). Saving recalculates the order's status automatically.
- 2 **Cancel** — available any time before the order is fully delivered.
- 3 **Assign**, and **Update** notes/expected delivery date (blocked once cancelled).

Sales Orders have no delete feature by design — they represent confirmed, potentially-fulfilled orders. **Cancel** is the "this order is void" action instead.

8. Customers

OWN / TEAM / ALL SCOPED

Route: `/customers` · Permissions: `Customers.View` `Customers.Create`
`Customers.Edit` `Customers.Delete`

The Customer record ("Customer Master") is the central account record: legal/display name, type, industry, financials, tags, and health status, plus unlimited child **Contacts** and **Addresses**.

8.1 Key fields

Field	Notes
Customer Number	Auto-generated (e.g. <code>CUST-000123</code>)
Type	Prospect, Individual, Business, Vendor, Partner, Supplier, Distributor, Dealer, Franchise, Consultant
Legal Name / Display Name	Legal Name is required; Display Name defaults to Legal Name if left blank
Rating	Hot / Warm / Cold — a deal-quality label
Health Status	Hot / Warm / Cold / At Risk — a distinct concept from Rating, describing relationship health
Tags	Free-text, comma-separated
Acquisition Source	Filled automatically when converted from a Lead
Credit Limit / Payment Terms / Currency	Financial terms

8.2 Contacts (unlimited per customer)

Name, designation, department, email, mobile, WhatsApp, LinkedIn, whether they are the primary contact and/or a decision maker, preferred contact method, and **Date of Birth** / **Anniversary Date**, which drive the reminder notifications described in section 13.

8.3 Addresses (unlimited per customer)

Type (Billing, Shipping, Registered Office, Branch Office, Warehouse, Site), address lines, city/state/country/postal code, and a primary flag.

Known Gap — saving replaces child records

Every time a Customer is saved, its entire Contacts list and entire Addresses list are **replaced**, not diffed. Removing a contact/address row and saving permanently deletes that row (including its history); it is not a soft-remove. Be deliberate when editing these lists.

8.4 Everyday actions

- 1 **Search/filter** by name, number, email, assigned owner, active status.
- 2 **Export to CSV** and **Import from CSV** (10 MB limit) — note contacts and addresses are not part of the CSV import; add them afterward on the edit screen.
- 3 **Documents** panel — attach files to the customer record.
- 4 **History** panel — a plain-English audit trail of changes.

Known Gap

No Delete button in the UI. Deleting a Customer that has any Opportunity will currently fail with an unhandled database error rather than a friendly message, because the delete does not pre-check for dependent Opportunities.

9. Departments

Route: `/departments` · Permissions: `Departments.View` `Departments.Manage`

A simple, optionally hierarchical (parent/child) organizational grouping. Every user can optionally belong to one department. Department membership is what **Team** Visibility Scope uses to decide who counts as "your team" — see section 12.

- 1 **Create/Edit** — name (must be unique) and an optional parent department.
- 2 **Delete** — blocked if any user is currently assigned to the department; reassign or remove those users first.

The list shows a live user count and active/inactive status per department.

10. Territories

Route: `/territories` · Permissions: `Territories.View` `Territories.Manage`

A structured, optionally hierarchical territory list, assignable to both Users and Leads. This is a newer, structured replacement direction for the older free-text Territory field on Leads — both fields exist side by side today (see section 4) and neither is required.

Important — not the same as Visibility Scope

Territory is purely an organizational/reporting classification. It does **not** feed into the Own/Team/All record-visibility engine at all — "Team" scope is based on Department membership, not Territory. Don't confuse the two when testing access control.

- 1 **Create/Edit** — name (unique) and optional parent territory.
- 2 **Delete** — blocked if any User *or* any Lead currently references the territory.

The list shows a live user count and live lead count per territory, plus active/inactive status.

11. Users

Route: </users> · Viewing the list/detail: any signed-in user · Create/Edit: [Users.Manage](#)

Every login account: employee code, name, email, mobile, role, department, reporting manager, territory, and profile photo.

Field	Notes
Employee Code	Required, unique, cannot be changed after creation
Email	Required, unique, format-validated, cannot be changed after creation, stored lower-cased
Role	Required — determines permissions and Visibility Scope, see section 12
Department	Optional — drives "Team" scope membership
Reporting Manager	Optional; a user cannot be set as their own manager
Territory	Optional
Active	Only editable on existing users — new users are always created active

Known Gap

Users are never permanently deleted — there is no delete function at all, only Active/Inactive. There is also no password reset or change feature after account creation; if a user forgets their password, an administrator currently has no in-app way to issue a new one. A deactivated user cannot log in (a deliberately vague "invalid email or password" message is shown, rather than revealing the account exists but is inactive).

The user's own profile photo is managed from [My Profile](#), or by an administrator from this Users screen.

12. Roles, Permissions & Visibility Scope

Route: `/roles` · Permissions: `Roles.View` `Roles.Manage`

A Role bundles a set of module permissions plus one Visibility Scope, and is assigned to one or more Users. This is the single mechanism controlling both *what* a user can do and *which records* they can see.

12.1 Managing Roles

- 1 **Create/Edit** — name (unique), description, Visibility Scope, and a checkbox grid of every permission in the system grouped by module.
- 2 Saving a role's permissions **replaces** the full permission set — there's no incremental add/remove, the form always submits everything currently checked.
- 3 **Delete** — blocked if any user currently has that role.

System roles

Built-in roles (such as Admin) are marked as System Roles and cannot be renamed, edited, or deleted — the Edit/Delete controls are hidden for them in the UI, and the API independently rejects any attempt to modify or delete a system role even via a direct call.

12.2 Visibility Scope — Own / Team / All

This setting on the Role controls which **Leads, Customers, and Opportunities** a user can see and act on. It does not affect Quotations, Sales Orders, Departments, Territories, Users, or Roles — those modules are governed by permissions alone.

Scope	What the user can see
Own	Only records assigned to them, or — if unassigned — records they created
Team	Everything in Own, plus records assigned to or created by anyone else in the same Department . A user with no department behaves the same as Own.
All	Every record in the module, company-wide

An active **Delegation** is layered on top of all three scopes: a delegate can see the delegator's records regardless of the delegate's own scope.

QA Focus — how to test scope

- Trying to open a record outside your scope (e.g. by URL/ID) returns the same "not found" response as a genuinely non-existent record — it never says "forbidden." This is deliberate (it avoids confirming a record exists to someone who shouldn't see it), but means QA should not assume a 404-style response equals "the ID was wrong."
- List screens (search results, counts, pagination) are filtered server-side per scope; single-record screens (open/edit/delete/assign/status-change) are checked independently after fetching the record. Test both paths — a bug could exist in one but not the other.
- If a Role can't be resolved at all for some reason, the system defaults that user to **Own** scope (fail-closed, not fail-open) — the safer default.

13. Notifications & Reminders

The bell icon in the top bar shows a live unread count and a dropdown of recent notifications. Clicking an unread notification marks it read and, where applicable, opens the related record.

13.1 What generates a notification

- An overdue **Activity** assigned to you that hasn't been completed yet.
- A **Lead** assigned to you whose Next Follow-Up Date has arrived.
- A **Customer contact's birthday**, for contacts belonging to a customer assigned to you.
- A **Customer contact's anniversary date**, same ownership rule as above.
- Being **assigned** a Lead or Opportunity, and a Quotation reaching Accepted, or a Sales Order becoming fully Delivered.
- If someone is currently **delegating** to you, you additionally receive their due-date/follow-up/birthday/anniversary notifications on their behalf (see [section 3.2](#)) — they still receive their own copy too.

Each reminder fires once per due item (it is stamped internally so it won't repeat), and a follow-up date change on a Lead resets that stamp so it can fire again against the new date.

Known Gap — polling only, no push

There is no background job/scheduler in this build. Reminders are only checked and generated at the moment a signed-in user's browser polls for notifications, which happens automatically roughly **every 30 seconds** while the app is open. If nobody who owns (or is delegated) the overdue item is logged in, the reminder simply does not get created until the next time someone opens the app — it is not silently missed forever, but it is also not real-time or guaranteed while no one is online.

14. Activities, Documents & History

These three panels appear embedded on Lead, Opportunity, and/or Customer detail screens rather than as their own top-level menu items. They are available to any signed-in user — there is no dedicated permission gate on them today.

14.1 Activities

A timeline of calls, emails, meetings, tasks, notes, visits, WhatsApp messages, and SMS logged against a record, each with a subject, description, due date, and assignee.

Recurrence

Setting a recurrence rule (Daily/Weekly/Monthly) and a count (2–52) generates **all occurrences immediately** as separate Activity rows — there is no background process creating future occurrences over time, since none exists in this build.

14.2 Documents

Generic file attachments (up to 10 MB) against a Customer or Opportunity record, stored directly in the database (no external cloud storage integration).

14.3 History / Audit Log

A plain-English list of what happened to a record — created, updated, deleted, status/ stage changed, assigned, converted, cancelled, delivery recorded — with who and when. It records that something changed and in what category, but not a field-by-field before/ after diff.

15. Permissions Reference

Full list of every permission code in the system, grouped by module. Use this table when configuring a Role or when writing permission-boundary test cases.

Module	Permission codes
Departments	Departments.View Departments.Manage
Territories	Territories.View Territories.Manage
Users	Users.View * Users.Manage
Roles	Roles.View Roles.Manage
Customers	Customers.View Customers.Create Customers.Edit Customers.Delete
Leads	Leads.View Leads.Create Leads.Edit Leads.Delete Leads.Assign Leads.Convert
Opportunities	Opportunities.View Opportunities.Create Opportunities.Edit Opportunities.Delete Opportunities.Assign
Quotations	Quotations.View Quotations.Create Quotations.Edit Quotations.Delete Quotations.Assign
Sales Orders	SalesOrders.View SalesOrders.Create SalesOrders.Edit SalesOrders.Assign

* Not actually enforced server-side today — any signed-in user can list/view users regardless of this permission, since assignment dropdowns throughout the app need the user directory. There is intentionally no SalesOrders.Delete — see section 7.

Modules with **no** dedicated permission code — open to any signed-in user regardless of role: Dashboard, My Profile / Delegation, Activities, Documents, Audit History/ Notifications.

16. Glossary of Statuses & Fields

Term	Meaning
Lead Status	New, Assigned, Contacted, Qualified, Nurturing, Proposal Sent, Converted, Lost, Junk
Opportunity Stage	Qualification, Discovery, Proposal, Negotiation, Verbal Commit, Closed Won, Closed Lost
Quotation Status	Draft, Sent, Accepted, Rejected, Expired
Sales Order Status	Draft/Confirmed, Partially Delivered, Delivered, Cancelled
Customer Type	Prospect, Individual, Business, Vendor, Partner, Supplier, Distributor, Dealer, Franchise, Consultant
Customer Rating vs. Health Status	Rating = a deal-quality label (Hot/Warm/Cold); Health Status = a separate relationship-health indicator (Hot/Warm/Cold/At Risk)
Visibility Scope	Own / Team / All — see section 12.2
Territory (legacy) vs. Territory (structured)	Two independent fields on Lead/User — see sections 4 and 10

17. Known Limitations & Test Focus Summary

A single checklist gathering every orange/red callout in this manual, for quick reference during test planning.

- Access tokens expire after 15 minutes with no refresh and no "please log in again" message — the app just starts failing silently.
- Forgot Password is visible but non-functional; there is no password reset/change flow anywhere post-creation.
- Lead status transitions are enforced loosely on the server (only terminal-state and reason-required rules) even though the UI presents a stricter flow — test both the UI paths and out-of-sequence transitions directly. (Opportunity stage transitions, by contrast, are now fully enforced server-side to match the UI's linear pipeline.)
- Visibility Scope (Own/Team/All) applies only to Leads, Customers, Opportunities, and the Dashboard's summary counts — not to Quotations or Sales Orders.
- Out-of-scope records return a generic "not found," never "forbidden" — don't conflate the two when triaging.
- Deleting a Customer with existing Opportunities, or a Quotation with an existing Sales Order, is expected to fail ungracefully (a raw database error) rather than a friendly validation message, since those two delete operations don't pre-check dependents. (Deleting an Opportunity with existing Quotations is now a friendly, pre-checked error instead.)
- Customers and Quotations each have a working Delete API but no Delete button in the UI (Leads and Opportunities now have one, on their detail screens). Sales Orders have no delete feature at all, by design.
- Editing a Customer or an Opportunity fully replaces their child collections (Contacts/Addresses, or Line Items/Buying Committee) — removing a row and saving is a permanent delete of that row.
- Record numbers (LEAD-, CUST-, OPP-, QUO-, SO-) are based on current row counts, not a guaranteed sequence — deleting and recreating records can produce number collisions.
- Reminders (due activities, follow-ups, birthdays, anniversaries) only get generated when a relevant user's browser polls the app (roughly every 30 seconds while logged in) — there is no background scheduler, so nothing fires while no relevant user is online.
- Recurring Activities generate every occurrence immediately at creation time rather than progressively over time.
- Territory is unrelated to Visibility Scope — "Team" scope is based on Department, not Territory.

