



Analyze Quiz

[Home](#) • [Quiz Management](#) • [Analyze](#)

Responses

Date Submitted

24/06/2026 05:33 PM

Name

Aarsheyee Mukherjee

Email

Score

26/35

Duration

00:40 Hour(s)

74%

1.

When a total of 238 blueberries are shared between 22 people, each person receives 10 blueberries with 18 blueberries leftover.

1. Which of the following number sentences shows the information above?



$$22 \times 10 + 18 = 238$$



$$22 + 10 + 18 = 238$$



$$22 + 10 \times 18 = 238$$

1/1



$$22 \times 10 - 18 = 238$$



$$22 - 10 \times 18 = 238$$

Question Feedback:

"22 people, each person receives 10 blueberries": 22×10

"with 18 blueberries leftover": $+ 18$

"When a total of 238 blueberries are shared": $= 238$

Combine: $22 \times 10 + 18 = 238$

Therefore, the answer is Option A.

2.

A bag contains pink, yellow, and red marbles. There are 60 marbles in total.

If the pink marbles were taken out, the probability of picking a yellow marble is 75%.

There are a total of 16 pink marbles.

1. How many red marbles are in the bag?



11



22



33

1/1



35



49

Question Feedback:

Since there are a total of 16 pink marbles, if the pink marbles were taken out, there would be $60 - 16 = 44$ yellow and red marbles.

If the pink marbles were taken out, the probability of picking a yellow marble is 75%, meaning there are 0.75×44 marbles = 33 yellow marbles.

This leaves $44 - 33 = 11$ red marbles.

Therefore, the answer is Option A.

3.

At a frozen yoghurt store, each order must have a flavour of yoghurt, a sugary topping and a fruity topping.

At this particular store, there are a total of 9 different yoghurt flavours, 18 different sugary toppings and 5 different fruity toppings.

1. How many different combinations of frozen yoghurt orders are possible?



162



540



675

1/1



728



810

**Question Feedback:**

Different combinations = 9 yoghurt flavours $\times$ 18 sugary toppings $\times$ 5 fruity toppings
= 810 different combinations of frozen yoghurt orders.

Therefore, the answer is Option E.

4.

Which of the following answer options has a different remainder when divided by 6?

1. Answer:



58



40



44



22



46

1/1

Question Feedback:

(a) $58 \div 6 = 9$ remainder 4

- (b) $40 \div 6 = 6$ remainder 4
- (c) $44 \div 6 = 7$ remainder 2 (different remainder)
- (d) $22 \div 6 = 3$ remainder 4
- (e) $46 \div 6 = 7$ remainder 4

Therefore, the answer is Option C.

5.

Find the missing value, represented by **X**, in the number pattern below.

3, 10, X, 94, 283, 850

1. Answer:

☐

17

☐

19

☒

31

☐

37

☐

45

1/1

Question Feedback:

Pattern is to multiply the previous number by 3 and add 1.

$$3 \times 3 + 1 = 10$$

$$10 \times 3 + 1 = 31$$

$$31 \times 3 + 1 = 94$$

$$94 \times 3 + 1 = 283$$

$$283 \times 3 + 1 = 850$$


Therefore, the answer is Option C.

6.

Tim has cut out a section from the following circle. Tim wants to know the size of the larger angle in the centre of the circle by first measuring the size of the smaller angle in the centre of the circle.

1. Using the protractor provided, what is the size of the larger

angle?



1/1

☐

15°

☐

100°

☐

115°

☐

245°

☒

260°



Question Feedback:

The size of the smaller angle as shown on the protractor is $115^\circ - 15^\circ = 100^\circ$.

Since a full circle is 360° , the size of the larger angle must be $360^\circ - 100^\circ = 260^\circ$.

Therefore, the answer is Option E.

7.

Cinar, Paula and Sophie share a box of strawberries and finish the whole thing. Cinar eats half the number of strawberries that Paula and Sophie eat together. Paula eats 4 more than 3 times the number of strawberries that Sophie eats.

1. If Sophie ate 6 strawberries, how many strawberries are in the box?

☐

28

☒

42

☐

56

☐

60

☐

74

1/1

Question Feedback:

If Sophie ate 6 strawberries, then Paula ate $(6 \times 3) + 4 = 22$ strawberries.

Together, Sophie and Paula ate $6 + 22 = 28$ strawberries, meaning Cinar must have eating $28 \div 2 = 14$ strawberries.

Hence, there must have been $6 + 22 + 14 = 42$ strawberries in the box.

Therefore, the answer is Option B.

8.

The following equations use the letters R and U to represent different numbers.

$$2R - U = 10$$

$$5U - 45 = 15$$

1. What is the sum of R and U?

☐

16

☒

23

☐

29

☐

34

☐

45

1/1

Question Feedback:

$$5U - 45 = 15$$

$$5U = 15 + 45 = 60$$

$$5U = 60 \rightarrow U = 60 \div 5 = 12$$

Since we now know $U = 12$,

$$2R - U = 10$$

$$2R - 12 = 10$$

$$2R = 22 \rightarrow R = 22 \div 2 = 11.$$

Thus, $R + U = 12 + 11 = 23$.

Therefore, the answer is Option B.

9.

Kim is planning the commute so that he arrives at his workplace at 8:55 am. It takes Kim between 15 to 33 minutes to prepare his lunch and 8 minutes to lock up his house. Then Kim hires a private car that takes between 45 minutes to 1.5 hours to drive to Kim's workplace.

1. What is the latest time that Kim should start to prepare to leave his house to ensure that he arrives at his workplace on time?



6:44 am



6:53 am



6:59 am



7:12 am



7:18 am

1/1

Question Feedback:

To determine the latest time that Kim should start to prepare to leave his house, we should assume that it takes Kim 33 minutes to prepare his lunch and 1.5 hours to drive to his workplace.

In total, it takes Kim 33 minutes + 8 minutes + 1.5 hours = 131 minutes (2 hrs 11 mins) to arrive at his workplace from the time he starts preparing to leave the house.

Thus, Kim must leave his house at 8:55 am – 2hrs 11 mins = 6:44 am at the latest.

Therefore, the answer is Option A.

10.

In a magic square, each row, column and diagonal add up to the same total. Some of the numbers are missing in the magic square below.

		13
	12	?
11	16	

1. What is the missing number?



14



15



17



19



21

1/1

Question Feedback:

$11 + 12 + 13 = 36$, so the total of each row, column, and diagonal must add up to 36.

Bottom row, right column: $36 - (11 + 16) = 9$

Middle row, right column (?): $36 - (13 + 9) = 14$

		13
	12	?
11	16	9

Therefore, the answer is Option A.

11.

John wants to go to the printing shop to print some documents. The prices at the shop are shown below:

Size	Price (\$)		
	10 pack	15 pack	30 pack
Small	6	9	16
Medium	10	15	28
Large	14	21	40

1. What is the cheapest it will cost John if he wishes to print 12 documents in size large?

☐

\$20

☒

\$21


☐

\$26

☐

\$30

☐

\$35

1/1

Question Feedback:

To find the cheapest way for John to print 12 large-sized documents, we need to compare the pack options and prices from the table.

For the 12 large documents, the cheapest option is to buy a 15-pack for \$21. This gives him slightly more than needed, but it's still cheaper than combining two 10-packs or buying a 30-pack.

This means that it will cost him \$21 to print 12 documents in size Large.

Therefore, the answer is Option B.

12.

Eugene is travelling from Frankfurt, Germany to Beijing, China. Eugene departs from Frankfurt at 11:35 am local time and arrives at Beijing at 3:48 am the next day local time.

1. If the Beijing is 7 hours ahead of Germany, how long is Eugene's flight?

☐

8 hours 45 minutes

☒

8 hours 57 minutes

✗

☐

9 hours 6 minutes

☐

9 hours 13 minutes

✓

☐

9 hours 23 minutes

0/1

Question Feedback:

Frankfurt, Germany	Beijing, China
11:35 am	11:35 am + 7 hours = 6:35 pm
	3:48 am next day

Eugene's flight duration:

3:48 am next day – 6:35 pm = 9 hours 13 minutes.

Therefore, the answer is Option D.

13.

Ela is decorating the concrete pavement outside her house. Ela starts by placing tiles in column A in a pattern. The pattern continues towards the right.

	A	B	C	D	E	F
1						
2						
3						
4						

1. Which of the following options are the coordinates of the next 3 black tiles?

☐

G2, H3, I4

☐

G3, H4, I1

☒

G3, H4, I2

☐

G4, H2, I3

☐

G1, H3, I2

Question Feedback:

	A	B	C	D	E	F	G	H	I
1									
2									
3									
4									

The next 3 black tiles (portrayed as red) are in G3, H4, I2

Therefore, the answer is Option C.

14.

The place value of digits in a number represents different values. For example, the 3 in 238 represents 30.

1. In the number 9,738,124 what is the value represented by 8 multiplied by the value represented by 2, minus the value represented by 3?

☐

105,000

☐

110,000

☐

117,000

☐

125,000

☒

130,000



Question Feedback:

Value of 8 in 9,738,124 = 8,000

Value of 2 in 9,738,124 = 20

Value of 3 in 9,738,124 = 30,000

$(8,000 \times 20) - 30,000 = 130,000$

Therefore, the answer is Option E.

1/1

15.

Hana and Connor are thinking of different whole numbers greater than 29 and less than 81.

Hana's number is an even number and has a factor of 13.

Connor's number is an odd number and has a factor of 15.

1. What is the sum of the largest possible value of Hana's number and the smallest possible value of Connor's number?



123



138



145



152



176

1/1

Question Feedback:

List of Hana's possible numbers: 52, 78

List of Connor's possible numbers: 45, 75

Largest possible value of Hana's number: 78

Smallest possible value of Connor's number: 45

Sum: $78 + 45 = 123$

Therefore, the answer is Option A.

16.

Five friends are sitting at the playground in a straight line in the following order: Yuvraj, Keeley, Harleen, Jovan, Esmay.

The distance between Yuvraj and Keeley is the same as the distance between Harleen and Esmay.

Harleen sits 3 times further away from Esmay than she sits to Keeley.

Jovan sits at a spot that is equal distance from Harleen and Esmay.

1. If the distance between Harleen and Jovan is 10.5m, and the distance between Keeley and Harleen is 7m, what is the distance between Yuvraj and Esmay?

☐

36 m

☐

49 m

☒

53 m

☐

56 m

☐

61 m

0/1

Question Feedback:



If the distance between Harleen and Jovan is 10.5 m, then the distance between Jovan and Esmay must also be 10.5 m because Jovan sits at a spot that is equal distance from Harleen and Esmay.

Since the distance between Harleen and Esmay is $10.5 + 10.5 = 21$ m, the distance between Yuvraj and Keeley must also be 21 m as stated in the second paragraph of the stimulus.


We know that the distance between Harleen and Keeley = 7 m.

Thus, the distance between Yuvraj and Esmay is $21 + 7 + 21 = 49$ m.

Therefore, the answer is Option B.

17.

Shona has the following cards with a mix of fractions and decimals on them.



Shona arranges the cards in ascending order, increasing from left to right.

1. Which fraction or decimal is on the middle card?

0/1



$$\frac{1}{3}$$



0.15



$$1\frac{1}{5}$$



$$\frac{5}{8}$$



0.40

Question Feedback:

To make it easier, convert all fractions to decimals.

$$\begin{aligned}\frac{4}{5} &= 0.80 \\ \frac{1}{3} &= 0.33 \\ \frac{5}{8} &= 0.625 \\ 1\frac{1}{5} &= 1.20\end{aligned}$$

Ascending order:

0.15, 0.33, 0.40, 0.625, 0.80, 1.20, 1.25

The middle number is $0.625 = \frac{5}{8}$

Therefore, the answer is Option D.

18.

Sharna, Ella and Wade walk laps around their local park. They all have consistent lap times.

Sharna completes a lap every 2 minutes.

Ella completes a laps every 4 minutes.

Wade completes 5 laps every 15 minutes. He takes the same amount of time to complete each lap.

1. If Sharna, Ella, and Wade all start their first lap at the same time, how many minutes will pass before they meet at the starting line again?

1/1

☐

13.5 minutes

☒

12 minutes

☐

15 minutes

☐

18 minutes

☐

20 minutes

Question Feedback:

Sharna completes a lap every 2 minutes.

Ella completes a lap every 4 minutes.

Wade completes 5 laps every 15 minutes or 1 lap every $15 \div 5 = 3$ minutes

The lowest common multiple of 2, 4, and 3 is 12.

Thus, 12 minutes will pass before Sharna, Ella and Wade meet at the starting line again.

Therefore, the answer is Option B.

19.

Wallace and Ela weigh themselves together and the scale shows a reading of 147 kg. Wallace knows that he is 2 times heavier than Ela.

1. What is the difference between Wallace and Ela's weight?

☐

38 kg

☐

44 kg

☐

47 kg

☐

48 kg

☒

49 kg



Question Feedback:

Wallace is 2 times heavier than Ela, so their weight ratio is:

Wallace : Ela $\rightarrow$ 2 : 1

In total, there are $2 + 1 = 3$ parts.

1 part = $147 \text{ kg} \div 3 \text{ parts} = 49 \text{ kg}$.

2 parts = $49 \text{ kg} \times 2 = 98 \text{ kg}$ (Wallace's weight)

1 part = 49 kg = (Ela's weight)


Difference in weight = $98 \text{ kg} - 49 \text{ kg} = 49 \text{ kg}$.

1/1

Therefore, the answer is Option E.

20.

Find the perimeter of the grey shape below.



1. Answer:



74.6 cm



86.8 cm



92.3 cm




94.6 cm



102.3 cm

1/1

Question Feedback:



Note:

$$64 \text{ mm} = 6.4 \text{ cm}$$

$$30 \text{ mm} = 3.0 \text{ cm}$$

$$\text{Perimeter} = 12 \text{ cm} + 12 \text{ cm} + 12 \text{ cm} + 3.5 \text{ cm} + 6.4 \text{ cm} + 3.0 \text{ cm} + 6.4 \text{ cm} + 6.4 \text{ cm} +$$

$$\text{Perimeter} = 3.0 \text{ cm} + 6.4 \text{ cm} + 3.5 \text{ cm}$$


$$\text{Perimeter} = 74.6 \text{ cm}$$

Therefore, the answer is Option A.

21.

Chris is standing in a playground that has a compass drawn on the ground.

He is facing North.



He makes 3 half turns to his right.

He makes another 5 quarter turns to his left.

1. What direction is he facing now?

0/1



North



North-East



South-West



West



East



Question Feedback:

He starts at North.

3 half turns clockwise = 1 half turn clockwise → He faces South

5 quarter turns anticlockwise = 1 quarter turn anticlockwise → He faces East

Therefore, the answer is Option E.

22.

Mandy is measuring the weight of three different objects: a cube, a pyramid, and a sphere. The scale is faulty, and 2 items must be placed on the scale at one time. The following information is known:

The cube and pyramid weigh 569g together.

The sphere and cube weigh 227g together.

The pyramid and sphere weigh 520g together.

1. What is the total weight of the cube, pyramid, and sphere?

0/1



632 g



658 g



692 g



728 g



744 g

Question Feedback:

Cube + Pyramid = 569 g

Sphere + Cube = 227 g

Pyramid + Sphere = 520 g

Cube + Pyramid + Sphere + Cube + Pyramid + Sphere = 569 g + 227 g + 520 g = 1316 g.


Here, we can see that 2 cubes + 2 pyramids + 2 spheres weigh 1316 g.

Thus 1 cube + 1 pyramid + 1 sphere must weigh $1316 \text{ g} \div 2 = 658 \text{ g}$.

Therefore, the answer is Option B.

23.

Jeremy is writing up a budget for his business expenses. A graph of how much money he dedicates to each expense is shown below:



1/1

Expense	Amount (\$1000)
Rent	27
Electricity	13
Taxes	34
Overhead	?

1. Which of the following could replace the question mark?

☐

8

☐

12

☒

23

☐

37

☐

42

Question Feedback:

We are given a pie chart representing Jeremy's business expenses, and the dollar amounts for Rent (\$27,000), Electricity (\$13,000), and Taxes (\$34,000). The amount for Overhead is unknown.

Since it's a pie chart, the entire circle represents 100% of the total budget. We can estimate the overhead slice by visually comparing it to the others.

First, we calculate the total of known values:

Rent: 27

Electricity: 13

Taxes: 34

Total so far: $27 + 13 + 34 = 74$

Based on the visual size of the Overhead slice (almost a third of the pie), 23 seems most reasonable, as it brings the total close to 100 and the portion size fits well with the visual.

Therefore, the answer is Option C.

24.

Alex has written down his recipe for a chocolate milkshake below:

- 250 mL of milk
- 150 mL of chocolate syrup
- 100 g of ice cream
- 20 mL of sugar syrup

The recipe makes 1.5 servings of chocolate milkshake.

1. If Alex wants to make 25 servings of chocolate milkshake, how much chocolate syrup does Alex need?

☐

1.9 L

☐

2.1 L

☐

2.3 L

1/1

2.5 L



2.7 L

Question Feedback:

If 1.5 servings of chocolate milkshake require 150 mL of chocolate syrup, then 1 serving of chocolate milkshake requires $150 \div 1.5 = 100$ mL of chocolate syrup.


Thus, 25 servings of chocolate milkshake require $100 \times 25 = 2500$ mL or 2.5 L of chocolate syrup.

Therefore, the answer is Option D.

25.

Questions 25 to 28 refers to the following information.

The following line graph details the time and distance that Hettie travels by bicycle in a day.



0/1

1. How many kilometres did Hettie travel in total between 9 am to 12 pm?



12 km



14 km



16 km



18 km



20 km

Question Feedback:

From 9 am to 12 pm, Hettie travelled $2 + 10 = 12$ km.


Therefore, the answer is Option A.

26.

Questions 25 to 28 refers to the following information.

The following line graph details the time and distance that Hettie travels by bicycle in a day.

0/1



1. How long did Hettie have her bicycle stationary throughout the day?

☐

1 hour

☐

2 hours

☐

2.5 hours

☒

4 hours

☐

4.5 hours

Question Feedback:

Time when Hettie's bicycle was stationary:

10:00 am – 11:00 am (1 hour)

3:00 pm – 4:00 pm (1 hour)


Total time bicycle was stationary = 1 + 1 = 2 hours.

Therefore, the answer is Option B.

27.

Questions 25 to 28 refers to the following information.

The following line graph details the time and distance that Hettie travels by bicycle in a day.



0/1

1. From which of the following time periods did Hettie have an average speed of 9 km/h?

☐

9 am to 12 pm

☐

10 am to 1 pm

☐

11 am to 1 pm



☐

11 am to 2 pm

☒

1 pm to 5 pm



Question Feedback:


- (a) Speed 9:00 am – 12:00 pm = $\frac{2+0+10}{3} = \frac{12}{3} = 4$ km/h
 (b) Speed 10:00 am – 1:00 pm = $\frac{0+10+8}{3} = \frac{18}{3} = 6$ km/h
 (c) Speed 11:00 am – 1:00 pm = $\frac{10+8}{2} = \frac{18}{2} = 9$ km/h
 (d) Speed 11:00 am – 2:00 pm = $\frac{10+8+12}{3} = \frac{30}{3} = 10$ km/h
 (e) Speed 1:00 pm – 5:00 pm = $\frac{12+8+0+8}{4} = \frac{28}{4} = 7$ km/h

Therefore, the answer is Option C.

28.

Questions 25 to 28 refers to the following information.

The following line graph details the time and distance that Hettie travels by bicycle in a day.



1/1

1. What is Hettie's overall average speed for the whole day?

☐

2.5 km/h

☐

4 km/h

☐

5.5 km/h



6 km/h



9 km/h


Question Feedback:

$$\text{Average speed over whole day} = \frac{2+0+10+8+12+8+0+8}{8} = \frac{48}{8} = 6 \text{ km/h}$$

Therefore, the answer is Option D.


29.

The following shape is made out of identical squares.



The area of the shape is 48 cm².

The identical squares are taken apart and rearranged to form the following shape.



0/1

1. What is the perimeter of the new shape?



24 cm



48 cm



60 cm



72 cm



84 cm

Question Feedback:

Since a shape made of 12 identical squares has an area of 48 cm^2 , the area of each small square must be $48 \div 12 = 4 \text{ cm}^2$.

Since the area of a small square is 4 cm^2 , each side must be $\sqrt{4} = 2 \text{ cm}$.

Thus, the perimeter of the new shape must be $24 \times 2 = 48 \text{ cm}$.

Therefore, the answer is Option B.

30.

The shape on the left is rotated to create the shape on the right.



1. Which of the following could be a possible angle for the shape on the left to be rotated either clockwise or anti-clockwise to create the shape on the right?

1/1



90°



135°



180°



270°



285°

Question Feedback:

The shape can either be rotated 135° anti-clockwise or 225° clockwise.

Therefore, the answer is Option B.

31.

Nel's esky contains water so that it is $\frac{3}{8}$ full. Nel then pours 0.63 L into the esky and realises that the esky is $\frac{3}{4}$ full.

1. What is the maximum capacity of the esky?



1.49 L



1.55 L



1.62 L

1/1



1.68 L



1.82 L

Question Feedback:

$$\frac{3}{4} = \frac{6}{8}$$

Hence, $\frac{6}{8} - \frac{3}{8} = \frac{3}{8}$ is equivalent to 0.63 L

$$\frac{1}{8} \rightarrow 0.63 \text{ L} \div 3 = 0.21 \text{ L.}$$

$$\frac{8}{8} \rightarrow 0.21 \text{ L} \times 8 = 1.68 \text{ L (maximum capacity of the esky).}$$

Therefore, the answer is Option D.

32.

Bri walks to school at a pace of 3km/hr. Humphrey jogs to school at a pace of 4km/hr.

1. If Humphrey lives 2km further away from school than Bri, and they start at the same time, how long will it be before Humphrey catches up to Bri?



1 hour



1 hour and 40 minutes



2 hours



1/1

2 hours and 25 minutes

3 hours and 10 minutes

Question Feedback:

The relative speed (how much faster Humphrey is gaining on Bri) is:

$$4 \text{ km/h} - 3 \text{ km/h} = 1 \text{ km/h}$$

Since Humphrey starts 2 km behind, and gains 1 km every hour, it will take:


$$2\text{km} \div 1\text{km/h} = 2 \text{ hours}$$

Therefore, the answer is Option C.

33.

The following pie graph shows the different ages of visitors at a certain beach.

Number of Beach Visitors Categorised by Age



Some data on the proportion of each age group is missing

The following statements are made after analysing the graph:

1. 50% of visitors at this beach are between the ages of 21 and 40.
2. 25% of visitors at this beach are under 20 years old.
3. If there were 18 visitors that were above the age of 60 years old, then there were a total of 120 visitors.

1. Which of the above statement(s) is/are correct?



Statement 1



Statement 3



Statements 1 and 2



Statements 1 and 3



Statements 2 and 3



Question Feedback:

Statement 1: From the pie graph, there is less than 50% of visitors aged between 21 and 40 at the beach. This statement is incorrect.


Statement 2: The sector for visitors under 20 has an angle of 90° , meaning the sector represents 25% of the total pie chart. Thus, 25% of visitors at this beach are indeed under 20 years old. This statement is correct.

Statement 3: If there were 18 visitors that were above the age of 60 years old, then 15% would represent 18 visitors. Thus, 100% would represent $18 \div 0.15 = 120$ visitors. This statement is correct.

Therefore, the answer is Option E.

34.

Two triangles are shown on the protractor below. What is the value when both of the angles of the triangle are subtracted from 180° .



1/1

1. Answer:

☐

70°

☐

85°

☐

65°

☐

125°

☒

115°

**Question Feedback:**

Triangle A:

$$50^\circ - 20^\circ = 30^\circ$$

Triangle B:

$$160^\circ - 125^\circ = 35^\circ$$

$$\text{Total} = 30^\circ + 35^\circ = 65^\circ$$

$$180^\circ - 65^\circ = 115^\circ$$

Therefore, the answer is Option E.

35.

A cargo ship can hold a maximum of 1000 tonnes. It has red, blue, yellow and green cargo containers.

- There is triple the amount of red cargo containers than blue containers.
- The number of yellow containers is a third the number of green containers.
- There are double as many green containers as blue containers.

1. If this ship is holding its maximum weight, what is the percentage of yellow and green containers?

☐

25%

☐

30%

☒

40%

☐

55%

☐

65%

1/1

Question Feedback:

Let's assume the number of blue containers = x

Red = $3x$ (triple the blue)

Green = $2x$ (double the blue)

Yellow = $\frac{1}{3}$ of green = $\frac{1}{3} \times 2x = \frac{2x}{3}$

Total = $x + 3x + 2x + \frac{2x}{3} = 6x + \frac{2x}{3} = \frac{20x}{3}$

Set this equal to 1000:

$$\frac{20x}{3} = 1000 \rightarrow x = 150$$

Green = $2x = 300$, Yellow = $2x/3 = 100$

Yellow + Green = 400

$$\frac{400}{1000} \times 100\% = 40\%$$

Therefore, the answer is Option C.

CLOSE