

HTTP API Documentation

Sending sms without dynamic variables:

http://123.63.33.43/blank/sms/user/urlsmstemp.php?username=XXXXXX&pass=XXXXX&senderid=XXXX&dest_mobileneno=XXXXXX&tempid=XXXXXX&response=Y

Sending sms with dynamic variables:

http://123.63.33.43/blank/sms/user/urlsmstemp.php?username=XXXXXX&pass=XXXXX&senderid=XXXX&dest_mobileneno=XXXXXX&tempid=XXXXXX&F1=XXXXXX&F2=XXXXXX&F3=XXXXXX&response=Y

Checking Balance:

http://123.63.33.43/blank/sms/user/balance_check.php?username=XXXX&pass=XXXX

Changing Password:

http://123.63.33.43/blank/sms/user/change_password.php?username=XXXX&oldpassword=XXXX&newpassword=XXXX

Reports: <http://123.63.33.43/blank/sms/user/response.php? Scheduleid=XXXXX>

Parameter Name	Parameter Description
<USERNAME>	The username for the SMS Account
<PASSWORD>	The password for the SMS Account
<MOBILENUMBER>	The designation mobile number with or without +91 and 91
<F1,F2,F3>	Variable to be passed for Dynamic templates(F1,F2, F3 can be increased depending upon how many variables fields you are passing)
<SENDERID>	This field holds the header that will be displayed on the mobile phone.
<tempid>	Whenever a message is approved it will have a template Id(Only Numeric)
<MESSAGE>	The text message needs to be sent. The message should be URL encoded
<RESPONSE>	The default parameter is Y. This field returns the schedule id with date of SMS submission