

MY ATS PLATFORM

User Guide · May 2026

Spreadsheet Sync Step-by-Step Tutorial

Connect your OneDrive spreadsheet to automatically import and update candidate records — and push live ATS status back to your file.

Version 1.0 · For Admins & Recruiter Admins · My ATS Platform

Contents

1	What is Spreadsheet Sync?	Overview
2	Prerequisites & Access	Before you start
3	Navigate to the Provider	Step 1
4	Connect Your OneDrive Account	Step 2
5	Link the Spreadsheet File	Step 3
6	Run Your First Sync	Step 4
7	Review Sync Results	Step 5
8	Verify Sync by Searching Candidates	Step 6
9	What Gets Written Back to Excel	Reference
10	Required Spreadsheet Columns	Reference
11	Disconnecting & Reconnecting	Maintenance
12	Troubleshooting	Help



OVERVIEW

What is Spreadsheet Sync?

Spreadsheet Sync lets you connect a provider's existing Microsoft Excel file (stored in OneDrive or SharePoint) directly to the ATS platform. Once connected, you can run a sync at any time to:


↓ Import candidates

New rows in the spreadsheet are automatically created as candidates in the ATS. Existing candidates are updated with the latest data from Excel.

↑ Write back ATS status

After importing, the system writes current work status, pipeline stage, placement info, and welfare check results into four dedicated ATS columns in your spreadsheet.

How it works — at a glance



Access control

Only users with the

Admin

or

Recruiter Admin

role can connect OneDrive, configure the spreadsheet, and trigger syncs. Regular recruiter accounts can view sync logs but cannot initiate a sync.

**One spreadsheet per provider**

Each provider can have one connected spreadsheet. If a candidate's email already exists in the ATS under a different provider, that row will be skipped during sync.



BEFORE YOU START

Prerequisites & Access

Before running your first sync, make sure the following are in place:

- 1 Admin or Recruiter Admin role** — Your ATS account must have one of these roles. Check with your system administrator if unsure.
- 2 A provider record exists** — The employment service provider must already be created in the ATS (Providers list page). If not, an Admin can add it first.
- 3 Your spreadsheet is in OneDrive or SharePoint** — The Excel file must be stored in a Microsoft 365 OneDrive or SharePoint account that you have access to sign in with.
- 4 Required columns are present in the spreadsheet** — At minimum, your spreadsheet must have a header row containing `email` and `jobseeker` columns (exact names, case-insensitive). See the full column reference on page 9.
- 5 Sharing link for the file** — You will need a copy or share link to the Excel file from OneDrive. You can get this by right-clicking the file in OneDrive and selecting *Share* → *Copy link*.



Which Microsoft account to use?

Sign in with the Microsoft 365 account that owns (or has Editor access to) the spreadsheet. This is usually a work/school Microsoft account, not a personal outlook.com account.

Checklist at a glance

ITEM	WHERE TO FIND IT	STATUS
Admin / Recruiter Admin role	Your profile → role badge	☐
Provider record in ATS	Providers page	☐
Excel file in OneDrive / SharePoint	Your Microsoft 365 account	☐

ITEM	WHERE TO FIND IT	STATUS
email & jobseeker columns in row 1	Your spreadsheet header row	☐
OneDrive share link to the file	Right-click file → Share → Copy link	☐

1

STEP 1


Navigate to the Provider

Sync is configured per-provider. Start by opening the detail page for the provider whose spreadsheet you want to connect.

1 Log in to the ATS platform with your Admin or Recruiter Admin account.

2 Click **Providers** in the left navigation sidebar.

3 Find the provider in the list and click on their name to open their detail page.



The screenshot shows a web browser window with the address bar displaying 'localhost:5173/providers'. The page is divided into two main sections. On the left is a dark blue sidebar titled 'My ATS' containing a list of navigation items: 'Dashboard', 'Jobs', 'Candidates', 'Hiring Board', 'Providers ←' (which is highlighted with a blue background and a white left arrow), and 'Users'. The main content area on the right is titled 'Providers' and displays a list of three providers, each in a white card with a light blue border. The first card is for 'Aseana Care' with contact 'Jane Smith' and '12 candidates', and an 'Active' status in a green pill. The second card is for 'MaxSolutions Employment' with contact 'Tom Brown' and '8 candidates', also 'Active'. This card is highlighted with a light blue background and includes a blue link '← click here' next to the provider name. The third card is for 'WorkPath Services' with contact 'Sarah Lee' and '21 candidates', also 'Active'.

Provider Name	Contact	Candidates	Status
Aseana Care	Jane Smith	12	Active
MaxSolutions Employment ← click here	Tom Brown	8	Active
WorkPath Services	Sarah Lee	21	Active



Can't find the provider?

Use the search bar at the top of the Providers page. Type any part of the provider name, contact name, or email address to filter the list.

Once you click the provider name, you'll arrive at their **Provider Detail** page. Scroll down — the **Spreadsheet Sync** panel appears below the candidate list.

localhost:5173/providers/abc-123

← Providers

MaxSolutions Employment

Active · 8 candidates

[Provider info, stats, and candidate list shown here]

Spreadsheet Sync ← scroll down to here

● Not connected

Connect OneDrive


2

STEP 2

Connect Your OneDrive Account

The first time you set up sync for a provider, you need to authorise the ATS to access OneDrive on behalf of the provider's Microsoft account.

- 1 In the **Spreadsheet Sync** panel, click the **Connect OneDrive** button.
- 2 You will be redirected to the Microsoft login page in the same browser tab.
- 3 Sign in with the Microsoft 365 account that has access to the provider's Excel file.
- 4 On the permissions screen, review the requested permissions and click **Accept**.
- 5 You will be automatically redirected back to the Provider Detail page.




The screenshot shows a web browser window with the address bar displaying 'login.microsoftonline.com'. The main content area features a white card with a Microsoft logo icon at the top. Below the icon, the text reads 'Sign in to Microsoft'. Underneath, it says 'My ATS Platform is requesting access to your OneDrive files'. There is a text input field containing the email address 'jane@provider.org.au'. Below the input field is a blue button with the text '→ Next'. At the bottom of the card, the permissions requested are listed: 'Permissions requested: Files.ReadWrite, User.Read, offline_access'.



After successful connection

You'll be redirected back to the Provider Detail page. The Spreadsheet Sync panel will show a green connected dot and the Microsoft email address you used. A form will appear asking for the spreadsheet URL.



The screenshot shows a web browser window with the address bar displaying `localhost:5173/providers/abc-123?connected=true`. The main content area is titled "Spreadsheet Sync" and features a green status indicator and the text "Connected as jane@provider.org.au". Below this, there is a section titled "Paste your OneDrive spreadsheet URL" containing a text input field with the placeholder text `https://onedrive.live.com/...`. At the bottom of this section, there is a label "Sheet name:" followed by a text input field containing "Sheet1". To the right of these inputs is a blue button labeled "Save & Connect".



Pop-up blocked?

If your browser blocks the Microsoft login page, look for a pop-up blocked notification in the browser address bar and allow pop-ups for this site, then click

Connect OneDrive

again.

3

STEP 3

Link the Spreadsheet File

After OneDrive is connected, you need to tell the ATS *which* Excel file to sync. You do this by pasting a share link from OneDrive.

Getting the OneDrive link

- 1 Open OneDrive in a new browser tab and locate the Excel file.
- 2 Right-click (or click the three-dot menu) on the file.
- 3 Choose **Share** → then click **Copy link**.
- 4 Make sure the link is set to *Anyone with the link* or *People in your organisation* — not restricted to specific people only.



SharePoint links work too

If the file is stored in SharePoint, you can paste the SharePoint file URL directly. The system uses the same Microsoft Graph API to resolve both OneDrive and SharePoint links.

Saving the spreadsheet

- 6 In the ATS, paste the link into the **OneDrive spreadsheet URL** field.
- 7 If your data is not on the first sheet, update the **Sheet name** field (defaults to Sheet1).
- 8 Click **Save & Connect**.

localhost:5173/providers/abc-123

Spreadsheet Sync

● Connected as **jane@provider.org.au**

Paste your OneDrive spreadsheet URL

`https://1drv.ms/x/s!AjKlMnOpQrStUvWxYz123456`

Sheet name:

Save & Connect

✓ After clicking Save & Connect, the ATS resolves the link to the actual file ID. You'll see the panel update and a message: *"Spreadsheet connected. Run your first sync."*

✗ **Error: "Could not resolve OneDrive URL"**

This means the link is invalid or the signed-in Microsoft account doesn't have access to that file. Double-check the link and make sure the file sharing permissions allow access.

⚠ **Sheet name is case-sensitive**

The sheet name must exactly match the tab name in your Excel file. Sheet1 and sheet1 are different. Check the tab at the bottom of your Excel file.


4

STEP 4


Run Your First Sync

With OneDrive connected and the spreadsheet file saved, you're ready to sync. The sync process reads every data row in your spreadsheet and processes it in the ATS.

- 1 In the Spreadsheet Sync panel, click the **Sync Now** button.
- 2 The button shows a spinning indicator while the sync is in progress — this usually takes 5–30 seconds depending on the number of rows.
- 3 When complete, a green result banner appears with a summary of what changed.



After sync completes



✅ Sync complete — **5 created, 3 updated, 8 written back.**



When should I run sync?

Sync is manual — run it whenever your spreadsheet has been updated with new or changed jobseeker information. There is no automatic schedule; you control when syncs happen.



Don't navigate away during sync

The sync runs in the browser tab. If you close the tab or navigate away before it finishes, the sync will still complete on the server, but you won't see the result message. Check the sync history log for the outcome.

5

STEP 5

Review Sync Results

After each sync, the panel displays a history of the last five sync runs. Use this to verify what happened and catch any issues.

Understanding the result numbers

FIELD	WHAT IT MEANS
Created	Rows that did not exist in the ATS — new candidate records were created.
Updated	Rows already in the ATS — the candidate's name, phone, notes, and other fields were refreshed from the spreadsheet.
Written back	Rows where the ATS successfully wrote current status (work status, pipeline stage, placement, welfare check) back into the spreadsheet's ATS columns.
Skipped	Rows that were not processed — either no email AND no name/phone to generate a placeholder, or the email belongs to a candidate under a different provider.

Sync history log

localhost:5173/providers/abc-123

Spreadsheet Sync

RECENT SYNCs

✓

31 May 9:14 am — **5 created**, 3 updated, 8 written back

✓

30 May 2:05 pm — 0 created, 2 updated, 2 written back

✗

29 May 10:32 am — **Failed: Missing required column: "email"**

✓

28 May 4:17 pm — 12 created, 0 updated, 12 written back, **2 skipped**



Rows showing as Skipped?

A row is skipped if it has no email, no name, and no phone number (nothing to identify the person), OR if the email is already linked to a candidate under a different provider. Check those rows in your spreadsheet and add missing information.

What happens to candidates without an email address?

If a row has no email but does have a name or phone number, the system auto-generates a placeholder email in the format:

`firstname-lastname-0412345678@sync.local`

This ensures the candidate is still created in the ATS. You can update the email address on the Candidate Detail page later once you have it.

6


STEP 6

Verify Sync by Searching Candidates

After the sync completes, the best way to confirm everything worked correctly is to search for one of the candidates from your spreadsheet in the ATS Candidates page and review their profile.


How to search for a synced candidate

- 1 Click **Candidates** in the left navigation sidebar.
- 2 Type the candidate's name or email address into the **search bar** at the top of the page.
- 3 The list filters in real time — click the candidate's card to open their profile.



What to check on the Candidate Detail page

Open the candidate and verify the following fields match your spreadsheet:



John Doe

MaxSolutions Employment · Synced 31 May 2026, 9:14 am

EMAIL john.doe@email.com ✓	PHONE 0412 111 222 ✓
INTERESTED ROLE Warehouse ✓	TRANSPORT Car ✓
PROVIDER MaxSolutions Employment ✓	WORK STATUS job_seeking ✓
NOTES (FROM SPREADSHEET) Strong background in logistics. Available immediately. [EC: Jane Smith]	

6

STEP 6 (CONTINUED)

Verify Sync by Searching Candidates

Verification checklist

Use the table below as a quick checklist when spot-checking a synced candidate:

WHAT TO CHECK	WHERE TO FIND IT	EXPECTED RESULT
Candidate exists in ATS	Candidates page → search by name or email	Candidate card appears in search results
Name matches spreadsheet	Candidate Detail → top of profile	Same as the jobseeker column in Excel
Email address	Candidate Detail → Email field	Same as email column, or name-phone@sync.local if email was blank
Phone number	Candidate Detail → Phone field	Same as mobile column in Excel
Provider is linked	Candidate Detail → Provider field	Shows the correct provider name (e.g. MaxSolutions Employment)
Interested role / job type	Candidate Detail → Interested Job field	Same as ideal roles column
Transport type	Candidate Detail → Transport field	Car / Public Transport / Both, parsed from car or pt? column
Notes populated	Candidate Detail → Notes section	Contains experience comments and any EC/WV annotations from the spreadsheet
Wage subsidy info	Candidate Detail → Wage Subsidy fields	Parsed dollar amount and benchmark hours from the wage sub column

Verifying the ATS columns were written back to Excel

Open your Excel file in OneDrive and scroll to the right — you should see four new columns added (or updated) by the sync:



Columns to look for in your spreadsheet

Work Status (ATS) Pipeline Stage (ATS) Placement (ATS)

Welfare Check (ATS)

These will be blank for brand-new candidates (no applications or placements yet) and will populate as activity is recorded in the ATS.

What if the candidate is missing or has wrong data?

Candidate doesn't appear in search

Check the sync log — if the row was skipped (shown in the Skipped count), it means the row had no email, name, or phone. Go back to the spreadsheet, add the missing data, and run the sync again.

Candidate exists but is linked to a different provider

Open the candidate and check the Provider field. If it shows a different provider, the email address was already registered under that provider before this sync. The row will have been skipped — you'll need to reconcile the duplicate in the ATS manually.

Fields are blank or have old values

The sync updates candidates based on the current spreadsheet content. If the field is blank in Excel, it will be synced as blank. Check your spreadsheet row and ensure the data is filled in, then run the sync again.

Email shows as name-phone@sync.local

The spreadsheet row had no email address, so a placeholder was generated. You can edit the candidate in the ATS and update the email to the real address once you have it. The next sync will recognise the real email and update the record.



Spot-check tip

After a large sync (50+ rows), pick 3–5 candidates at random from different parts of the spreadsheet — one near the top, one in the middle, one near the bottom — and verify each one. This catches any column-mapping issues that affect a whole section of the file.



REFERENCE

What Gets Written Back to Excel

After importing candidates, the sync automatically adds (or updates) four ATS columns in your spreadsheet. These columns are created by the system if they don't already exist.

Column name added to spreadsheet	What it contains
Work Status (ATS)	The candidate's current work status in the ATS, e.g. <i>job_seeking</i> , <i>employed</i> , <i>placed</i> , <i>inactive</i> .
Pipeline Stage (ATS)	Their current stage in the most recent job application pipeline, e.g. <i>applied</i> , <i>screening</i> , <i>interview</i> , <i>offer</i> , <i>hired</i> .
Placement (ATS)	Employer name and placement start date for their most recent placement, e.g. <i>Aldi Supermarkets – 2026-04-14</i> .
Welfare Check (ATS)	The type of the most recent completed welfare check, e.g. <i>4-week</i> , <i>12-week</i> , <i>26-week</i> .

How the spreadsheet looks after sync

OneDrive – Jobseekers.xlsx					
email	jobseeker	mobile	ideal roles	car or pt?	Work Status (ATS)
john.doe@email.com	John Doe	0412 111 222	Warehouse	Car	placed
sara.lee@mail.au	Sara Lee	0423 333 444	Admin	PT	job_seeking
mike.t@work.com	Mike Tran	0434 555 666	Retail	Both	employed



Columns are created automatically

If the four ATS columns don't exist in your spreadsheet yet, the system creates them at the end of the existing columns the first time you run a sync. You don't need to add them manually.

**Do not rename or delete the ATS columns**

If you rename the four ATS columns, the next sync will treat them as missing and create new columns alongside them. The old (renamed) columns will be left as-is.



REFERENCE

Required Spreadsheet Columns

Your spreadsheet's first row must be a header row. The sync engine reads column names **case-insensitively** and maps them to candidate fields. Below is the full column reference.

Required columns

COLUMN NAME		MAPS TO	NOTES
email	REQUIRED	Candidate email	Used as the unique identifier. If missing, a placeholder is generated from name + phone.
jobseeker	REQUIRED	Candidate full name	The person's full name. Also used for the placeholder email if email is blank.

Recognised optional columns

COLUMN NAME		MAPS TO	NOTES
mobile	OPTIONAL	Phone number	Stored as-is. Also used in placeholder email generation.
ideal roles	OPTIONAL	Interested job type	Free-text field for preferred role or industry.
car or pt?	OPTIONAL	Transport type	Accepts: car, pt / public transport, or any combination for <i>both</i> .
wage sub – max \$ & hours	OPTIONAL	Wage subsidy details	Parses dollar amount (e.g. \$10,000) and hours (e.g. 520 hrs).
comments – experience, hours etc	OPTIONAL	Candidate notes	Free-text. Appended to the candidate's notes field.
ec	OPTIONAL	EC reference (notes)	Appended to notes as [EC: value].
please refer to (ec only)	OPTIONAL	EC refer note	Appended to notes as [EC Refer: value].

COLUMN NAME		MAPS TO	NOTES
comments (ec only)	OPTIONAL	EC comments	Appended to notes as [EC Comments: value].
have referred to (wv only)	OPTIONAL	WV refer note	Appended to notes as [WV Refer: value].
comments (wv only)	OPTIONAL	WV comments	Appended to notes as [WV Comments: value].



Extra columns are ignored

Any columns in your spreadsheet that aren't in the list above are simply ignored by the sync engine. You can have as many extra columns as you like without affecting the sync.




MAINTENANCE

Disconnecting & Reconnecting

How to disconnect OneDrive

If you need to remove the OneDrive connection for a provider (e.g. the account changed, or you need to connect a different file), click the **Disconnect** button in the Spreadsheet Sync panel.



What disconnecting does

Disconnecting removes the stored Microsoft OAuth tokens and the spreadsheet file link from the provider record.

It does not delete any candidate data

that was previously imported. You can reconnect at any time.

Reconnecting after a disconnect

After disconnecting, the panel returns to the *Not connected* state. Follow Steps 2–3 again to reconnect: click **Connect OneDrive**, sign in to Microsoft, then paste the spreadsheet URL.

Token expiry & automatic refresh

Microsoft OAuth access tokens expire after one hour. The ATS automatically refreshes the token before each sync run using the stored refresh token. You do not need to reconnect periodically.



Sync failed with a 401 Unauthorised error

If the refresh token itself has expired (which can happen if the token is unused for 90+ days, or if the Microsoft admin revoked access), you will see this error. Simply

disconnect and reconnect to generate fresh tokens.

Changing the spreadsheet or sheet name

If you move your data to a new Excel file or a different sheet tab:

- 1 Click **Disconnect** in the Sync panel.
- 2 Click **Connect OneDrive** and sign in again.
- 3 Paste the new spreadsheet URL and update the sheet name.
- 4 Click **Save & Connect**, then run a sync.



HELP

Troubleshooting

✗ "Provider spreadsheet not connected" error when I click Sync Now

OneDrive has been connected but no spreadsheet file has been saved yet. Go back to Step 3 and paste the OneDrive share link to configure the file.

✗ "Missing required column: email" or "Missing required column: jobseeker"

Your spreadsheet's header row (row 1) doesn't contain a column named `email` or `jobseeker`. Check the column names — they must match exactly (case doesn't matter, but spelling does). Rename the columns in Excel and run the sync again.

✗ "Spreadsheet is empty or has only a header row"

The Excel sheet has a header row but no data rows below it. Add at least one data row to the spreadsheet and sync again.

✗ "Could not resolve OneDrive URL — check the link is valid"

The share link you pasted doesn't resolve to an accessible file. Check: (1) the link is correct and not truncated; (2) the sharing is set to "Anyone with the link" or "People in your organisation"; (3) you're connected with the right Microsoft account.

⚠ Many rows are showing as Skipped

Rows are skipped for two reasons: (a) the row has no email, name, or phone — add the missing data; or (b) the email belongs to a candidate under a different provider — this is expected and cannot be overridden.

⚠ Candidates were created but their email looks like "john-smith-0412345678@sync.local"

These are placeholder emails auto-generated because the spreadsheet row had no email address. Update the candidate's real email address on their Candidate Detail page in the ATS once you have it.

 ATS columns were not written back to my spreadsheet

Check the sync log — if the sync shows rows written back as 0, it may be because the candidates have no applications, placements, or welfare checks yet. There's nothing to write back until activity is recorded in the ATS.

 Sync failed with "Graph GET error 401"

The Microsoft access token has expired and could not be refreshed. Disconnect and reconnect OneDrive from Step 2. This is typically caused by a long period of inactivity (90+ days without a sync) or an admin revocation of OAuth permissions.

 The "Connect OneDrive" and "Sync Now" buttons aren't visible

These buttons are only visible to Admin and Recruiter Admin users. If you don't see them, your account role doesn't have sufficient permissions. Contact your ATS administrator to update your role.