



INDO-MIM[®]
COMPLEXITY SIMPLIFIED

INDOMIM

INDIA
602105
9944849371

PROJECT DESCRIPTION

BG SNAP

CUS ID:
COM ID:
COM ASSET:
MACHINE LOCATION :
STATION NAME :
Year:

INDIA
BG SNAP ASSEMBLY 1
2026

Power Supply
Voltage
Frequency
Full-load Amperes
Largest Motor
Enclosure Type rating
Connection Power Total
Control Voltage

L+N+PE
230VAC
50HZ
114 A
400 W
IEC
24 KW
24VDC



INDO MIM

INDIA
602105
9944849371

Project Informations

Wire Color

Live Voltage AC	RED
Neutral Voltage AC	BLACK
Grounding Wire	YELLOW-GREEN
DC +24V	BROWN
DC -0V	BLUE
External Voltage	ORANGE
PLC Input	GREY
PLC Output	WHITE
Test Pulse	YELLOW

PUSHBUTTON COLOUR CODE

FERRULE	CABLE COLOUR
0-I:1	RED
0-I:2	BLUE
0-I:3	BLACK
0-I:4	BROWN
0-X:1	PINK
0-X:2	GREEN
0-X:3	YELLOW
0-X:4	GREY
0-I:13	WHITE
0-I:15	VIOLET
0-I:16	WHITE + GREEN
0-X:5	RED+BLUE
0-X:7	WHITE+YELLOW
0-X:8	BROWN+GREEN
1-I:1	YELLOW+BROWN
1-I:2	PINK+BROWN
1-X:1	WHITE+PINK
1-X:2	GREY+PINK


TOWER LAMP COLOUR CODE

FERRULE	COLOUR CODE
O1.2	GREEN
O1.3	BROWN
O1.4	YELLOW
O1.5	WHITE
S1-N24V1	GREY


FERRULE	COLOUR CODE
MEL	GREY
PEL	WHITE
ORG	YELLOW
POSITIVE	BROWN
NEGATIVE	GREEN

Full designation	Structure description
=INF	Project Information
=PWS	Power Supply 240VAC
=PWS24	Power Supply Control Voltage 24VDC
=EMS	Emergency Stop
=CTRL	Control Unit
=JB	Junction Box
=INT	Junction Box
+PI	Letter & Colour Codes
+SI	Structure Identifier
+MOV	Machine Overview/Layout
+TOP	Topology Overview
+DRAW	Drawings
+ICP1	Industrial Control Panel 1
+CD	Cable Duct
+BOM	Bill Of Materials

Full designation	
+PLCO	Project Information
=PWS	Power Supply 400VAC
=PWS24	Power Supply Control Voltage 24VDC
=EMS	Emergency Stop
=IPS	Input Station
=JB	Project Information
=INT	Junction Box
+PI	Letter & Colour Codes
+SI	Structure Identifier
+MOV	Machine Overview/Layout
+TOP	Topology Overview
+DRAW	Drawings
+ICP1	Industrial Control Panel 1
+CD	Cable Duct
+BOM	Bill Of Materials





TOP PANEL



SERVO DRIVE	APPLICATION
M1	SNAP MATERIAL TAKING X-AXIS
M2	SNAP MATERIAL TAKING Y-AXIS
M3	LH SCREW TAKING X-AXIS
M4	LH SCREW TAKING Y-AXIS
M5	LH SCREW TAKING Z-AXIS
M6	RH SCREW TAKING X-AXIS
M7	RH SCREW TAKING Y-AXIS
M8	RH SCREW TAKING Z-AXIS
M9	LH STATION FLIPPING MODULE Y-AXIS
M10	RH STATION FLIPPING MODULE Y-AXIS

RH SIDE VERTICAL






IPC


ETHERNET TCP/IP

MODBUS TCP/IP

ETHERCAT






TOP HORIZONTAL PANEL





INPUTS

OUTPUTS






INCOMING POWER
FOR MCB



TO IPC POWER
JUNCTION BOX



-V1
S8VK-C48024 (480W)
Input: AC (100-240V)
Output: 24V DC, 20A (480W)

-FS1
Fuse 4A JIGO 4A (10.3X38)

TO IO MASTER

-V2
S8VK-C48024 (480W)
Input: AC (100-240V)
Output: 24V DC, 20A (480W)


-FS2


SERVOS


-V3
S8VK-C48024 (120W)
Input: 100-240V AC
Output: 24V DC, 5A (120W)

-FS4

SAFETY PLC










SAFETY_PLC_CPUC200
FLX3-CPUC200 (Main Module)
-A1


TCP / 67.1





SICK



SICK









EMG PUSH BUTTON


RESET PUSH BUTTON

CYCLE START PB






ASSY-1 AGITO DRIVE



DRIVE STO



FROM ASSY-1 TO LOAD

FROM LOADING



FROM LOADING

FROM LOAD TO ASSY-1


GLOBE EMG RELAY WIRING
LOCATED IN LOADING

HARDWIRE HANDSHAKE


THIS RELAY IS LOCATED IN ASSY-1




THIS RELAY IS LOCATED IN LOADING



HARDWIRE HANDSHAKE




THIS RELAY IS LOCATED IN ASSY-2




FRONT SIDE TOP LH

FRONT SIDE TOP RH


FRONT SIDE BOTTOM LH




FRONT SIDE BOTTOM RH



BACK SIDE TOP LH



BACK SIDE TOP RH




BACK SIDE BOTTOM LH

BACK SIDE BOTTOM RH

ETHERCAT CONNECTION


FROM IPC








LH SCREW TAKING X-AXIS






LH SCREW TAKING Z-AXIS




RH SCREW TAKING X-AXIS








LH STATION FLIPPING MODULE Y-AXIS






TAKE SPRING INTEGRATED SHAFT Z1




TAKE SPRING INTEGRATED SHAFT U1




TOYO MOTOR-1

TAKE SPRING INTEGRATED SHAFT Z2




TAKE SPRING INTEGRATED SHAFT U2




TOYO MOTOR-2


1-AMAX 26-PIN CONNECTOR FOR Z1




CN5 36-PIN CONNECTOR FOR Z1




2-AMAX 26-PIN CONNECTOR FOR U1




CN5 36-PIN CONNECTOR FOR U1




3-AMAX 26-PIN CONNECTOR FOR Z2




CN5 36-PIN CONNECTOR FOR Z2




4-AMAX 26-PIN CONNECTOR FOR U2



CN5 36-PIN CONNECTOR FOR U2



MASTER 1



SLAVE 1

1-X1 / 57.3



V1-G-5M-PUR-V1-G

X1

X5

V1-G-5M-PUR-V1-G



77.3 / 1-X5

LEFT FASTER LEFT SCREW VACCUM 1

SLAVE 2

1-X2 / 57.8



V1-G-5M-PUR-V1-G

X2

X6

V1-G-5M-PUR-V1-G



77.6 / 1-X6

LEFT FASTER LEFT SCREW VACCUM 2

SLAVE 4

1-X3 / 57.8



V1-G-5M-PUR-V1-G

X3

X7

V1-G-5M-PUR-V1-G



77.9 / 1-X7

LEFT SNAP FLIPPING MODULE VACCUM

SLAVE 6

1-X4 / 58.8



V1-G-5M-PUR-V1-G

X4

X8

V1-G-5M-PUR-V1-G



/ 1-X8

SPARE

FROM IPC

67.1 / MD BUS



V1SD-G-GN5M-PUR-E1S-V45-G

X01


X02

V1SD-G-GN5M-PUR-E1S-VID-G



MD 1 / 55.2


MASTER 2



POWER CABLE COLOUR CODE FOR MASTER

CABLE COLOUR	PIN
BROWN	1
WHITE	2
BLUE	3
BLACK	4
PINK	5

MASTER 2




ICE1-8IOL-G60L-V1D
P+F.ICE1-8IOL-G60L-V1D

POWER CABLE COLOUR CODE FOR MASTER

CABLE COLOUR	PIN
BROWN	1
WHITE	2
BLUE	3
BLACK	4
PINK	5

MASTER 3



SNAP PICKING VACUUM 1

3-X1 / 78.6

3-X1

V1-G-5M-PUR-V1-G

V1-G-5M-PUR-V1-G

3-X5

68.4 / 3-X5

LEFT RFID READER

SNAP PICKING VACUUM 2

3-X2 / 78.9

3-X2

V1-G-5M-PUR-V1-G

V1-G-5M-PUR-V1-G

3-X6

68.4 / 3-X6

RIGHT RFID READER

SPARE

3-X3 /

3-X3

V1-G-5M-PUR-V1-G

V1-G-5M-PUR-V1-G

3-X7

/ 3-X7

SPARE

SPARE

3-X4 /

3-X4

V1-G-5M-PUR-V1-G

V1-G-5M-PUR-V1-G

3-X8


/ 3-X8

SPARE

FROM MASTER 2

55.7 / MD 2

V1SD-G-GN5M-PUR-E1S-VID-G




POWER CABLE COLOUR CODE FOR MASTER

CABLE COLOUR	PIN
BROWN	1
WHITE	2
BLUE	3
BLACK	4
PINK	5

POWER CABLE COLOUR CODE FOR SLAVE


CABLE COLOUR	PIN
BROWN	1
WHITE	2
BLUE	3
BLACK	4
PINK	5

SLAVE 1 LH SIDE
FOR ASSY 1




P+F.ICA-16DIO-G60AL-IO
ICA-16DIO-G60AL-IO
1

SLAVE 2 LH SIDE
FOR ASSY 1




P+F.ICA-16DIO-G60AL-IO
ICA-16DIO-G60AL-IO
1

SLAVE 3 RH SIDE
FOR ASSY 1



P+F.ICA-16DIO-G60AL-IO
ICA-16DIO-G60AL-IO
1

SLAVE 4 LH SIDE
FOR ASSY 1




P+F.ICA-16DIO-G60AL-IO
ICA-16DIO-G60AL-IO
1


POWER CABLE COLOUR CODE FOR SLAVE

CABLE COLOUR	PIN
BROWN	1
WHITE	2
BLUE	3
BLACK	4
PINK	5


SLAVE 5 RH SIDE
FOR ASSY 1




P+F.ICA-16DIO-G60AL-IO
ICA-16DIO-G60AL-IO
1




SLAVE 6 LH SIDE
FOR ASSY 1




P+F.ICA-16DIO-G60AL-IO
ICA-16DIO-G60AL-IO
1




SLAVE 7 RH SIDE
FOR ASSY 1




P+F.ICA-16DIO-G60AL-IO
ICA-16DIO-G60AL-IO
1




BASE PLATE MOUNTING NEAR TO THE CYCLE START DOOR




LH GANTRY BASE MOUNTING




RH GANTRY BASE MOUNTING




NEAR THE LH SCREW FEEDER BASE PLATE MOUNTING




NEAR THE RH SCREW FEEDER BASE PLATE MOUNTING




NEAR THE LH GANTRY BASE PLATE MOUNTING




NEAR THE RH GANTRY BASE PLATE MOUNTING





58812,xelity 8TX unmanaged switch 8 port 100 Mbit



RFID CONNECTION

PEPPERL FUCHS
IQT1-18GM-IO-V1



3-X5

3-X5 / 56.7

LEFT RFID READER

PEPPERL FUCHS
IQT1-18GM-IO-V1




3-X6

3-X6 / 56.7

RIGHT RFID READER


LH OPTICAL FIBER SENSOR 1 ANGLE

KEYENCE
OPTICAL AMBLIFIER




RH OPTICAL FIBER SENSOR 2 ANGLE

KEYENCE
OPTICAL AMBLIFIER




VTUX-A-P-IO5-R-SDBB-
US8J-XLRV4BRV4BXR




8 STACK VALVE MODULE

2-X7 → 2-X7 / 55.7 SOLENOID VALVE


LH SCREW GANTRY



RH SCREW GANTRY




SNAP GANTRY




SNAP FEEDER WIRING


YIG-FD-ST24-A




SNAP FEEDER



YIG-FD-ST24-A




SNAP FEEDER




SCREW FEEDER WIRING

DEPRAG Mini Screw Feeder_189x103x156



SCREW FEEDER

DEPRAG Mini Screw Feeder_189x103x156



SCREW FEEDER

SCPSI-10-G02-NC-M12-5



1-X5

1-X5 / 54.7

LEFT FASTNER LEFT SCREW VACUUM 1

SCPSI-10-G02-NC-M12-5



1-X6

1-X6 / 54.7

LEFT FASTNER EFT SCREW VACUUM 2

SCPSI-10-G02-NC-M12-5



1-X7

1-X7 / 54.7

LEFT SNAP FLIPPING MODULE VACUUM

SCPSI-10-G02-NC-M12-5




2-X4

2-X4 / 55.2

RIGHT FASTNER LEFT SCREW VACUUM 1

SCPSI-10-G02-NC-M12-5



2-X5

2-X5 / 55.7

RIGHT FASTNER LEFT SCREW VACUUM 2

SCPSI-10-G02-NC-M12-5



RIGHT SNAP FLIPPING MODULE VACUUM

SCPSI-10-G02-NC-M12-5



SNAP PICKING VACUUM 1

SCPSI-10-G02-NC-M12-5



SNAP PICKING VACUUM 2

QMC-21-10-HM4



1 → E-1 /

QMC-21-10-HM4



1 → E-2 /

QMC-21-10-HM4




→ E-3 /

QMC-21-10-HM4



→ E-4 /


MTF6000




17-000-5315 1/5

PIN DETAILS	
A	DIGITAL I/O
B	USB DEVICE
C	USB HOST
D	POWER
E	TOOL
F	ETHERNET
G	CONNECTION FOR ESD PROTECTIVE WRIST STRAP
H	VACCUM PUMP
I	FIELD BUS
J	COM
K	I/O BUS
L	AM MT


26 PIN SCREW DRIVE I/O SIG



26 PIN SCREW DRIVE I/O SIG



26 PIN SCREW DRIVE I/O SIG



26 PIN SCREW DRIVE I/O SIG

