


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | Login | 3 | 0 | 3 | 0 | 57.553 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|------------------------|---|---|---|---|----------|
| 1 | Login | Login Functionality | 3 | 3 | 0 | 0 | 29.568 s |
| 2 | Login | Register Functionality | 3 | 3 | 0 | 0 | 12.352 s |
| 3 | Login | Error Validation | 3 | 3 | 0 | 0 | 15.600 s |

DETAILED SECTION -- 4 --

(F)- Login

| FAILED | DURATION - 57.553 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|-----------|---|
| | | Total - 3 | | Total - 9 | |
| / 2:02:53.285 PM | 1 // 2:03:50.838 PM / | Pass - 0 | 3 | Pass - 9 | 9 |
| | | Fail - 3 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |


(S)- Login Functionality



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user navigates to the website | PASSED | 9.879 s |
| 2 | When User Click on Services | PASSED | 18.948 s |
| 3 | And close chrome driver | PASSED | 0.707 s |
| | AFTER - Stepdefn.hooktest.takeScraenshotOnFailure(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.10.0', revision: 'c1.4d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\DIVYAB~1.SAT\AppDa}, goog:chromeOptions: {debuggerAddress: localhost:50731}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50731/devtoo, se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316) at Stepdefn.hooktest.takeScraenshotOnFailure(hooktest.java:19) | | |
| | AFTER - Stepdefn.hooktest.tearDown() | FAILED | 0.015 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.10.0', revision: 'c144967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:UlsersIDIVYAB~1.SATVAppDa}, goog:chromeOptions: {debuggerAddress: localhost:50731}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50731/devtoo, se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:418) at Stepdefn.hooktest.tearDown(hooktest.java:27) | | |

(S)- Register Functionality




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user navigates to the website | PASSED | 7.047 s |
| 2 | When User Click on Contact us | PASSED | 4.692 s |
| 3 | And close chrome driver | PASSED | 0.612 s |
| | AFTER - Stepdefn.hooktest.takeScraenshotOnFailure(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | | |

DETAILED SECTION -- 6 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\DIVYAB-1.SAT\AppDa}, goog:chromeOptions: {debuggerAddress: localhost:50784}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50784/devtoo, se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:316) at Org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:316) at Stepdefn.hooktest.takeScraenshotOnFailure(hooktest.java:19) | | |
| | AFTER - Stepdefn.hooktest.tearDown() | FAILED | 0.000 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\DIVYAB~1.SAT\AppDa}, goog:chromeOptions: {debuggerAddress: localhost:50784}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50784/devtoo, se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:418) at Stepdefn.hooktest.tearDown(hooktest.java:27) | | |

DETAILED SECTION --- T

(S)- Error Validation



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user navigates to the website | PASSED | 7.267 s |
| 2 | When User validates Error Message | PASSED | 7.642 s |
| 3 | Then close chrome driver | PASSED | 0.691 s |
| | AFTER - Stepdefn.hooktest.takeScraenshotOnFailure(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\DIVYAB~1.SAT\AppDa}, goog:chromeOptions: {debuggerAddress: localhost:50829}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50829/devtoo, se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:316) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:316) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:316) | | |
| | AFTER - Stepdefn.hooktest.tearDown() | FAILED | 0.000 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\DIVYAB~1.SAT\AppDa}, goog:chromeOptions: {debuggerAddress: localhost:50829}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50829/devtoo, se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |

DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | webauthn:virtualAuthenticators: true} | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:418) | | |
| | at Stepdefn.hooktest.tearDown(hooktest.java:27) | | |