

FALL SEMESTER 2026 - 2027

Assessment 2

Test Date: 27/7/2026 (Monday)

REGISTER NO	NAME	Question No:
25BCA0007	NITHISH KUMAR B	3
25BCA0008	MOHAMMED ZAHID V	4
25BCA0017	LAKSHANYA S	1
25BCA0020	PRASAD AYUSH KUMAR RAMASHANKAR	2
25BCA0021	M MITHUN MADHUBAN	3
25BCA0029	AKSHAYA M	4
25BCA0030	SATHYA SHRI K	1
25BCA0038	MONIKA V	2
25BCA0040	B NIKITHA	3
25BCA0042	HARIKRISHNAN K	4
25BCA0043	ASHWINI S	1
25BCA0044	MOHAMMED LUQMAN A H	2
25BCA0051	KRISH YADAV	3
25BCA0056	JEEVITHA S	4
25BCA0057	MONISHREE K	1
25BCA0063	MOHANRAJ R	2
25BCA0064	JANANI A	3
25BCA0066	EZHIL KUMARAN M	4
25BCA0070	PRADHAP M	1
25BCA0072	BOLLINENI SAI KIRAN	2
25BCA0073	BHARATHWAJ V	3
25BCA0074	JAYASHREE S	4
25BCA0080	V TANUSHREE	1
25BCA0083	KEERTHILATHA S	2
25BCA0089	HARIHARAN R	3
25BCA0095	SRIVARSHAN P	4
25BCA0096	SINDHANA SRI B	1
25BCA0099	BATHRINATH P	2
25BCA0103	HARITHA VARSINI S	3
25BCA0105	DHIYANESHWAR S	4
25BCA0108	MONISHKUMAR R	1
25BCA0116	MONIKASHREE G	2
25BCA0119	NANDHIKA M	3
25BCA0122	VISHAL S	4
25BCA0123	RIYAZ AHAMED S	1

25BCA0125	VEDHAPRIYA P	2
25BCA0126	BHAKARE ARUN PRAKASH	3
25BCA0138	DARANESH P	4
25BCA0147	SRIMATHI N	1
25BCA0149	POOJAA V	2
25BCA0166	KAVIPRIYA M	3
25BCA0175	SUBASHINI S	4
25BCA0179	MADHUMITHA K	1
25BCA0186	SUREKA S	2
25BCA0188	NAVIYAPRIYA M	3
25BCA0189	MONISHA H	4
25BCA0190	KEERTHANA BABU	1
25BCA0198	SHIVA SUBRAMANI K	2
25BCA0199	KAVIYA SRI R	3
25BCA0200	PRAGATHEESH A R	4
25BCA0201	RATHNAKUMAR MAHITHA	1
25BCA0206	SANDHYA S	2
25BCA0210	LOKESH K	3
25BCA0211	SORNAMALINI V K	4
25BCA0213	ASWINI V	1
25BCA0217	KEERTHANA S M	2
25BCA0220	PRASHIDA V	3
25BCA0222	MONISHA R	4
25BCA0223	DAKSHARYA G	1
25BCA0227	DIVYA	2
25BCA0228	DHANUSH J	3
25BCA0240	SURENDER J	4
25BCA0241	VAISHNAVI S	1
25BCA0244	DHARSHINI T	2
25BCA0246	THRISHA K	3
25BCA0248	ILAYARAJA L	4

1. Write a Java program to process the results of students using a two-dimensional array. Each row represents a student, and each column represents the marks obtained in a subject. Calculate the total marks, average marks, and determine whether each student has passed or failed. A student passes only if he/she scores at least 40 marks in every subject.

Sample Input:

Enter the number of students: 2

Enter the number of subjects: 4

Enter the marks:

Student 1:

78 85 67 90

Student 2:

65 35 80 72

Sample output:

Student Result

Student 1

Total = 320

Average = 80.00

Result = Pass

Student 2

Total = 252

Average = 63.00

Result = Fail

2. A bank monitors the cash withdrawal activities of its Automated Teller Machines (ATMs) to analyze customer transaction patterns and improve cash management. The daily withdrawal amounts from different ATMs are stored in a two-dimensional array, where each row represents an ATM and each column represents the cash withdrawn on a particular day. Write a Java program to process the withdrawal data by calculating the total cash withdrawn from each ATM, the average daily withdrawal amount and identifying the ATM with the highest total withdrawal.

Sample Input:

Enter the number of ATMs: 3

Enter the number of days: 4

Enter the daily cash withdrawal amount (in Rs.):

ATM 1:

25000 30000 28000 32000

ATM 2:

20000 22000 24000 21000

ATM 3:

35000 33000 36000 34000

Sample output:

Daily Cash Withdrawal Report

ATM 1

Total Withdrawal = Rs. 115000

Average Daily Withdrawal = Rs. 28750.00

ATM 2

Total Withdrawal = Rs. 87000

Average Daily Withdrawal = Rs. 21750.00

ATM 3

Total Withdrawal = Rs. 138000

Average Daily Withdrawal = Rs. 34500.00

ATM with Highest Withdrawal = ATM 3

Highest Withdrawal Amount = Rs. 138000

3. The Meteorological Department maintains monthly rainfall records for several cities to analyze annual rainfall distribution. The rainfall values are stored in a two-dimensional array, with each row representing a city and each column representing the rainfall recorded in a particular month. Write a Java program to read the rainfall data, calculate the total and average rainfall for each city, determine the highest and lowest rainfall recorded by each city.

Sample Input:

Enter the number of cities: 3

Enter the number of months: 4

Enter rainfall data (in mm):

City 1:

120 150 100 130

City 2:

90 110 140 100

City 3:

200 180 220 190

Sample Output:

Rainfall Distribution Analysis

City 1

Total Rainfall = 500 mm

Average Rainfall = 125.00 mm

Maximum Rainfall = 150 mm

Minimum Rainfall = 100 mm

City 2

Total Rainfall = 440 mm

Average Rainfall = 110.00 mm

Maximum Rainfall = 140 mm

Minimum Rainfall = 90 mm

City 3

Total Rainfall = 790 mm

Average Rainfall = 197.50 mm

Maximum Rainfall = 220 mm

Minimum Rainfall = 180 mm

4. A retail company operates multiple branches and records the monthly sales of each branch to evaluate business performance. The sales data is stored in a two-dimensional array, where each row represents a branch and each column represents the sales recorded in a particular month. Write a Java program to read the sales data, calculate the total sales of each branch (row sum), and calculate the total sales for each month across all branches (column sum). Display the branch-wise and month-wise sales totals.

Sample Input:

Enter the number of branches: 3

Enter the number of months: 4

Enter the monthly sales:

Branch 1:

12000 15000 18000 17000

Branch 2:

10000 14000 16000 15000

Branch 3:

18000 20000 19000 21000

Sample Output:

Branch-wise Total Sales:

Branch 1 = 62000

Branch 2 = 55000

Branch 3 = 78000

Month-wise Total Sales:

Month 1 = 40000

Month 2 = 49000

Month 3 = 53000

Month 4 = 53000