The AI made up a number.

Data without a source (it appears in nothing the AI was given; check it before approving): 200

Local draft

```
f 1 # Traffic layer
  2
n 3 Template: yes
  4
t 5 New brick that draws traffic on the map from the city sensors. Maintai
  > team. Publishes the TrafficSnapshot contract.
```

Legends

Colors	Links
Added	(f)irst change

It wrote “200 ms”. That number was in none of its sources. Amanuense flagged it before anything was approved.

Swipe →

Docs fall behind.

The code changes. Confluence doesn't.

Ask an AI to catch it up and it fills gaps with numbers nobody gave it. They sound just as sure as the real ones.

Confluence vs. your drafts

Export pages at heading level 2. Full report: report.md. What changed and who: log.html.

- Update in Confluence: **1**
- Same title, no instructions: **0**
- Instructions without a target page: **0**
- Update in Confluence (renamed page): **0**
- Similar content under another title: **0**
- Duplicates in local: **0**
- Contradictions: **0**
- New in local: **1**
- Only in Confluence: **8**

Tasks (2/2 ready)

Folder	Page	State	
01-update-route-planner-deployment	Route Planner deployment	ready	TASK.md · CH CONFLUENCI
02-new-traffic-layer	Traffic layer	ready · check 1 unsourced item	TASK.md · CH CONFLUENCI

Give it the export and your drafts. It tells you which pages to update, which are new and which are duplicates.

Every change, line by line

Confluence today

```
1# Route Planner deployment
2
3Repository: route-planner.
4The service listens on port 8080.
```


```
 1# Route Planner deployment
 2
 3Repository: route-planner.
 4
 5| Setting | Value |
 6| --- | --- |
 7| Port | 8443 |
 8| ROUTE_TIMEOUT | Seconds the c
 9
10See the page "Route Planner con
11
12## Change log
13
14- Port 8080 → 8443.
15- New ROUTE_TIMEOUT variable.
```

Legends

Colors	Links
Added	(f)irst change
Changed	(n)ext change
Deleted	(t)op

Each page gets a task for whichever AI you use. Its proposal comes back as a diff against what is published.

No source?
It gets flagged.



Every figure is checked against what the AI was given. If it appears nowhere, you see it before you approve.

You approve.
You paste.

Route Planner deployment

Repository: route-planner.

Setting	Value
Port	8443
ROUTE_TIMEOUT	Seconds the computation waits before giving up (30 by default)

See the page "Route Planner contracts".

Change log

- Port 8080 → 8443.
- New ROUTE_TIMEOUT variable.

What you approve comes out ready to paste into Confluence.
Nothing publishes itself.

Who changed what

10-14 09:55	Workshop	Vidal	Traffic layer	proposal ready for review · CHANGES.html
2026-10-14 09:55	Request	Ana Ruiz	Weather Layer deployment	“Weather Layer data now refreshes every 5 minutes” **What:** data refresh from 15 to 5 minutes **Why:** the weather provider publishes every 5 minutes TASK.md

2026-10-09 11:20	Confluence	Luis Pardo	Route Planner overview	page changed
				
				“adds the walking and public transport modes”
				
				`+ Computes the shortest route by road, on foot or by public transport.`
				`- Computes the shortest route by road.`

2026-10-07 16:05	Code	Marta Gil		route-planner: feat: add ROUTE_TIMEOUT setting config/route_timeout.py **Review:** Route Planner deployment

Edits in Confluence, commits that leave a page out of date and requests from the team, in one log.

The whole space, in Obsidian

Route Planner contracts

Contracts published in the schema registry.

Subpáginas

- RouteRequest
- RouteResponse

One command turns the whole export into a vault you can read and link offline.

Your machine.
Your AI.
Your sign-off.

- Runs locally, on Linux and Windows.
- Claude, Codex, Gemini, Copilot or Ollama.
  Or no AI: paste the task into a chat.
- Nothing reaches Confluence until a
  person reviews it and pastes it.



amanuense

github.com/gitsual/amanuense

Open source · MIT licensed

The data and the AI answers in this demo are made up.
The workshop runs in English or Spanish.