

## planetmath.org

Math for the people, by the people.

## proof of Bendixson's negative criterion

 ${\bf Canonical\ name} \quad {\bf ProofOfBendixsonsNegativeCriterion}$ 

Date of creation 2013-03-22 13:31:07 Last modified on 2013-03-22 13:31:07

Owner Daume (40) Last modified by Daume (40)

Numerical id 5

Author Daume (40)

Entry type Proof

Classification msc 34C25

Suppose that there exists a periodic solution called  $\Gamma$  which has a period of T and lies in E. Let the interior of  $\Gamma$  be denoted by D. Then by Green's Theorem we can observe that

$$\iint_{D} \nabla \cdot \mathbf{f} \, dx \, dy = \iint_{D} \frac{\partial \mathbf{X}}{\partial x} + \frac{\partial \mathbf{Y}}{\partial y} \, dx \, dy$$
$$= \oint_{\Gamma} (\mathbf{X} \, dy - \mathbf{Y} \, dx)$$
$$= \int_{0}^{T} (\mathbf{X} \dot{y} - \mathbf{Y} \dot{x}) \, dt$$
$$= \int_{0}^{T} (\mathbf{X} \mathbf{Y} - \mathbf{Y} \mathbf{X}) \, dt$$
$$= 0$$

Since  $\nabla \cdot \mathbf{f}$  is not identically zero by hypothesis and is of one sign, the double integral on the left must be non zero and of that sign. This leads to a contradiction since the right hand side is equal to zero. Therefore there does not exists a periodic solution in the simply connected region E.