

planetmath.org

Math for the people, by the people.

Mazur-Ulam theorem

Canonical name MazurUlamTheorem
Date of creation 2013-03-22 16:22:50
Last modified on 2013-03-22 16:22:50

Owner yark (2760) Last modified by yark (2760)

Numerical id 12

Author yark (2760) Entry type Theorem Classification msc 46B04 **Theorem.** Every http://planetmath.org/Isometry between normed vector spaces over \mathbb{R} is an affine transformation.

Note that we consider isometries to be surjective by definition. The result is not in general true for non-surjective isometric mappings.

The result does not extend to normed vector spaces over \mathbb{C} , as can be seen from the fact that complex conjugation is an isometry $\mathbb{C} \to \mathbb{C}$ but is not affine over \mathbb{C} . (But complex conjugation is clearly affine over \mathbb{R} , and in general any normed vector space over \mathbb{C} can be considered as a normed vector space over \mathbb{R} , to which the theorem can be applied.)

This theorem was first proved by Mazur and Ulam.[?] A simpler proof has been given by Jussi Väisälä.[?]

References

- [1] S. Mazur and S. Ulam, Sur les transformations isométriques d'espaces vectoriels normés, C. R. Acad. Sci., Paris 194 (1932), 946–948.
- [2] Jussi Väisälä, A proof of the Mazur-Ulam theorem, Amer. Math. Mon. 110, #7 (2003), 633-635. (A preprint is http://www.helsinki.fi/%7Ejvaisala/mazurulam.pdfavailable on Väisälä's website.)