

planetmath.org

Math for the people, by the people.

state space is non-empty

Canonical name StateSpaceIsNonempty
Date of creation 2013-03-22 17:45:14
Last modified on 2013-03-22 17:45:14
Owner asteroid (17536)
Last modified by asteroid (17536)

Numerical id 14

Author asteroid (17536)

Entry type Theorem Classification msc 46L30 Classification msc 46L05 In this entry we prove the existence of states for every $http://planetmath.org/CALgebraC^*$ -algebra.

Theorem - Let \mathcal{A} be a C^* -algebra. For every http://planetmath.org/InvolutaryRingself-adjoint element $a \in \mathcal{A}$ there exists a state ψ on \mathcal{A} such that $|\psi(a)| = ||a||$.

Proof: We first consider the case where \mathcal{A} is http://planetmath.org/Ringunital, with identity element e.

Let \mathcal{B} be the C^* -subalgebra generated by a and e. Since a is self-adjoint, \mathcal{B} is a comutative C^* -algebra with identity element.

Thus, by the Gelfand-Naimark theorem, \mathcal{B} is isomorphic to C(X), the space of continuous functions $X \longrightarrow \mathbb{C}$ for some compact set X.

Regarding a as an element of C(X), a attains a maximum at a point $x_0 \in X$, since X is compact. Hence, $||a|| = |a(x_0)|$.

The evaluation function at x_0 ,

$$ev_{x_0}: C(X) \longrightarrow \mathbb{C}$$

 $ev_{x_0}(f) := f(x_0)$

is a multiplicative linear functional of C(X). Hence, $||ev_{x_0}|| = 1$ and also $||ev_{x_0}(a)|| = ||a(x_0)|| = ||a||$.

We can now extend ev_{x_0} to a linear functional ψ on \mathcal{A} such that $\|\psi\| = \|ev_{x_0}\| = 1$, using the Hahn-Banach theorem.

Also, $\psi(e) = ev_{x_0}(e) = 1$ and so ψ is a norm one positive linear functional, i.e. ψ is a state on \mathcal{A} .

Of course, ψ is such that $|\psi(a)| = |ev_{x_0}(a)| = ||a||$.

In case \mathcal{A} does not have an identity element we can consider its minimal unitization $\widetilde{\mathcal{A}}$. By the preceding there is a state $\widetilde{\psi}$ on $\widetilde{\mathcal{A}}$ satisfying the required . Now, we just need to take the http://planetmath.org/RestrictionOfAFunctionrestriction $\widetilde{\psi}$ to \mathcal{A} and this restriction is a state in \mathcal{A} satisfying the required . \square