

planetmath.org

Math for the people, by the people.

Poincaré duality

Canonical name PoincareDuality
Date of creation 2013-03-22 13:11:36
Last modified on 2013-03-22 13:11:36
Owner mathcam (2727)
Last modified by mathcam (2727)

Numerical id 10

Author mathcam (2727)

Entry type Theorem Classification msc 55M05

Synonym Poincaré isomorphism Related topic DualityInMathematics If M is a compact, oriented, n-dimensional manifold, then there is a canonical (though non-http://planetmath.org/NaturalTransformationnatural) isomorphism

$$D: H^q(M,\mathbb{Z}) \to H_{n-q}(M,\mathbb{Z})$$

(where $H^k(M,\mathbb{Z})$ is the kth homology group of M with integer coefficients and $H_k(M,\mathbb{Z})$ the kth http://planetmath.org/DeRhamCohomologycohomology group) for all q, which is given by cap product with a generator of $H_n(M,\mathbb{Z})$ (a choice of a generator here corresponds to an orientation). This isomorphism exists with coefficients in $\mathbb{Z}/2\mathbb{Z}$ regardless of orientation.

This isomorphism gives a nice interpretation to cup product. If X, Y are transverse submanifolds of M, then $X \cap Y$ is also a submanifold. All of these submanifolds represent homology classes of M in the appropriate dimensions, and

$$D^{-1}([X]) \cup D^{-1}([Y]) = D^{-1}([X \cap Y]),$$

where \cup is cup product, and \cap in intersection, not cap product.