
# Large scale TFWC Sim (2)



• number of sources: 1, 2, 4, 10, 20, 40, 80, 100

• access link speed: 50 Mbps

• bottleneck link speed: .1, .2, .4, .8, 1.6, 3.2, 6.4, 12.8, 25.6, 50

• DropTail with reverse traffic

## uakari


- uakari-01 (TCP/TFRC), uakari-02 (TCP/TFWC)
  - min access link delay: .5 (ms)
  - max access link delay: 2.0 (ms)
  - bottleneck link delay: 10 (ms)
  - RTT: roughly 22.5 (ms)

### wombat

- wombat-05 (TCP/TFRC), wombat-06 (TCP/TFWC)
  - min access link delay: 1 (ms)
  - max access link delay: 10 (ms)
  - bottleneck link delay: 50 (ms)
  - RTT: roughly 111 (ms)

- saleem-04-1 (TCP/TFRC), saleem-04-2 (TCP/TFWC)
  - min access link delay: .05 (ms)
  - max access link delay: .2 (ms)
  - bottleneck link delay: 1 (ms)
  - RTT: roughly 2.25 (ms)

# Large scale TFWC Sim (3)



- number of sources: 1, 2, 4, 10, 20, 40, 80, 100
- access link speed: 50 Mbps
- bottleneck link speed: .1, .2, .4, .8, 1.6, 3.2, 6.4, 12.8, 25.6, 50
- RED without reverse traffic

- saleem-04-1 (TCP/TFRC), saleem-04-2 (TCP/TFWC)
  - min access link delay: .5 (ms)
  - max access link delay: 2 (ms)
  - bottleneck link delay: 10 (ms)
  - RTT: roughly 22.5 (ms)

- saleem-06-1 (TCP/TFRC), saleem-06-2 (TCP/TFWC)
  - min access link delay: 1 (ms)
  - max access link delay: 10 (ms)
  - bottleneck link delay: 50 (ms)
  - RTT: roughly 111 (ms)

- saleem-07-1 (TCP/TFRC), saleem-07-2 (TCP/TFWC)
  - min access link delay: .05 (ms)
  - max access link delay: .2 (ms)
  - bottleneck link delay: 1 (ms)
  - RTT: roughly 2.25 (ms)