

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	TMC_GIT	GENERATION DATE	Sep 8, 2021, 4:19:45 PM
AUTHOR	rehman, nagma	Talend Cloud VERSION	7.3.1.20210723_0711-patch

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	TMC_GIT
Language	java

Description	testing talend cloud	

Description

Properties	Values
Name	Video_Viewers_Watch_Results_Log_Filter
Author	rehman, nagma
Version	0.1
Purpose	Main job with movie streaming consumption use case
Status	
Description	This Job connects to Dropbox, downloads, reads and filters a log .csv file and then writes the results back to Dropbox. The following parameters are required: ## Connection Parameter - *connection_dropbox_access_token*: access token of the Dropbox account ## General Parameters - *parameter_download_path*: path of the file to be downloaded from Dropbox - *parameter_percent_to_pay_views*: percentage of movie watched above which royalties are due - *parameter_upload_path*: path of the folder on Dropbox
Creation	Sep 29, 2014, 1:55:55 PM
Modification	Sep 6, 2021, 11:47:07 AM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false

Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value
parameter_download_path	parameter_download_path?	false	id_String	/Streaming
parameter_percent_to_pay_views	parameter_percent_to_pay_views?	false	id_Float	0.2
parameter_upload_path	parameter_upload_path?	false	id_String	/Streaming
connection_dropbox_access_token	connection_dropbox_access_token?	false	id_String	VkXELD3J

ContextDev

Name	Prompt	Need Prompt?	Туре	Value
parameter_download_path	parameter_download_path?	false	id_String	/Streaming
parameter_percent_to_pay_views	parameter_percent_to_pay_views?	false	id_Float	0.2
parameter_upload_path	parameter_upload_path?	false	id_String	/Streaming
connection_dropbox_access_token	connection_dropbox_access_token?	false	id_String	VkXELD3J

ContextProd

Name	Prompt	Need Prompt?	Туре	Value
parameter_download_path	parameter_download_path?	false	id_String	/Streaming
parameter_percent_to_pay_views	parameter_percent_to_pay_views?	false	id_Float	0.2
parameter_upload_path	parameter_upload_path?	false	id_String	/Streaming
connection_dropbox_access_token	connection_dropbox_access_token?	false	id_String	VkXELD3J

Component List

Component Name	Component Type
tDropboxConnection_1	tDropboxConnection

tDropboxGet_1	tDropboxGet
tDropboxPut_1	tDropboxPut
tFileInputDelimited_1	tFileInputDelimited
tFileOutputDelimited_1	tFileOutputDelimited
tFileOutputDelimited_2	tFileOutputDelimited
tFilterRow_3	tFilterRow
tFlowToIterate_1	tFlowToIterate
tJavaFlex_1	tJavaFlex
tJavaFlex_2	tJavaFlex
tMap_1	tMap

Components Description

Component tDropboxConnection

	UNIQUE NAME	tDropboxConnection_1	INPUT(S)	tJavaFlex_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tDropboxGet_1

Properties	Values
Unique Name	tDropboxConnection_1

Component Name	tDropboxConnection
Version	0.102 (ALPHA)
Family	Cloud/Dropbox
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDropboxConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\731\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Access Token	context.connection_dropbox_access_token
Use HTTP Proxy	false
Proxy Host	"192.20.1.160"

г

Proxy Port	1090
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tDropboxGet

**	UNIQUE NAME	tDropboxGet_1	INPUT(S)	tDropboxConnection_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFlowToIterate_1

bomponent i diameters.		
Properties	Values	
Unique Name	tDropboxGet_1	
Component Name	tDropboxGet	
Version	0.102 (ALPHA)	
Family	Cloud/Dropbox	
Start	false	
Startable	true	
SUBTREE_START	true	

END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDropboxGet
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\731\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use Existing Connection	true
CONNECTION	tDropboxConnection_1
Access Token	""
Use HTTP Proxy	false
Proxy Host	"127.0.0.1"
Proxy Port	8087
Path	context.parameter_download_path
Save As File	false
Save To	111

REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDropboxGet_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
fileName	false	String			true	
content	false	Object			true	

Original Function Parameters: Component tDropboxPut

	UNIQUE NAME	tDropboxPut_1	INPUT(S)	tJavaFlex_2
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Ouriporient i diameters.		
Properties	Values	
Unique Name	tDropboxPut_1	
Component Name	tDropboxPut	

	0.102 (ALPHA)
Family	
	Cloud/Dropbox
Start f	false
Startable t	true
SUBTREE_START f	false
END_OF_FLOW t	true
Activate t	true
DUMMY f	false
tStatCatcher Statistics f	false
Help c	org.talend.help.tDropboxPut
Update components t	true
IREPORT_PATH	
JAVA_LIBRARY_PATH (C:\Talend\731\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution f	false
Number of parallel executions 2	2
PARALLELIZE_KEEP_EMPTY f	false
Use Existing Connection t	true
CONNECTION t	tDropboxConnection_1
Access Token "	111
Use HTTP Proxy f	false

Proxy Host	"127.0.0.1"		
Proxy Port	8087		
Path(File Only)	context.parameter_upload_path		
Rename if Existing	false		
Replace if Existing	true		
Update specified Revision	false		
Revision	11.1		
Upload Incoming content as File	true		
Upload Local File	false		
Expose As OutputStream	false		
File	"C:/Talend/6.2.1/studio/workspace/success.csv"		
REPOSITORY_ALLOW_AUTO_SWITTEH			
Schema	Built-In		
Label format	UNIQUE_NAME		
Hint format	UNIQUE_NAME COMMENT		
Connection format	row		
Show Information	false		
Comment			
Use an existing validation rule	false		
Validation Rule Type			

Schema for tDropboxPut_1 :

co	ontent fa	alse	Object			true	
----	-----------	------	--------	--	--	------	--

Original Function Parameters: Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	tFlowToIterate_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMap_1

Component Parameters:				
Values				
tFileInputDelimited_1				
tFileInputDelimited				
0.102 (ALPHA)				
File/Input				
false				
true				
false				
false				
true				
false				
false				
org.talend.help.tFileInputDelimited				
true				

JAVA_LIBRARY_PATH	C:\Talend\731\studio\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Property Type	Built-In	
REPOSITORY_ALLOW_AUTO_SV	MITEH	
Schema	Built-In	
File name/Stream	((Object)globalMap.get("row1.content"))	
CSV options	true	
Row Separator	"\n"	
CSV Row Separator	"\n"	
Field Separator	"-"	
Escape char		
Text enclosure	"""	
Header	1	
Footer	0	
Limit		
Skip empty rows	true	
Uncompress as zip file	false	
Die on error	false	

Schema	Built-In
Temporary directory	"C:/Talend/6.2.1/studio/workspace"
Advanced separator (for numbers)	false
Thousands separator) II II
Decimal separator	n n
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=customerId, TRIM=false}, {SCHEMA_COLUMN=movieID, TRIM=false}, {SCHEMA_COLUMN=movieDurationMinutes, TRIM=false}, {SCHEMA_COLUMN=MinutesWatched, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"ISO-8859-15"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false
Decode table	[{SCHEMA_COLUMN=customerId, DECODE=false}, {SCHEMA_COLUMN=movieID, DECODE=false}, {SCHEMA_COLUMN=movieDurationMinutes, DECODE=false}, {SCHEMA_COLUMN=MinutesWatched, DECODE=false}]
Destination	
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
customerId	false	Integer	4		true	
movieID	false	Integer	4		true	
movieDurationMinutes	false	Integer	3		true	
MinutesWatched	false	Integer	3		true	

Original Function Parameters: Component tFileOutputDelimited

•	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tFilterRow_3
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

oomponent i alameters.			
Properties	Values		
Unique Name	tFileOutputDelimited_1		
Component Name	tFileOutputDelimited		
Version	0.101 (ALPHA)		

Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\731\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"C:/Temp/rejectVideo.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true

CSV Row Separator	"\n"
Field Separator	"." ,
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SV	ALTIEH
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	" " ,
Decimal separator	n n
CSV options	false
Escape char	11.11
Text enclosure	пин
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false

Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
customerId	false	Integer	2		true	
movieID	false	Integer	4		true	
movieDurationMinutes	false	Integer	3		true	
PercentWatched	false	float	2		false	
errorMessage	false	String	255		true	

Original Function Parameters: Component tFileOutputDelimited

* ;	UNIQUE NAME	tFileOutputDelimited_2	INPUT(S)	tFilterRow_3
	LABEL	UNIQUE_NAME	OUTPUT(S)	tJavaFlex_2

_

Output Stream	((java.io.OutputStream)globalMap.get("excel_output_stream"))
File Name	"C:/Talend/6.2.1/studio/workspace/success.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	.
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
CSV options	false
Escape char	nnn
Text enclosure	"""
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1

Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <_COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
customerId	false	Integer	2		true	
movieID	false	Integer	4		true	
movieDurationMinutes	false	Integer	3		true	
PercentWatched	false	float	2		false	

Original Function Parameters: Component tFilterRow

_	UNIQUE NAME	tFilterRow_3	INPUT(S)	tMap_1	
				tFileOutputDelimited_2	
	LABEL	UNIQUE_NAME	OUTPUT(S)	, tFileOutputDelimited_1	

Component Parameters:				
Properties	Values			
Unique Name	tFilterRow_3			
Component Name	tFilterRow			
Version	0.102 (ALPHA)			
Family	Processing			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tFilterRow			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Talend\731\studio\configuration\lib\java			
Subjob color				
Title color				
Enable parallel execution	false			

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	MITEH
Schema	Built-In
Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	[{INPUT_COLUMN=PercentWatched, FUNCTION=Math.abs(\$source) \$operator \$target, OPERATOR=>, RVALUE=context.parameter_percent_to_pay_views}]
Use advanced mode	false
Advanced	// code sample : use input_row to define the condition. // input_row.columnName1.equals("foo") !(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2)
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
customerId	false	Integer	2		true	

movieID	false	Integer	4	true	
movieDurationMinutes	false	Integer	3	true	
PercentWatched	false	float	2	false	

Original Function Parameters: Component tFlowTolterate

 UNIQUE NAME	tFlowToIterate_1	INPUT(S)	tDropboxGet_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileInputDelimited_1

Component Parameters:			
Properties	Values		
Unique Name	tFlowTolterate_1		
Component Name	tFlowTolterate		
Version	0.101 (ALPHA)		
Family	Orchestration		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tFlowToIterate		
Update components	true		
L	· · · · · · · · · · · · · · · · · · ·		

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\731\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use the default (key, value) in global variables.	true
Customize	
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowTolterate_1 :

Length Precision Nullable Comment	Precision	Length	Туре	Key	Column
-----------------------------------	-----------	--------	------	-----	--------

Original Function Parameters: Component tJavaFlex

UNIQUE tJavaFlex_1 INF	T(S) none
------------------------	-----------

LABEL	UNIQUE_NAME_	OUTPUT(S)	tDropboxConnection_1	
-------	--------------	-----------	----------------------	--

Component Parameters	•
Properties	Values
Unique Name	tJavaFlex_1
Component Name	tJavaFlex
Version	0.101 (ALPHA)
Family	Custom_Code
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaFlex
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\731\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Data Auto Propagate	true
Start code	// start part of your Java code
Main code	// here is the main part of the component, // a piece of code executed in the row // loop java.io.OutputStream excel_out = new java.io.ByteArrayOutputStream(); globalMap.put("excel_output_stream", excel_out);
End code	// end of the component, outside/closing the loop
TOS2.0	false
TOS3.2	false
TOS4.0	true
Import	//import java.util.List;
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaFlex_1 :

Original Function Parameters: Component tJavaFlex

_ 400	UNIQUE NAME	tJavaFlex_2	INPUT(S)	tFileOutputDelimited_2	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tDropboxPut_1	

Component Parameters:	
Properties	Values
Unique Name	tJavaFlex_2
Component Name	tJavaFlex
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaFlex
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\731\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_S	WHTEH
Schema	Built-In
Data Auto Propagate	true
Start code	// start part of your Java code
Main code	// here is the main part of the component, // a piece of code executed in the row // loop java.io.ByteArrayOutputStream baos = (java.io.ByteArrayOutputStream) globalMap.get("excel_output_stream"); baos.flush(); java.io.ByteArrayInputStream bais = new java.io.ByteArrayInputStream(baos.toByteArray()); row4.content = bais;
End code	// end of the component, outside/closing the loop
TOS2.0	false
TOS3.2	false
TOS4.0	true
Import	//import java.util.List;
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaFlex_2 :

Column	Key	Туре	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

content	false	Object		true	

Original Function Parameters: Component tMap

-N.A.	UNIQUE NAME	tMap_1	INPUT(S)	tFileInputDelimited_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFilterRow_3

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper	table	Prop	ertie	es(row	2):

mapper table i reperties (16WZ).				
Properties	Values			
Name	row2			
Matching-mode	UNIQUE_MATCH			
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(row2):

	55(: 5 :: 2):		
Name	Туре	Expression	isNullable
customerId	Integer		true
movieID	Integer		true
movieDurationMinutes	Integer		true
MinutesWatched	Integer		true

Constraint Table Entries(row2):

Name	Туре	Expression	isNullable

Mapper table for tMap_1 (output):

Mapper table Properties (PercentOut):

mapper table i reperties (i secure at).				
Properties	Values			
Name	PercentOut			
Matching-mode				
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(PercentOut):

Name	Туре	Expression	isNullable
customerId	Integer	row2.customerId	true
movieID	Integer	row2.movieID	true
movieDurationMinutes	Integer	row2.movieDurationMinutes	true
PercentWatched		(float)row2.MinutesWatched / (float)row2.movieDurationMinutes	false

Constraint Table Entries(PercentOut):

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

mapper table i reperties (tai):				
Properties	Values			
Name	Var			
Matching-mode				
isMinimized	true			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable