

Red Hat Lightspeed 1-latest

Release notes

Release Notes for Red Hat Lightspeed

Last Updated: 2026-09-14

Red Hat Lightspeed 1-latest Release notes

Release Notes for Red Hat Lightspeed

Legal Notice

Copyright © Red Hat.

Except as otherwise noted below, the text of and illustrations in this documentation are licensed by Red Hat under the Creative Commons Attribution–Share Alike 3.0 Unported license . If you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, the Red Hat logo, JBoss, Hibernate, and RHCE are trademarks or registered trademarks of Red Hat, LLC. or its subsidiaries in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

XFS is a trademark or registered trademark of Hewlett Packard Enterprise Development LP or its subsidiaries in the United States and other countries.

The OpenStack ® Word Mark and OpenStack logo are trademarks or registered trademarks of the Linux Foundation, used under license.

All other trademarks are the property of their respective owners.

Abstract

These release notes highlight the latest features and improvements implemented in the Red Hat Lightspeed application and services.

Table of Contents

CHAPTER 1. ABOUT RED HAT LIGHTSPEED 4

CHAPTER 2. AUGUST 2026 5
2.1. PRODUCT-WIDE UPDATES 5
2.2. RED HAT ENTERPRISE LINUX UPDATES 5
2.2.1. General 5
2.2.2. Inventory 5
2.2.3. Tasks 6
2.2.4. Image builder 6
2.2.5. Malware Detection 6
2.2.6. Planning 6

CHAPTER 3. JULY 2026 8
3.1. PRODUCT-WIDE UPDATES 8
3.2. RED HAT ENTERPRISE LINUX UPDATES 8
3.2.1. Inventory 8
3.2.2. Remediations 8
3.2.3. Planning 8

CHAPTER 4. JUNE 2026 10
4.1. PRODUCT-WIDE UPDATES 10
4.2. RED HAT ENTERPRISE LINUX UPDATES 10
4.2.1. Inventory 10
4.2.2. Remediations 11
4.2.3. Subscriptions 11
4.2.4. Planning 11

CHAPTER 5. MAY 2026 12
5.1. PRODUCT-WIDE UPDATES 12
5.2. RED HAT ENTERPRISE LINUX UPDATES 12
5.2.1. Inventory 12
5.2.2. Patch / Content 13
5.2.3. Planning 13
5.3. OPENSHIFT CONTAINER PLATFORM UPDATES 13
5.3.1. Advisor 13
5.3.2. Cost management 13

CHAPTER 6. APRIL 2026 16
6.1. PRODUCT-WIDE UPDATES 16
6.2. RED HAT ENTERPRISE LINUX UPDATES 16
6.2.1. General 16
6.2.2. Inventory 16
6.2.3. Advisor 17
6.2.4. Vulnerability 17
6.2.5. Patch / Content 17
6.2.6. Image builder 17
6.2.7. Malware Detection 18
6.3. OPENSHIFT CONTAINER PLATFORM UPDATES 19
6.3.1. Advisor 19

CHAPTER 7. MARCH 2026 20
7.1. PRODUCT-WIDE UPDATES 20
7.2. RED HAT ENTERPRISE LINUX UPDATES 20

7.2.1. Inventory 20
7.2.2. Remediations 20
7.2.3. Advisor 21
7.2.4. Content templates (Patch) 22
7.2.5. Subscriptions 22
7.2.6. Image builder 22

CHAPTER 1. ABOUT RED HAT LIGHTSPEED

Red Hat Lightspeed is a Software-as-a-Service (SaaS) application included with almost every subscription to Red Hat Enterprise Linux, OpenShift Container Platform, and Ansible Automation Platform.

Red Hat Lightspeed can discover relevant insights, recommend tailored, proactive next actions, and automate tasks. Using Red Hat Lightspeed, customers benefit from the experience and technical knowledge of Red Hat Certified Engineers, to identify, prioritize, and resolve issues for business operations.

As a SaaS offering, located at Red Hat Hybrid Cloud Console , Red Hat Lightspeed is regularly updated. Regular updates expand the Red Hat Lightspeed knowledge archive in real time to reflect new IT challenges that can impact the stability of mission-critical systems.

CHAPTER 2. AUGUST 2026

Review the August 2026 updates and fixes for Red Hat Lightspeed.

2.1. PRODUCT-WIDE UPDATES

Review the August 2026 product-wide updates for Red Hat Lightspeed.

Published blogs and resources

- Blog: Build bootable image mode for Red Hat Enterprise Linux with image builder by Shane McDowell (August 17, 2026)

2.2. RED HAT ENTERPRISE LINUX UPDATES

Review the August 2026 updates and fixes for Red Hat Lightspeed running on RHEL systems.

2.2.1. General

Decommissioning of the global filter in the Red Hat Hybrid Cloud Console

The global filter in Hybrid Cloud Console and Red Hat Lightspeed has been decommissioned. You can now filter directly within individual services to get a more contextual experience that makes it easier act on relevant information.

2.2.2. Inventory

Enhanced workload identification

Inventory now provides improved workload classification to help you identify and manage systems based on the software and services running on them.

- Ansible Automation Platform execution nodes are now classified as an Ansible Automation Platform workload. They are now available in workload-filtered experiences.
- Red Hat Satellite is now officially recognized as a workload type across the console.
- Containerized deployments of Red Hat Satellite and Ansible Automation Platform workloads are now detected and reported.

Enhanced Inventory Views flexibility

Inventory Views provide additional options for customizing and exporting the information most important to you.

- Recommendation and vulnerability information is now consolidated into the **Recommendations** and **Vulnerability** columns so that you can more easily scan for severity.
- The **Installable advisories** column now displays all four advisory types. Systems without pending updates display *No installable advisories*.
- **Data collector** is now available as a column in **Inventory Views**.
- **Inventory Views** now respects role-based access control (RBAC) permissions for Vulnerability, Advisor, Compliance, Content, and Malware Detection content.

UI enhancements and fixes

- Fixed an issue that caused the **System Details** page for CentOS systems to remain stuck on an infinite loading spinner.
- The **Image Builder Blueprint** field has been removed from the **System Properties** section of the **System Details Overview** tab and is now available in its own dedicated section for easier access.
- Inventory exports now include additional system profile information such as IP addresses, Subscription Manager ID, Satellite ID, and tags.

2.2.3. Tasks

Task service retirement

The Red Hat Lightspeed Tasks service will be retired on October 29, 2026.
Customers who need to convert CentOS systems to RHEL should use the Convert2RHEL command-line tool, either directly or through Red Hat Satellite. For more information, see Converting from a Linux distribution to RHEL using the Convert2RHEL utility .

2.2.4. Image builder

Transition to single-target environment blueprints

The hosted image builder service in the Red Hat Hybrid Cloud Console is transitioning to single-target environment blueprints.
Target environments include bare metal (.iso), virtualization platforms (.qcow2), public and private cloud providers, and other supported environments.

This change will not affect the majority of the Red Hat customers, because most users already use single-target blueprints.

Expect the transition to be completed by the end of September 2026. The change applies only to the hosted Image Builder service in the Red Hat Hybrid Cloud Console. For more information, see Image builder hosted service is transitioning to single target environment blueprints .

2.2.5. Malware Detection

AI-generated Malware summaries

Malware Detection now uses AI-generated summaries to provide additional context when a malware signature is detected.
Instead of presenting only a file name and basic match metadata, the service provides an informational summary of the malware signature along with links to relevant sources. This additional context can help administrators and security teams quickly understand the potential risk and begin their incident response.

2.2.6. Planning

Proactive lifecycle notifications

Now you can configure the Notification service to send a monthly email message. This message includes upcoming lifecycle events, a summary of RHEL versions, and the application streams that are approaching end of life across your connected systems.
To subscribe to lifecycle events summary, go to **Settings → Notifications → User Preferences → Lifecycle (Red Hat Lightspeed Planning)**.

Export lifecycle data

You can now export lifecycle data directly from the **Lifecycle** view in CSV, JSON, or XML formats. Use these exports for offline planning, reporting, and audit activities.

Improved AppStream detection

Planning now provides more accurate application stream information by reducing false positives in module detection. Systems are no longer incorrectly flagged for application streams that are not installed.

CHAPTER 3. JULY 2026

Review the July 2026 updates and fixes for Red Hat Lightspeed.

3.1. PRODUCT-WIDE UPDATES

Review the July 2026 product-wide updates for Red Hat Lightspeed.

Published blogs and resources

- Video: Red Hat Lightspeed Stops Security Threats Before They Strike (July 2, 2026)
- Blog: Avoid operational drift with Red Hat Lightspeed content templates for RHEL extended environments by Anthony Johnson (July 22, 2026)

3.2. RED HAT ENTERPRISE LINUX UPDATES

Review the July 2026 updates and fixes for Red Hat Lightspeed running on RHEL systems.

3.2.1. Inventory

UI enhancements and fixes

- Fixed broken links to the product documentation in the Inventory API Documentation.
- Added additional examples for operating system filtering in the **GET /hosts** API Documentation.
- Updated all modal dialogs with a **Close** button for a consistent user experience.
- Updated the **Workspace** filter in the **Inventory Views** table to work correctly. The feature is available in the Preview mode.

3.2.2. Remediations

New customizable retention policy for Remediation plans

Remediation plans will now expire and be automatically deleted after 4 months of inactivity, to prevent the accumulation of stale plans.

- Organization Administrators can customize the retention policy of their organization. To do so, on the Remediation Plans page, click the options icon beside the **Launch Quick Start** button and click **Edit retention policy**.
- Modifying or executing a remediation plan will reset its timer.
- You can now see expiration warnings in the details of each remediation plan, and on the **Automation Toolkit → Remediation Plans** page.

Learn more about remediation plan retention policies in Remediation plan retention policy overview .

3.2.3. Planning

Monthly email report for Red Hat Enterprise Linux Life Cycle and Roadmap

Red Hat Lightspeed planning now sends monthly email reports with a summary of upcoming RHEL support changes across your connected systems. The summary applies to RHEL 7 and later systems. Life Cycle reports cover:

- RHEL versions that are approaching end-of-life within the next three months.
- Application Streams approaching retirement within the next six months.
- Recent support status changes from the previous month.

Roadmap reports on planned changes relevant to packages on your systems, including:

- New Roadmap additions.
- Changes to existing Roadmap items.
- Planned deprecation functionalities.

You can enable reports for Red Hat Enterprise Linux Life Cycle and Roadmap in **Settings → Notifications → User Preferences → Life Cycle** and **Settings → Notifications → User Preferences → Roadmap**.

CHAPTER 4. JUNE 2026

Review the June 2026 updates and fixes for Red Hat Lightspeed.

4.1. PRODUCT-WIDE UPDATES

Review the June 2026 product-wide updates for Red Hat Lightspeed.

Published blogs and resources

- Blog: What's new with image builder in RHEL 10.2 and 9.8 by Shane McDowell (June 16, 2026)
- Blog: Red Hat Lightspeed on-premises: Infrastructure intelligence inside your firewall by Stefan Nemeth (June 23, 2026)
- Blog: Build a Red Hat Enterprise Linux EUS image with image-builder CLI by Justin Sherrill (June 24, 2026)
- Blog: Build a RHEL environment with image builder and content templates by Shane McDowell (June 25, 2026)
- Blog: How should your infrastructure connect to Red Hat Lightspeed? by Matthew Yee (June 30, 2026)

4.2. RED HAT ENTERPRISE LINUX UPDATES

Review the June 2026 updates and fixes for Red Hat Lightspeed running on RHEL systems.

4.2.1. Inventory

Image Builder information available on the System Details page

The **System Details** page includes a dedicated **Image Builder** card where you can view image information without leaving the page. The card displays the image **Name** and **Target**, providing quick access to details about the image used to provision the system. Select the image name to open the corresponding image in the Image Builder service.

Customizable columns in the Systems inventory are available in Preview

Inventory Views is available in Hybrid Cloud Console Preview mode. You can view the information that matters most in Red Hat Lightspeed > RHEL > Inventory > Systems .
With Inventory Views, you can customize the Systems table by choosing which columns to display, so you can focus on the data most relevant to your workflow. Your column selections persist across sessions, so your preferred view loads each time you return to inventory.

- Customize your Systems table by selecting the columns you want to display.
- Reorder columns by dragging and dropping them into your preferred position.
- Personalize your view to surface the information that is most important to your day-to-day tasks.
- Persistent preferences keep your column selections across sessions.

To get started, navigate to **Inventory → Systems**, open the **Actions** menu (⋮), and select **Manage columns**.



NOTE

Inventory Views is currently available in Preview mode. Feedback is welcome because the experience continues to be refined before general availability.

UI enhancements and fixes

- The **Operating System** filter supports type-ahead search, so that you can find specific operating system releases faster.
- All inventory API responses include a new **workspace** field alongside the existing **group** field. The new field returns a single workspace object rather than a list containing one item. If you use the **groups** field in custom integrations, migrate to the **workspace** field.

4.2.2. Remediations

Changes to remote host configuration management

The remediations service no longer depends on the remote host configuration manager permissions to be enabled. You can execute remediation playbooks on systems connected using rhc without it. To manage remote playbook execution on individual hosts, install or remove the **rhc-worker-playbook** package as needed.

4.2.3. Subscriptions

Notifications for Application Services software releases

You can subscribe to notifications for new releases of individual Red Hat Application Services products and components. Supported products include Red Hat JBoss Enterprise Application Platform and Red Hat build of OpenJDK. These notifications replace the earlier Application Services release notifications from the Red Hat Customer Portal.

4.2.4. Planning

Roadmap email reports available

You can subscribe to a periodic email report that summarizes planned changes to the Red Hat Enterprise Linux (RHEL) roadmap. The report arrives directly in your inbox and helps you stay informed about upcoming platform updates without regularly checking the roadmap.
The Roadmap email report includes:

- **Additions:** Newly planned roadmap items.
- **Deprecations:** Features or capabilities planned for deprecation.
- **Changes:** Updates to existing roadmap items.

To subscribe, navigate to **User Preferences** and enable the Roadmap report under the **Planning** section.

CHAPTER 5. MAY 2026

Review the May 2026 updates and fixes for Red Hat Lightspeed.

5.1. PRODUCT-WIDE UPDATES

Review the May 2026 product-wide updates for Red Hat Lightspeed.

Published blogs and resources

- Cheat sheet: Red Hat Lightspeed cost management API by Pau Garcia Quiles (May 8, 2026)
- Video: AIOps: Patch RHEL CVEs in Minutes with Red Hat Lightspeed MCP and Ansible Automation Platform by Sean Cavanaugh (May 18, 2026)
- Video: Red Hat Lightspeed cost management: custom cost models, rates & metering by Pau Garcia Quiles (May 19, 2026)
- Video: Red Hat Lightspeed cost management: resource optimization demo by Pau Garcia Quiles (May 21, 2026)
- Blog: Context-aware advisor recommendations in Red Hat Lightspeed by Talia Kaplanian (May 25, 2026)
- Video: Red Hat Lightspeed cost management: API integrations and data exports by Pau Garcia Quiles (May 25, 2026)

5.2. RED HAT ENTERPRISE LINUX UPDATES

Review the May 2026 updates and fixes for Red Hat Lightspeed running on RHEL systems.

5.2.1. Inventory

UI fixes and improvements

- Fixed an issue where the filtering of operating systems was not correctly handling case-insensitive comparisons for gt, lt, gte, and lte operators.
- To improve readability, the system display name column is now located before the UUID column in CSV exports.
- Added upfront permission validation for moving systems. The move action is now disabled when the required permissions are not granted.
- Improved permission messaging for editing system details, such as display name, by adding informational tooltips to disabled edit actions.

New Satellite card on the System Details page

A new Satellite card is available on the **Details** tab of the **System Details** page. The card displays key Red Hat Satellite metadata from system tags. You can use the metadata to identify and filter systems by Satellite configuration attributes.
Each field value is clickable and redirects to the Inventory list view with the corresponding Satellite tag filter automatically applied.

The Satellite card is displayed only when Satellite-related tags are present on the system. If individual tags are unavailable, their values display as **N/A**.

5.2.2. Patch / Content

Support for Content Templates is extended to RHEL 9.8 and 10.2 EUS

Content Templates now support Extended Update Support (EUS) releases for RHEL 9.8 and RHEL 10.2. Organizations that use EUS streams can now manage and deploy content through Content Templates. The experience matches supported standard releases. The overall Content Templates lifecycle remains aligned with major RHEL release lifecycles.

5.2.3. Planning

Monthly email lifecycle reports

Users can now subscribe to a periodic email report that summarizes upcoming Red Hat Enterprise Linux (RHEL) support and lifecycle changes across connected systems. Delivered at the start of each month, this summary helps infrastructure teams anticipate platform changes instead of reacting to daily alerts.
The monthly email report covers the following topics:

- End-of-Life (EOL) timelines: RHEL versions approaching end-of-life in the next three months
- Application Stream retirement: Application Streams approaching retirement in the next six months
- Recent support updates: Support status changes that occurred over the previous month.

To subscribe to the monthly summary reports, navigate to **User Preferences** and enable the monthly aggregated report in **Lifecycle** under the **Red Hat Enterprise Linux** section.

5.3. OPENSHIFT CONTAINER PLATFORM UPDATES

Review the May 2026 updates and fixes for Red Hat Lightspeed services on OpenShift Container Platform clusters.

5.3.1. Advisor

Pen Drive powered by Red Hat Lightspeed

Pen Drive is a disconnected variant of OpenShift Container Platform advisor, and is available as a Technology Preview. It now includes kube-compare functionality for template-based cluster drift validation in a Knative-native workflow.
This enhancement expands the existing disconnected cluster checking capabilities that were originally developed in collaboration with Nokia.

For more information about Pen Drive, see Pen Drive powered by Red Hat Lightspeed .

5.3.2. Cost management

API cheat sheet for cost management

Cost management now includes a comprehensive API cheat sheet designed to help users integrate cost data with external platforms. The guide includes API examples and a Bruno collection to simplify exploring and automating cost management APIs. Bruno is a git-friendly, open source tool similar to Postman.
The following are examples of common external platforms:

- Business intelligence platforms such as Power BI, Tableau, and Amazon QuickSight
- Dashboarding platforms such as Grafana
- Billing and chargeback systems

Because cost management is API-first, all functionality that is available through the user interface is also available through the API.

Sample integrations for Grafana and billing platforms

New sample integrations demonstrate how cost management data can be consumed by external tools.
Three reference implementations are available for Grafana:

- Grafana Infinity plugin
- Grafana with a Python proxy
- Prometheus-based ingestion and visualization

A sample integration with Lago demonstrates how to do the following tasks:

- Import cloud and custom cost data
- Generate customer invoices
- Produce itemized billing reports
- Support billing workflows such as credits and adjustments

These integrations complement the existing PowerBI sample integration.

For more information about these integrations, see the upstream Project Koku.

Expanded cost management video library

The cost management learning library covers the most common onboarding and operational questions.
There are three new videos:

- Custom cost models, rates and metering
- Resource optimization for OpenShift Container Platform and Red Hat Developer Hub plugin
- API and integrations

The following videos were updated:

- Overview of cost management

- Manage VM costs in OpenShift Container Platform with Red Hat Lightspeed cost management

Efficiency scores for clusters and namespaces

Cost management now provides efficiency scores at the fleet, cluster, and namespace levels. These scores compare requested resources with actual consumption to help identify opportunities to improve utilization.
Each score includes estimated savings potential, enabling platform teams to prioritize optimization efforts and track improvements over time.

This feature helps organizations promote more efficient resource allocation and reduce infrastructure waste across OpenShift Container Platform environments.

NVIDIA Multi-Instance GPU (MIG) cost allocation

Cost management now supports NVIDIA Multi-Instance GPU (MIG) environments. MIG technology enables a single physical GPU to be partitioned into multiple isolated GPU instances.
Cost management automatically detects GPU slices and allocates GPU costs proportionally to the workloads that consume them. The update provides more accurate GPU cost attribution without additional configuration from users.

CHAPTER 6. APRIL 2026

Review the April 2026 updates and fixes for Red Hat Lightspeed.

6.1. PRODUCT-WIDE UPDATES

Review the April 2026 product-wide updates for Red Hat Lightspeed.

Published blogs and resources

- Blog: How to plan your RHEL lifecycle with AI by Samiksha Saxena and Rebecca Combs (April 2, 2026)
- Blog: Tackle critical vulnerabilities with the new Red Hat Lightspeed remediation workflow by Talia Kaplanian (April 13, 2026)
- Blog: Building Red Hat MCP-ready images with image mode for Red Hat Enterprise Linux
- Blog: Integrating Red Hat Lightspeed with CrowdStrike for enhanced malware detection coverage by Mohit Goyal, John Spinks, Rick Greene (April 20, 2026)
- Blog: Lightspeed Agent for Google Cloud by Rob Williams (April 24, 2026)
- Video: Build Custom Linux Images with Red Hat Lightspeed by Shane McDowell
- Video: Red Hat Lightspeed: Automating compliance across your entire hybrid cloud by John Spinks
- Video: Red Hat Lightspeed: Proactive Issue Detection at Scale by Red Hat
- Video: Getting Started with RH Lightspeed (RHEL) by Red Hat

6.2. RED HAT ENTERPRISE LINUX UPDATES

Review the April 2026 updates and fixes for Red Hat Lightspeed running on RHEL systems.

6.2.1. General

Upcoming security improvements and new distribution method for insights-client

With the release of RHEL 10.2 and RHEL 9.8, the distribution method for updates to insights-core is changing. The updates will now be delivered as standard RPM packages in the official Red Hat Enterprise Linux repositories. The insights-client continues to be delivered as an RPM package. As a result of this change, the insights-client will no longer automatically update insights-core during its operation.
A new, tailored SELinux policy will also be deployed on systems. This policy ensures that the insights-client and insights-core operate within a confined SELinux security context.

For more information about this update, see the Security improvements and new distribution method for insights-client KB article.

6.2.2. Inventory

UI fixes and improvements

- Enabled workload filtering in Inventory, allowing users to filter systems running one or more workloads.
- Added **copy-to-clipboard** buttons on the **System Details** page for UUIDs.
- Fixed name filtering in the system tag modal. It now applies across all result pages.
- Ensured default and custom staleness and deletion retention settings are applied consistently across all systems.
- Aligned the order of tabs on the **System Details** page with the main navigation menu.
- Fixed backdrop issues in the **Delete System** modal and the **Add Systems** and **Remove System** workspace modals.
- Fixed bulk action availability when selecting systems across all result pages.
- Resolved an issue where the **System Details** page did not open modals such as **Packages**, **Processes**, and others.

New Inventory experience available in Preview

The **Inventory** UI has been reworked to align with platform standards and to improve rendering performance. This redesign lays the groundwork for upcoming capabilities such as column management and customizable views.
Users can now try the new experience in pre-production. To enable the **Preview mode** in the Red Hat Hybrid Cloud Console, use the toggle at the top of the screen. Provide your feedback to help refine the experience further.

6.2.3. Advisor

Remediations from Advisor pathways

Users can now create remediation plans directly from Advisor pathways, streamlining the workflow from grouped Advisor recommendations to actionable remediation steps.

6.2.4. Vulnerability

Critical CVEs and insights for Red Hat Product Security Risk Report 2025

Red Hat Product Security's annual Risk Report is now available. The report highlights the CVEs that generated the most customer activity in the past year and the security trends across the ecosystem. For more information, see Red Hat Product Security Risk Report 2025 .

6.2.5. Patch / Content

Build content templates with RHEL extended update support

Users can now build **Content Templates** for RHEL Extended Update Support (EUS), Update Services for SAP Solutions (E4S), and Extended EUS (EEUS). These updates extend content management capabilities to legacy environments and enable tighter control over repositories and packages for systems that run versions earlier than RHEL 8.

6.2.6. Image builder

Build bootable images for image mode RHEL

You can now build bootable images for immutable, image mode RHEL systems. Supported targets include AWS, Microsoft Azure, Google Cloud, and on-premise environments that use QCOW2 and ISO formats.
You can explore the image mode deployment model, become familiar with container technologies, and streamline management of image-based RHEL systems.

Build images with content templates for consistency from build through patching

By combining image blueprints with Content Templates, users can create a consistent RHEL environment from image build through deployment and management.
A Content Template defines the repositories and packages that make up your standard operating environment (SOE). Associating a Content Template with an image blueprint ensures repeatable builds. Image creation is restricted to approved repositories and packages. Systems deployed from those images remain aligned to the same content set.

When SOE updates are required, you can update the Content Template, rebuild the image, and apply changes across deployed systems.

For more information about Content Templates, see Managing content templates.

Build images with AI acceleration drivers and additional add-on software

Image builder now supports packages and drivers from add-on repositories. Users can build RHEL images optimized for AI hardware acceleration without manual post-deployment configuration.
Supported repositories:

- Supplementary
- Extensions
- CodeReady Linux Builder
- High Availability
- SAP Solutions
- SAP NetWeaver

This enhancement streamlines deployment workflows for AI-enabled systems and other specialized workloads.

UI enhancements for image blueprint creation wizard

The redesigned image blueprint creation wizard provides improved guidance for image customization with a simplified workflow and fewer navigation steps. Longer, scrollable customization pages help reduce **click-next** fatigue and improve the overall image creation experience.

6.2.7. Malware Detection

Increased malware coverage with CrowdStrike integration

Malware Detection in Red Hat Lightspeed now integrates with CrowdStrike, expanding malware coverage for RHEL scans.
Users can now use over 2400 CrowdStrike malware signatures with existing IBM X-Force intelligence. This integration provides broader threat detection and a unified view of findings in the Red Hat Lightspeed console.

For more information, see Integrating Red Hat Lightspeed with CrowdStrike for enhanced malware detection coverage.

6.3. OPENSHIFT CONTAINER PLATFORM UPDATES

Review the April 2026 updates and fixes for Red Hat Lightspeed services on OpenShift Container Platform clusters.

6.3.1. Advisor

Pen Drive powered by Red Hat Lightspeed

Pen Drive is a disconnected variant of OpenShift Container Platform advisor, and is available as a Technology Preview. It now includes kube-compare functionality for template-based cluster drift validation in a Knative-native workflow.
This enhancement expands the existing disconnected cluster checking capabilities that were originally developed in collaboration with Nokia.

For more information about Pen Drive, see Pen Drive powered by Red Hat Lightspeed .

CHAPTER 7. MARCH 2026

Review the March 2026 updates and fixes for Red Hat Lightspeed.

7.1. PRODUCT-WIDE UPDATES

Review the March 2026 product-wide updates for Red Hat Lightspeed.

Published blogs and resources

- Interactive demo: Ask Claude about RHEL lifecycle and planning through Red Hat Lightspeed MCP by Samiksha Saxena (March 18, 2026)
- Interactive demo: Get your top vulnerabilities information through Claude by Samiksha Saxena (March 18, 2026)

7.2. RED HAT ENTERPRISE LINUX UPDATES

Review the March 2026 updates and fixes for Red Hat Lightspeed running on RHEL systems.

7.2.1. Inventory

UI enhancements and fixes

- Added **copy to clipboard** actions (copy icon) on the **System Properties** and **Data Collectors** cards on the **System Details** page. You can now copy values such as host names and IDs.
- Renamed the **Patch** tab to **Content** on the **System Details** page to improve consistency across the console.
- Removed restrictions that prevented hosts within a workspace from reassignment, so that you can move systems between workspaces more flexibly.
- Introduced a **Move system** action to streamline workspace reassignment.
- Resolved a Sentry error when you apply tag filters in inventory. Before this update, a Sentry error occurred when you applied those filters.

API improvements

- Fixed host filtering on the /**hosts** endpoint so that it accepts JSON notation in the **filter[system_profile]** query parameter.
  - Before this update, those requests failed with **500** errors.

7.2.2. Remediations

Remediations API scalability and performance updates

- In a single remediations API call, you can add at most 100 issues and 100 distinct systems to a remediation plan.

- When you generate a playbook, the API finds issues in more detail and returns errors more consistently.
  For more information, see Red Hat Lightspeed Remediations API Change Log.

Planned remediations in execution readiness

When you create a remediation plan, Red Hat Lightspeed now uses a system of action points to support reliable performance without timeouts or failures. Action points calculate the relative complexity and performance impact of a remediation plan. This update helps you decide how and where to execute the plan. Complex issues require a higher number of action points, and simpler issues require a lower number.

- Red Hat Lightspeed assigns a specific point value to each type of issue and calculates the plan's total size against the platform's performance capabilities.
  - Issue types use the following action point weights:
    - Vulnerability: 20 action points per system
    - Advisor: 20 action points per system
    - Compliance: 5 action points per system
    - Patch: 2 action points per system
  - Red Hat Lightspeed supports reliable execution for plans up to 1000 action points and 100 systems.

Streamlined single-page plan creation

- The multi-step wizard for creating a remediation plan in Red Hat Lightspeed has been replaced by a single-page modal. You now name your plan, configure auto-reboot settings, and download or view the Ansible Playbook from one screen.

Multiple resolution selection

- Previously, when creating a plan with multiple resolution options, you had to choose a remediation approach before creating the plan. You can now compare choices and select the best fit after you have created your remediation plan. You find the available remediation options on the **Plan details** tab of your plan under the **Multiple resolutions** section.

UI enhancements and fixes for planned remediations

- The **Actions** and **Systems** tabs have been merged into a unified **Planned Remediations** tab. This tab adds a graphical view of the plan's systems and action points.
- The **Systems** table includes new connection troubleshooting modals. These modals provide step-by-step CLI and Satellite commands to reconnect hosts based on subscription type.
- The revised execution confirmation popover presents the confirmation details more clearly.

7.2.3. Advisor

Access new recommendations, included with your Red Hat subscription.

- Input latency occurs in the GUI when the **mutter-40.9.el9_6_1** package is installed.

- Kernel panic occurs because of a **NULL** pointer dereference in the CIFS module when you run **sos report**
- Performance degradation occurs when the TSC clocksource unexpectedly switches
- Device-mapper deadlocks cause a system hang by leading to a stuck **multipathd** process and an I/O flush failure
- The NFS server crashes at **nfsd4_cb_done** because of a known issue in the **nfsd** module
- Red Hat Enterprise Linux 7 hosts fail to register with Red Hat Satellite running on Red Hat Enterprise Linux 9 when FIPS mode is enabled
- GFS2 withdrawal occurs while you access the file system
- Processes that use pNFS can become blocked when the **nfs_layout_nfsv41_files** module is loaded
- Memory leak occurs when the **ice** driver is loaded and legacy-rx is off
- The **systemd** service cannot attach cgroups for the user manager because the service restarts too rapidly
- **Initramfs** generation fails because of a corrupt **/etc/pki/tls/openssl.cnf** file
- Red Hat does not provide technical support services or software maintenance services for Python

7.2.4. Content templates (Patch)

RHEL 10 extension repositories are available in content templates

You can add the Red Hat Enterprise Linux 10 extensions repository to content templates for patching and image building with those packages. The Red Hat Enterprise Linux 10 extensions repository includes hardware acceleration drivers from partners such as NVIDIA and AMD.

7.2.5. Subscriptions

New subscriptions notifications for exceeded utilization threshold

Red Hat Lightspeed includes a new Subscriptions service event type that notifies you when subscription usage exceeds defined capacity thresholds. The **Exceeded Utilization Threshold** event gives proactive visibility into capacity overruns and helps you identify compliance risks and take corrective action before you reach subscription limits.

The event integrates with the Hybrid Cloud Console Notifications service and follows the standard event schema. You can use it alongside other Red Hat Lightspeed events for operational monitoring and cost management. You can also forward alerts to external systems such as Splunk, ServiceNow, or Slack. You can also trigger automated workflows such as Event-Driven Ansible.

7.2.6. Image builder

Blueprint-defined user groups

You can define user groups and assign users to them in the blueprint creation wizard. Each group receives a default UID that you can edit. Before this update, you could add users only to default groups, such as **wheel**.