

## **STATISTICS WORKSHEET-8**

Q1 to Q12 have only one correct answer. Choose the correct option to answer your question.

- 1. In hypothesis testing, type II error is represented by  $\beta$  and the power of the test is  $1-\beta$  then  $\beta$  is:
- a. The probability of rejecting H<sub>0</sub> when H<sub>1</sub> is true
- b. The probability of failing to reject H<sub>0</sub> when H<sub>1</sub> is true
- c. The probability of failing to reject H<sub>1</sub> when H<sub>0</sub> is true
- d. The probability of rejecting H<sub>0</sub> when H<sub>1</sub> is true
- 2. In hypothesis testing, the hypothesis which is tentatively assumed to be true is called the
- a. correct hypothesis
- b. null hypothesis
- c. alternative hypothesis
- d. level of significance
- 3. When the null hypothesis has been true, but the sample information has resulted in the rejection of the null, a \_\_\_\_\_ has been made
- a. level of significance
- b. Type II error
- c. critical value
- d. Type I error
- 4. For finding the p-value when the population standard deviation is unknown, if it is reasonable to assume that the population is normal, we use
- a. the z distribution
- b. the t distribution with n 1 degrees of freedom
- c. the t distribution with n + 1 degrees of freedom
- d. none of the above
- 5. A Type II error is the error of
- a. accepting Ho when it is false
- b. accepting Ho when it is true
- c. rejecting Ho when it is false
- d. rejecting Ho when it is true
- 6. A hypothesis test in which rejection of the null hypothesis occurs for values of the point estimator in either tail of the sampling distribution is called
- a. the null hypothesis
- b. the alternative hypothesis
- c. a one-tailed test
- d. a two-tailed test



- 7. In hypothesis testing, the level of significance is
- a. the probability of committing a Type II error
- b. the probability of committing a Type I error
- c. the probability of either a Type I or Type II, depending on the hypothesis to be tested
- d. none of the above
- 8. In hypothesis testing, b is
- a. the probability of committing a Type II error
- b. the probability of committing a Type I error
- c. the probability of either a Type I or Type II, depending on the hypothesis to be test
- d. none of the above
- 9. When testing the following hypotheses at an  $\alpha$  level of significance

 $H_0$ : p = 0.7

 $H_1$ : p > 0.7

The null hypothesis will be rejected if the test statistic Z is

- a.  $z > z_{\alpha}$
- b.  $z < z_{\alpha}$
- c. z < -z
- d. none of the above
- 10. Which of the following does not need to be known in order to compute the P-value?
- a. knowledge of whether the test is one-tailed or two-tail
- b. the value of the test statistic
- c. the level of significance
- d. All of the above are needed
- 11. The maximum probability of a Type I error that the decision maker will tolerate is called the
- a. level of significance
- b. critical value
- c. decision value
- d. probability value
- 12. For t distribution, increasing the sample size, the effect will be on
- a. Degrees of Freedom
- b. The t-ratio
- c. Standard Error of the Means
- d. All of the Above

## Q13 to Q15 are subjective answers type questions. Answers them in their own words briefly.

- 13. What is Anova in SPSS?
- 14. What are the assumptions of Anova?
- 15. What is the difference between one way Anova and two way Anova?