## 自定义

```
<template>
<div class="search clearFix">
<a href="javascript::" class="fs18 f1">出诊信息查询</a>
<div class="fr"><input type="submit" class="white" value="査询"></div>
<div class="fr clearFix">
class="pullDown clearFix">
  class="pullDownList">
<div class="huaTiPd">
<div @click="show(0)">
<div class="oneLine pullDownTitle">{{cxLists[0].name}}</div>
</div>
  (li class="fontHover tstAll" @click="getText(0, index1, value.id, value.name)" ve
bind:class="{fontC:index1==qwerqwre}" v-for="(value,index1) in cxLists[0].lists">
\{\{value, name\}\} \langle /li \rangle
</div>
\langle/1i\rangle
class="pullDownList">
   <div class="huaTiPd">
\langle div @click = "show(1)" \rangle
<div class="oneLine pullDownTitle">{{cxLists[1].name}}</div>
</div>
class="{fontC:index1==qwerqwrel}" v-for="(value,index1) in ysListsFilter">
\{\{\text{value. name}\}\} \langle /\text{li} \rangle
</div>
class="pullDownList">
<div class="huaTiPd">
\langle div @click="show(2)" \rangle
    <div class="oneLine pullDownTitle">{{cxLists[2].name}}</div>
</div>
class="fontHover tstAll" @click="getText(2, index1, value. id, value. name)" v=
bind:class="{fontC:index1==qwerqwre2}" v-for="(value,index1) in jbListsFilter">
```

```
\{\{\text{value. name}\}\} \langle /1i \rangle
</<u>u</u>1>
</div>
</div>
</div>
</template>
<script>
export default {
name: "Search",
data () {
return {
cxLists:[
{name:"科室查询",lists:[
{name: "1", id: "1"},
_____{name: "2", id: "2"},
],},
   {name:"医师查询",lists:[
{name: "11", id: "1", pid: "1"},
{name: "12", id: "2", pid: "1"},
{name: "13", id: "5", pid: "1"},
{name: "21", id: "3", pid: "2"},
   {name: "22", id: "4", pid: "2"}
],},
{name:"疾病名称",lists:[
{name: "111", id: "1", pid: "1"},
{name: "112", id: "2", pid: "1"},
  {name: "121", id: "3", pid: "2"},
{name: "122", id: "4", pid: "2"},
{name: "211", id: "5", pid: "3"},
{name: "212", id: "6", pid: "3"},
{name: "221", id: "7", pid: "4"},
  {name: "222", id: "8", pid: "4"},
{name: "225", id: "9", pid: "5"},
{name: "2255", id: "10", pid: "5"},
{name: "22555", id: "11", pid: "5"}
],}
____],
____ ysLists:[],
```

```
jbLists:[],
qwerqwre:null,
qwerqwrel:null,
qwerqwre2:nu11,
show0:true,
showl:true,
show2:true,
ksId:"",
ysId:"",
}
},
methods:{
getText(index, index1, id, name) {
this.cxLists[index].name=name;
if(index==0){
this.qwerqwre=index1;
this.show0=!this.show0;
this.ksId=id;
}
if(index==1){
this.qwerqwrel=index1;
this.showl=!this.showl;
this.ysId=id;
}
if(index==2){
this.gwergwre2=index1;
this.show2=!this.show2;
}
},
show(index){
if(index==0){
this.show0=!this.show0;
else if(index==1){
this.showl=!this.showl;
}
else\{
this.show2=!this.show2;
}
},
},
```

```
___ ysListsFilter:function () {
this.ysLists=[];
this.cxLists[1].lists.filter((item) =>{
if(this.ksId==item.pid){
this.ysLists.push(item);
}
});
return this.ysLists;
},
jbListsFilter:function () {
____ this.jbLists=[];
  this.cxLists[2].lists.filter((item) =>{
if(this.ysId==item.pid){
this.jbLists.push(item);
}
});
return this.jbLists;
}
},
}
</script>
<style scoped>
.search {
height: 36px;
line-height: 36px;
.pullDown, .pullDownList \{
float: left;
}
.pullDownList {
width: 298px;
height: 36px;
margin-right: 17px;
border: 1px solid #ccccc;
outline: none;
border-radius: 6px;
```

computed:{

```
.pullDownTitle {
margin: 0 auto;
padding: 0 10px;
}
.pullDownUl {
width: 290px;
margin: 1px 3px 0;
color: #666666;
position: absolute;
z-index: 10;
/* display: none; */
line-height: 30px;
backgrouna: #ffffff;
border: 1px solid #eaeaea;
border-top: none;
}
.heightC{
height: 0;
display: none;
overflow: hidden;
.pullDownUl li {
padding: 0 10px;
cursor: pointer;
input[type=submit]{
width: 120px;
height: 36px;
 border-radius: 6px;
line-height: 36px;
text-align: center;
backgrouna: #58aaf0;
}
</style>
```

## select 方式

```
<template>
 <div id="test">
        单位:
        <select v-model="UnitSelected">
          <option v-for="item in UnitList" :value="item.id">{{item.name}}</option>
        </select>
        部门:
        <select v-model="DepartmentSelected">
          <option v-for="item in DepartmentList" :value="item.id">{{item.name}}</option>
        </select>
        用户:
        <select v-model="UserSelected">
          <option v-for="item in UserList" :value="item.id">{{item.name}}</option>
        </select>
      </div>
</template>
<script>
 export default {
   name: '',
   data () {
     return {
       UnitRows: [
          {name: "1", id: "1"},
          {name: "2", id: "2"},
       ],
       DepartmentRows: [
          {name: "11", id: "1", pid: "1"},
          {name: "12", id: "2", pid: "1"},
          {name: "13", id: "5", pid: "1"},
          {name: "21", id: "3", pid: "2"},
          {name: "22", id: "4", pid: "2"}
       ],
       UserRows: [
          {name: "111", id: "1", pid: "1"},
          {name: "112", id: "2", pid: "1"},
          {name: "121", id: "3", pid: "2"},
          {name: "122", id: "4", pid: "2"},
          {name: "211", id: "5", pid: "3"},
          {name: "212", id: "6", pid: "3"},
          {name: "221", id: "7", pid: "4"},
```

```
{name: "222", id: "8", pid: "4"},
          {name: "225", id: "9", pid: "5"},
          {name: "2255", id: "10", pid: "5"},
          {name: "22555", id: "11", pid: "5"}
        ],
        UnitSelected: "",
        UnitList: [],
        DepartmentSelected: "",
        DepartmentList: [],
        UserSelected: "",
        UserList: []
     }
    },
    created:function () {
      this. UnitList = this. UnitRows;
      this. UnitSelected = this. UnitList. length>0 ? this. UnitList[0].id : "";
      var val = this.UnitSelected:
      this. DepartmentList = this. DepartmentRows. filter(function (x) { return x.pid == val
}):
      this. DepartmentSelected = this. DepartmentList. length>0 ? this. DepartmentList[0].id :
"":
      val = this. DepartmentSelected;
      this. UserList = this. UserRows. filter(function (x) { return x.pid == val});
      this. UserSelected = this. UserList. length>0 ? this. UserList[0].id: "";
    },
    watch: {
      UnitSelected:function (val) {
        this. DepartmentList = this. DepartmentRows. filter(function (x) { return x.pid == val
});
        this. DepartmentSelected = this. DepartmentList. length>0 ? this. DepartmentList[0].id
: "":
     },
      DepartmentSelected:function (val) {
        this. UserList = this. UserRows. filter(function (x) { return x. pid == val});
        this. UserSelected = this. UserList. length>0 ? this. UserList[0].id : "";
     }
    }
```

</script>