

Governable, or not bought

	THE CUSTOMER'S STACK EXPECTS	THE AGENT MUST OFFER	CL.
L1 Models	Two vendors via its cloud route, pinned	No hard-wired model; a suite the customer reruns	3
L2 Inference	In-region access; an open-weight exit	Any common-API endpoint; no provider kit in the core	3
L3 Orchestration	Deterministic workflow; an autonomy budget	A published graph; step limit and tools as configuration	6
L4 Tools	Tools only through the governed gateway	Tools declared by effect; authorisation on; signed cards	2
L5 Memory	Memory last; erasure by subject	Stateless across runs; erase by subject	
L6 Stores	Entitlement-filtered indexes	Retrieval through the customer's interface, as the user	
L7 Retrieval opt.	Pinned embed and rerank versions	Model version on every vector written	
L8 Ingestion	Approved sources; lineage on every chunk	Approved sources only; lineage emitted	
L9 Evaluation	One telemetry spine; datasets in source control	Pinned spans, content off; the suite shipped as files	4
C1 Gateway	One gateway of record; fail closed	The customer's endpoint and route; no direct egress	3
C2 Guardrails	Deterministic invariants first	Own checks published as code; detectors never bypassed	
C3 Privacy	One privacy service, six enforcement points	Call it before models, traces and evidence writes	
C4 Identity	Registered agent, sponsor, on-behalf-of tokens	A workload in the customer's directory; a token per tool	1
C5 Configuration	Source control as the configuration of record	Prompts, pins, tools, autonomy as files; updates as pull requests	6
C6 FinOps	Cost per approved task; budgets fail closed	Usage per run and use case; every copy in region	7
C7 Security	No standing secrets; signed dependencies	Signed images; secrets from the customer's vault at call time	1
C8 Governance	Immutable evidence store, keyed by trace ID	One evidence record per output, in the customer's store	5

SEVEN CLAUSES

1 identity and delegation · 2 tool gateway · 3 model routing · 4 telemetry · 5 evidence · 6 configuration · 7 cost and residency

THE THREE-PART TEST

audit every output · revoke with one identity · switch model with one route