Using source code management patterns to configure and secure your Kubernetes clusters

Giovanni Galloro - Customer Engineer, Google Cloud

{codemotion}
Online Tech Conference
- Italian edition -

23-24-25 Marzo, 2021



Operator team

Imperative ops

Multi-Platform environment

Google Cloud



Operator team

Config repo

Multi-Platform environment

Google Cloud

Anthos Config Management (ACM) Components




Anthos Config Management
Cloud Code
Cloud Run
Anthos Service Mesh
GKE
Cloud Logging, Cloud Monitoring
On-prem hypervisor
Baremetal
Google Cloud
Other public clouds: AWS EC2, Azure VMs
Attached clusters: EKS, AKS


Anthos Config Management
Cloud Code
Cloud Run
Anthos Service Mesh
GKE
Cloud Logging, Cloud Monitoring
On-prem hypervisor
Baremetal
Google Cloud
Other public clouds: AWS EC2, Azure VMs
Attached clusters: EKS, AKS

Anthos Config Management (ACM) Components





Operator team

Config repo

Multi-Platform environment

Google Cloud

Source Code Management approach to Config Management



Branch Validate Review Merge Deploy

Anthos Config Management (ACM) Components



Policy controller

Based on Open Policy Agent's Gatekeeper, **ACM Policy Controller** provides first-class integration between OPA and Kubernetes via a custom controller.

It turns Rego policies into Kubernetes objects, allowing them to be customized and deployed using standard workflows.



Google Cloud

OPA: General-purpose Policy Engine

Enforcement is decoupled from decision-making.





openpolicyagent.org

Pod Security Policies → Gatekeeper Constraints

PSP Field Name	OPA GK Constraint Template
privileged	privileged-containers
hostPID, hostIPC	host-namespaces
hostNetwork, hostPorts	host-network-ports
volumes	volumes
allowedHostPaths	host-filesystem
allowedFlexVolumes	flexvolume-drivers
runAsUser, runAsGroup, supplementalGroups	users*
fsGroup	users*
readOnlyRootFilesystem	read-only-root-filesystem
allowPrivilegeEscalation	allow-privilege-escalation
defaultAddCapabilities, requiredDropCapabilities, allowedCapabilities	capabilities
seLinux	seLinux
allowedProcMountTypes	proc-mount
Annotations for AppArmor profile	apparmor
Annotations for seccomp profile	seccomp
forbiddenSysctls,allowedUnsafeSysctls	forbidden-sysctls

Anthos Config Management (ACM) Components



How does KCC work?

KCC resources are registered via Custom Resource Definitions watched by the KCC controller



Google Cloud

Q & A

Google Cloud