What is Vite?

Jennifer Bland – Software Engineer



Online Tech Conference
- Italian edition -

23-24-25 Marzo, 2021



Who Am I?

- Software Engineer @ Vox Media
- Founder of codeprep.io
- Founder of in5days.tech
- @ratracegrad
- Google Developers Expert

What is Vite?





As I was going to bed, I had an idea about a no-bundler dev setup (using native browser ES imports), but with support for Vue SFCs **with hot reload**. Now it's almost 6AM and I have PoC working. The hot reload is so fast it's near instant.

11:54 AM · Apr 20, 2020





1.7K



189 people are Tweeting about this



Why Does It Use Native ES Modules



- Server starts in < 300ms
- Hot Module Replacement (HMR) updates in < 100ms
- Esbuild powered TS/JSX transforms
- On-demand: only process modules of current code-split route

Vue-cli vs Vite

Dev server start time

- Vue-cli 2668ms
- Vite 232ms

Page load time

- Vue-cli 320.1ms
- Vite 379ms

Build time

- Vue-cli 5.14s
- Vite 2.39s

Rollup-based build for production

- Rollup is faster than Webpack
- Smaller bundle size
- ES modules
- Challenging to configure
- Opinionated configuration

How to Get Started

\$ yarn create @vitejs/app

Vitejs.dev

```
$ npm init @vitejs/app
```

projects \$ npm init @vitejs/app npx: installed 5 in 1.079s Project name: vite-vue

```
projects $ npm init @vitejs/app
npx: installed 5 in 1.083s
✓ Project name: · vite-project
Scaffolding project in /Users/ratracegrad/Dropbox/My Mac (Jennifer's MacBook Pro)/Documents/projects/vite-project...
? Select a template: ...
> vanilla
 vue
 vue-ts
 react
 react-ts
 preact
 preact-ts
 lit-element
 lit-element-ts
```

```
npx: installed 5 in 1.079s
✓ Project name: vite-vue
Scaffolding project in /Users/ratracegrad/Dropbox/My Mac (Jennifer'
s MacBook Pro)/Documents/projects/vite-vue...
Select a template: vue
Done. Now run:
  cd vite-vue
  npm install
  npm run dev
 projects $
```

```
projects $ cd vite-vue
 vite-vue $ ls -al
total 32
              8 ratracegrad
                             staff
                                    256 Mar
                                              8 22:28
drwxr-xr-x@
drwxr-xr-x@ 115 ratracegrad
                             staff
                                   3680 Mar
                                             8 22:27 ...
                                     44 Mar
                                             8 22:28 .gitignore
              1 ratracegrad
                             staff
-rw-r--r--@
              1 ratracegrad
                             staff
                                    337 Mar
                                             8 22:28 index.html
-rw-r--r--@
              1 ratracegrad
                                     305 Mar
                                             8 22:28 package.json
                             staff
-rw-r--r--@
drwxr-xr-x@
              3 ratracegrad
                                             8 22:28 public
                             staff
                                     96 Mar
drwxr-xr-x@
              6 ratracegrad
                                    192 Mar
                             staff
                                             8 22:28 src
                             staff
                                    156 Mar
-rw-r--r--@
              1 ratracegrad
                                             8 22:28 vite.config.js
vite-vue $
```

```
import { createApp } from 'vue'
import App from ' App vue'

createApp(App) mount('#app')
```

```
<template>
      <img alt="Vue logo" src="./assets/logo.png" />
      <HelloWorld msg="Hello Vue 3 + Vite" />
3
     </template>
5
     <script setup>
6
     import HelloWorld from './components/HelloWorld.vue'
8
    </script>
10
    <style>
12
    #app {
       font-family: Avenir, Helvetica, Arial, sans-serif;
13
      -webkit-font-smoothing: antialiased;
14
       -moz-osx-font-smoothing: grayscale;
15
      text-align: center;
16
       color: □#2c3e50;
18
       margin-top: 60px;
19
20
     </style>
```

```
Js main.js
  EXPLORER
                                            X
                                src > Js main.js
∨ VITE-VUE
                                        import { createApp } from 'vue'
  > public
                                        import App from './App.vue'

✓ src

                                   3

√ assets

                                        createApp(App).mount('#app')
                                   4
     logo.png
                                   5

∨ components

     W HelloWorld.vue
   App.vue
   Js main.js
 .gitignore
 index.html
 {} package.json
 Js vite.config.js
```



```
projects $ npm init @vitejs/app
npx: installed 5 in 1.231s
✓ Project name: · vite-react
Scaffolding project in /Users/ratracegrad/Dropbox/My Mac (Jennifer's MacBook Pro)/Do
cuments/projects/vite-react...
✓ Select a template: react
Done. Now run:
  cd vite-react
  npm install
  npm run dev
 projects $
```

```
∨ VITE-... [‡ [‡ [] □
                         src > \times main.jsx
                                import React from 'react'

✓ src

                                import ReactDOM from 'react-dom'
   # App.css
                            3
                                import './index.css'
   App.jsx
                            4
                                import App from './App'
   favicon.svg
   # index.css
                                ReactDOM.render(
                            6
   logo.svg
                                 <React.StrictMode>
   main.jsx
                                   8
   .gitignore
                                  </React.StrictMode>,
                            9
   index.html
                                  document.getElementById('root')
                           10
 {} package.json
                          11
 Js vite.config.js
                          12
```



Questions