

Field Testing

1. Overcoming Data Overwhelm (Sense-Making)

- *Problem Identified:* During field testing, the prototype displayed raw biometric data alongside a basic Anxiety Score. Testers noted that while they could read the numbers (e.g., "123 BPM" or "4.6 G"), scanning continuous 15-minute charts to find specific triggers was tedious and lacked context. It was difficult to quickly assess if a specific peak was an anomaly or part of their normal baseline.
- *Implemented Solution:* We introduced dynamic contextualization. Raw data is now enveloped in semantic coloring (our custom TintedBoxStyle, shifting from green to red) to provide immediate pre-attentive processing. Furthermore, we implemented the "Key Moments" module to isolate exact timestamps of panic peaks, and the detailed dashboard now actively compares the current session's peaks against the user's global averages, transforming raw numbers into meaningful, personalized feedback.

2. Acoustic Interference in Real-World Venues

- *Problem Identified:* Field testing in large, echo-prone venues revealed a critical hardware-software conflict. Background noise disrupted real-time voice transcription, which led to unreliable Words Per Minute (WPM) tracking and distracted the user during the speech.
- *Implemented Solution (The Fallback):* We introduced a manual override for environmental management. Users can now toggle off voice tracking during the session; the algorithm dynamically shifts to rely 100% on Apple Watch biometrics. By prioritizing physiological data over acoustic data when the environment is compromised, the app ensures that performance tracking continues uninterrupted, maintaining data integrity even when the transcription engine cannot operate reliably.