

FACULTY OF AUTOMATION AND COMPUTER SCIENCE COMPUTER SCIENCE DEPARTMENT

FUNDAMENTAL PROGRAMMING TECHNIQUES

Lab Resources

Ioan Salomie Marcel Antal Tudor Cioara Claudia Daniela Pop Mitrea Dan Ionut Anghel Dorin Moldovan

2021



Contents

Contents	2
1 Java	3
1.1 Java JDK and JRE	3
1.2 Set JAVA_HOME and JAVA_JRE variables	6
2. Database Server	7
3 Git	10
3.1 Git installation	10
3.2 Create Account on GitLab	10
3.3 Basic Instructions	12
3.3.1 Create a project from scratch	12
3.3.2 Update the project	14
3.3.3. Create Groups for projects	15
3.3.4. Create and work with a new branch	15
3.3.5. Getting git to work with a proxy server	17
3.3.6. Getting MAVEN to work with a proxy server	18



FACULTY OF AUTOMATION AND COMPUTER SCIENCE COMPUTER SCIENCE DEPARTMENT

1 Java

1.1 Java JDK and JRE

1) Access the next link:

http://www.oracle.com/technetwork/java/javase/downloads/index.html

Java SE 11 (LTS)

Java SE 11.0.8 is the latest release for the Java SE 11 Platform

- Documentation
- · Installation Instructions
- · Release Notes
- · Oracle License
 - · Binary License
 - · Documentation License
- Java SE Licensing Information User Manual
 - · Includes Third Party Licenses
- · Certified System Configurations
- Readme

Oracle JDK



JDK Download



Documentation Download

2) Click on the icon which is above Java Platform (JDK). You will be redirected to Java downloads.



Java SE Development Kit 11.0.8


This software is licensed under the Oracle Technology Network License Agreement for Oracle Java SE

Product / File Description	File Size	Download
Linux Debian Package	148.77 MB	<u>*</u> jdk-11.0.8_linux-x64_bin.deb
Linux RPM Package	155.45 MB	<u>*</u> jdk-11.0.8_linux-x64_bin.rpm
Linux Compressed Archive	172.66 MB	° idk-11.0.8_linux-x64_bin.tar.gz
macOS Installer	166.84 MB	<u>*</u> jdk-11.0.8_osx-x64_bin.dmg
macOS Compressed Archive	167.23 MB	<u>*</u> jdk-11.0.8_osx-x64_bin.tar.gz
Solaris SPARC Compressed Archive	186.49 MB	°↓ jdk-11.0.8_solaris-sparcv9_bin.tar.gz
Windows x64 Installer	151.73 MB	å dk-11.0.8_windows-x64_bin.exe
Windows x64 Compressed Archive	171.16 MB	jdk-11.0.8_windows-x64_bin.zip


- 3) Click on the link Accept License Agreement.
- 4) Click on the link which corresponds to your version of the Operating System. In the example the version which is used corresponds to Windows x64 and the file is named jdk-11.0.8_windows-x64_bin.exe.
- 5) After *java-version*.exe is pressed, a file with the same name will be downloaded.
- 6) Click on java-version.exe.
- 7) You will be asked the next question: Do you want to allow the following program to make changes to this computer? Click Yes.
- 8) Click Next.
- 9) You will be asked where you want to install Java. Use the default location and click Next.



FACULTY OF AUTOMATION AND COMPUTER SCIENCE COMPUTER SCIENCE DEPARTMENT



10) After the JDK is installed, you will be asked where you want to install the JRE. Use the default location and click Next.



11) After the installation is completed click Close.



1.2 Set JAVA HOME and JAVA JRE variables

- 1) Click Start.
- 2) Right-Click on Computer.
- 3) Select Properties.
- 4) Click on Advanced System Settings.
- 5) Click on Environment Variables.
- 6) Under System Variables click New.
- 7) In the text field associated with the name of the variable insert JAVA_HOME and in the field associated with the value of the variable insert C:\Program Files\Java\java_version;.
- 8) Click OK.
- 9) Under System Variables click New again.
- 10) In the text field associated with the name of the variable insert JRE_HOME and in the field associated with the value of the variable insert C:\Program Files\Java\java_version;.
- 11) Click OK.




From the resolution to the specific and the resolution to the resolution with

FACULTY OF AUTOMATION AND COMPUTER SCIENCE COMPUTER SCIENCE DEPARTMENT

2. Database Server


A database server must be installed on the local machine. A MySQL server can be used to run locally the projects. For installing the MySQL server follow the next steps:

1) Click on the next link: https://dev.mysql.com/downloads/windows/installer/.




- 2) Click on the second Download button.
- 3) Click on No thanks, just start my download.
- 4) Click on the file downloaded file.
- 5) Click Yes.
- 6) Click Yes.
- 7) Click I accept the license terms and then Next.
- 8) You will be asked to select the Setup Type that suits your use case. Select Custom and click Next.





9) You will be redirected to "Select Products and Features". Select "MySQL Server 8.0.21–X64" and "MySQL Workbench 8.0.21–X64" and click Next.





- 10) Click Next.
- 11) Click Execute.
- 12) Click Next.
- 13) Click Next and follow the steps for the configuration of the MySQL Server.



3 Git

3.1 Git installation

- 1) Click on https://git-scm.com/downloads.
- 2) Select your operating system.



- 3) If you select Windows, a file called *Git-2.28.0-64-bit.exe* should be downloaded. In the case you select another operating system or if your system is on 32 bits then a file with a similar name should be downloaded.
- 4) Click on this file and follow the default installation guidelines, except for the step where you are asked which terminal emulator you want to use. Select the second option.

3.2 Create Account on GitLab

- 1) Click on https://about.gitlab.com/.
- 2) In the right corner, click on Register. You will be asked to introduce your personal information. Or, if you already have an account, just *Sign In*.



First name	Last name
Username	
Email	
Password	
Minimum length is 8 char	acters
□ I accept the Terms of	acters Service and Privacy Police es via email about GitLab
□ I accept the Terms of	Service and Privacy Polic
I accept the Terms of	Service and Privacy Polices via email about GitLab
I accept the Terms of	Service and Privacy Polices via email about GitLab recaptcha Privacy - Terms gister or
I accept the Terms of	Service and Privacy Polices via email about GitLab recaptcha Privacy - Terms gister or

- 3) In the next window, you can choose the role of "Software Developer". In the next checkbox, you can choose the "Just me" option.
- 4) Following up, you will have to create a group. The name of the PRIVATE group must be of the format: PT2021_GroupNumber_LastName_FirstName

5) For now, do not invite any other teammates to have access to the group, as we will do this later.



COMPUTER SCIENCE DEPARTMENT

FACULTY OF AUTOMATION AND COMPUTER SCIENCE

- 6) Click Create group.
- 7) For the next section, *Create/import your first project*, just write a random name in the *Project name* text field, like *test project*. We will create a project for each assignment, but in a few minutes.
- 8) Click Create project
- 9) You can choose any experience level you consider having, because this document will detail all the steps necessary to complete your assignments.
- 10) After selecting the experience level, you will see the *home screen* of the group you have just created.
 - a. If you already had an account and just signed in, you must create the group we have just talked about. Go to: *Groups* → *Your Groups* → *New Group* then create a new PRIVATE group with the format: *PT2021_GroupNumber_LastName_FirstName*

(e.g. PT2021_30221_Popescu_Ioan)

- 11) Now you must give access to your group, to the PT lab assistants. On your Group page, go to: *Members* → *Invite Member* → and offer **Maintainer** rights for the user: utcn.dsrl@gmail.com.
- 12) Inside the group, you can create your own projects for different applications of the PT lab. Remember to keep the same naming conventions for the projects, considering the following format:

PT2021_GroupNumber_LastName_FirstName_Assignment_Number

3.3 Basic Instructions


3.3.1 Create a project from scratch

- 1) Create the folder *PT2021_GroupNumber_LastName_FirstName_Assignment_Number* on *D:*\.
- 2) Right click on this folder and click Git Bash Here.
- 3) Write the next commands:
 - a) git init
 - b) git remote add origin

https://gitlab.com/group_name/project_name.git

4) Open IntelliJ, select *File -> New -> Project*. Then choose *Maven* from the list from the left, choose the appropriate Java SDK, then click on *Next*.





5) Instead of using the default location suggested, use this one:


PT2021_GroupNumber_LastName_FirstName_Assignment_Number

Do not forget to also choose the appropriate name for your new Project, most likely using the format we requested (unless it is a test project, not for one of your assignments).

- 6) Click Finish.
- 7) Now, before pushing anything to the remote project, you must create a .gitignore file, which tells git which files to ignore when committing and pushing to your remote projects. You don't want unnecessary files, such as IDE configuration files, to be pushed, because they are strictly relevant for your local system. Just create a file named ".gitignore" and write the following lines:



FACULTY OF AUTOMATION AND COMPUTER SCIENCE COMPUTER SCIENCE DEPARTMENT



8) Right click on the folder

PT2021_GroupNumber_LastName_FirstName_Assignment_Number and click Git Bash Here; then introduce the next commands:

- a) git add.
- b) git commit –a –m "initial commit"
- c) git push –u origin master

3.3.2 Update the project

- 1) Create a new class named *Main* in the same package as the class *App*.
- 2) Navigate to folder PT2021_GroupNumber_LastName_FirstName_Assignment_Number, right click and select Git Bash Here
- 3) Insert the next commands:
 - a) git add.
 - b) git commit –a –m "add new class"



FACULTY OF AUTOMATION AND COMPUTER SCIENCE COMPUTER SCIENCE DEPARTMENT

- c) git pull origin master
- d) git push –u origin master
- 4) You can always see the modification that were not committed yet by using:
 - a) git status

3.3.3. Create Groups for projects

Although you have probably created your first group and project on GitLab (if you have followed the instructions from section 4.2), we will repeat the basic steps for working with groups on GitLab.

1) You will have a group corresponding to all your PT projects for this semester. To create a new group, go to:

> $Groups \rightarrow Your\ Groups \rightarrow New\ Group\ then\ create\ a\ new\ PRIVATE\ group\ with$ the format:

PT2021_GroupNumber_LastName_FirstName

(e.g. PT2021 30221 Popescu Ioan)

- 2) Now you must give access to your group, to the PT lab assistants. On your Group page, go to: $Members \rightarrow Invite\ Member \rightarrow \text{and offer Maintainer rights for the user:}$ utcn.dsrl@gmail.com.
- 3) Inside the group, you can create your own projects for different applications of the PT lab. Remember to keep the same naming conventions for the projects, considering the following format:

PT2021 GroupNumber LastName FirstName Assignment Number

3.3.4. Create and work with a new branch

The real value of working with git, is the power of branches. They allow multiple developers to work simultaneously on the same project, on different features, and then to merge all the new changes in the master branch.

1) Create a branch production

The first step towards working with branches, is to create a new branch. When you create a new branch, it will automatically be initialized with the currently existent code. Then, while inside that branch, all changes will be added only on that branch.

In order to create a new branch:

• pull all the changes from the remote project, in order to be up to date:



- git pull
- create the branch on your local machine and switch directly to that branch:
 - git checkout -b
branch-name>
- push the newly created branch to the remote repository:
 - o git push origin

branch_name>

An example to create the branch production is the following:

#git pull

#git checkout -b production

#git push origin production

2) switch between branches

When working with multiple branches, it is important to keep track of all the available branches, and to always know on which branch you currently are.

- To bring locally meta-data information about existing branches:
 - git fetch --all
- In order to see all existent branches:
 - o git branch -a
- In order to see on which branch you currently are:
 - o git status
- *in order to switch from a branch to another, use the above-mentioned command:*
 - git checkout -b
branch-name>
 - if the branch with that name is already existent, it will just switch to that one, instead of creating a new one

You can try to create a new branch, make some small change, then switch back to the master branch, and see that that change is not present in the master branch.

3) commit changes to new branch

When making changes on a new branch, you must always commit and push them to the remote branch, just like working on master.



FACULTY OF AUTOMATION AND COMPUTER SCIENCE COMPUTER SCIENCE DEPARTMENT

- First, make sure you are on the right branch:
 - o git status
- Repeat the same process as if you were working with master. However, pay attention to the names:
 - o git add.
 - git commit -m "commit message"
 - git push -u origin
branch-name>

4) merge branch with master

An important step when working with branches, is to always keep the master branch up to date with the latest **working and functional** code from your other branches. Merging two branches, as the name suggests, is the process of merging the code from two branches. If the branches contain changes on different parts of the code, the merge process will work instantly. If both branches contain changes on the same parts of code, git will require you to solve the conflicts: from the two modifications, you must choose the one which you want to remain in the final version.

DO NOT FORGET: do not merge code which is not working properly, or which is not tested, into master. Master must always contain the latest functional version of your project.

In order to merge two branches:

git merge <branch-with-new-changes> <branch-to-be-updated>

For a more in-depth explanation of branches and how they can be manipulated to serve your needs, we suggest checking the following tutorial:

https://git-scm.com/book/en/v2/Git-Branching-Basic-Branching-and-Merging

3.3.5. Getting git to work with a proxy server

- 1) In the UTCN laboratories you need to set the proxy server in order to use GIT bash
- 2) Open Git Bash
- 3) Insert the following commands:
 - a) git config --global http.proxy http://proxy.utcluj.ro:3128
 - b) git config –global --get http.proxy
- 4) In order to unset the proxy, use the following command:
 - a) git config --global --unset http.proxy



FACULTY OF AUTOMATION AND COMPUTER SCIENCE COMPUTER SCIENCE DEPARTMENT

3.3.6. Getting MAVEN to work with a proxy server

- 1) In the UTCN laboratories you need to set the proxy server in order to use MAVEN projects
- 2) Go to Windows Explorer-> Drive C-> Users -> Your User -> .m2
- 3) Create the folder **conf**
- 4) Go to conf folder and create the file **settings.xml** with the following content:

```
<settings xmlns="http://maven.apache.org/SETTINGS/1.0.0"</pre>
 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/SETTINGS/1.0.0"
            http://maven.apache.org/xsd/settings-1.0.0.xsd">
 <localRepository/>
 <interactiveMode/>
 <usePluginRegistry/>
 <offline/>
 <pluginGroups/>
 <servers/>
 <mirrors/>
 cproxies>
  cproxy>
   <id>myproxy</id>
   <active>true</active>
   cprotocol>http
   <host>proxy.utcluj.ro</host>
   <port>3128</port>
   <username></username>
   <password></password>
   <nonProxyHosts>localhost,127.0.0.1</nonProxyHosts>
  </proxy>
 </proxies>
 cprofiles/>
 <activeProfiles/>
</settings>
```

- 5) Go back to folder .m2
- 6) Delete the folder **repository**
- 7) Open **Eclipse**



- 8) Go to Window->|Preferences->|Maven->|User Settings
- 9) At the **User Settings** tab browse for the **settings.xml** file created at step 4
- 10) Click Apply and OK
- 11) Go on the project, right click and go to Maven->Update Project