

# Tecniche di scansione con Nmap

**Giuseppe Gigliotti**  
gius199874@gmail.com

November 11, 2025

## Indice

<b>1</b>	<b>Descrizione:</b>	<b>3</b>
<b>2</b>	<b>FASE 1: RETE DIVERSA</b>	<b>3</b>
2.1	FIREWALL DISATTIVATO: . . . . .	3
2.1.1	OS Fingerprint . . . . .	3
2.1.2	Syn Scan . . . . .	4
2.1.3	TCP connect . . . . .	6
2.1.4	Version Detection . . . . .	6
2.2	FIREWALL ATTIVATO: . . . . .	7
2.2.1	OS Fingerprint . . . . .	7
2.2.2	Syn Scan . . . . .	8
2.2.3	TCP connect . . . . .	9
2.2.4	Version Detection . . . . .	9
<b>3</b>	<b>FASE 2: STESSA RETE</b>	<b>10</b>
3.1	FIREWALL DISATTIVATO: . . . . .	10
3.1.1	OS Fingerprint . . . . .	10
3.1.2	Syn Scan . . . . .	11
3.1.3	TCP connect . . . . .	13
3.1.4	Version Detection . . . . .	14
3.2	FIREWALL ATTIVATO: . . . . .	14
3.2.1	OS Fingerprint . . . . .	14
3.2.2	Syn Scan . . . . .	15
3.2.3	TCP connect . . . . .	16
3.2.4	Version Detection . . . . .	17

<b>4</b>	<b>RIEPILOGO INFORMAZIONI RACCOLTE</b>	<b>18</b>
4.1	Informazioni Generali trovate . . . . .	18
4.2	Porte e Servizi Identificati . . . . .	18
4.2.1	SCENARIO 1: FIREWALL OFF - STESSA RETE . . . . .	18
4.2.2	SCENARIO 2: FIREWALL ON - STESSA RETE . . . . .	19
4.2.3	SCENARIO 3: FIREWALL OFF - RETI DIVERSE . . . . .	19
4.2.4	SCENARIO 4: FIREWALL ON - RETI DIVERSE . . . . .	19
<b>5</b>	<b>CONCLUSIONI:</b>	<b>20</b>

# 1 Descrizione:

Questo esercizio è diviso in due fasi. Nella prima chiede di effettuare le scansioni fatte nell'esercizio precedente con Nmap sul target Windows con indirizzo IP 192.168.51.102 con Windows Firewall abilitato e disabilitato. (OS fingerprint, Syn Scan - TCP connect, trovate differenze tra i risultati della scansioni TCP connect e SYN? - Version detection) Esse infatti si trovano su "reti diverse" avendo la kali (la nostra macchina attaccante) sull'indirizzo IP 192.168.50.100. Per fare ciò abbiamo utilizzato una terza macchina PFSENSE (già configurata), utilizzando come router per far comunicare le due macchine. Finite le scansioni e raccolte le informazioni richieste dalla traccia:

- IP
- Sistema Operativo
- porte aperte
- servizi in ascolto con versione
- descrizione dei servizi

Alla fine di questa prima fase si può spostare il target Windows nella stessa rete dell'attaccante e ripetere le scansioni con Windows Firewall abilitato e disabilitato per passare alla seconda fase. La seconda fase (facoltativa) richiedeva di modificare le impostazioni di rete, portando il nostro target sulla stessa rete della kali, quindi la macchina windows, avrà indirizzo 192.168.50.102.

## 2 FASE 1: RETE DIVERSA

- Target: 192.168.51.102 (windows 10)
- Attaccante 192.168.50.100 (kali)
- Macchina di supporto 192.168.50.1 (Pfsense)

### 2.1 FIREWALL DISATTIVATO:

#### 2.1.1 OS Fingerprint

```
nmap -O 192.168.51.102
```

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 21:58 CET
Nmap scan report for 192.168.51.102
Host is up (0.0016s latency).
```

Not shown: 982 closed tcp ports (reset)

PORT	STATE	SERVICE
7/tcp	open	echo
9/tcp	open	discard
13/tcp	open	daytime
17/tcp	open	qotd
19/tcp	open	chargen
80/tcp	open	http
135/tcp	open	msrpc
139/tcp	open	netbios-ssn
445/tcp	open	microsoft-ds
1801/tcp	open	msmq
2103/tcp	open	zephyr-clt
2105/tcp	open	eklogin
2107/tcp	open	msmq-mgmt
3389/tcp	open	ms-wbt-server
5432/tcp	open	postgresql
8009/tcp	open	ajp13
8080/tcp	open	http-proxy
8443/tcp	open	https-alt

Device type: general purpose

Running: Microsoft Windows 10

OS CPE: cpe:/o:microsoft:windows 10

OS details: Microsoft Windows 10 1607

Network Distance: 2 hops

OS detection performed. Please report any incorrect results at <https://nmap.org/submi>

Nmap done: 1 IP address (1 host up) scanned in 3.08 seconds

### 2.1.2 Syn Scan

```
nmap -sS -v 192.168.51.102
```

Aggiunto il flag -v per far visualizzare al meglio che si trattasse dello Stealth Scan

Output:

Starting Nmap 7.95 ( <https://nmap.org> ) at 2025-11-08 22:09 CET

Initiating Ping Scan at 22:09

Scanning 192.168.51.102 [4 ports]

Completed Ping Scan at 22:09, 0.03s elapsed (1 total hosts)

Initiating Parallel DNS resolution of 1 host. at 22:09

Completed Parallel DNS resolution of 1 host. at 22:09, 0.01s elapsed

Initiating SYN Stealth Scan at 22:09

```
Scanning 192.168.51.102 [1000 ports]
Discovered open port 139/tcp on 192.168.51.102
Discovered open port 80/tcp on 192.168.51.102
Discovered open port 135/tcp on 192.168.51.102
Discovered open port 3389/tcp on 192.168.51.102
Discovered open port 8080/tcp on 192.168.51.102
Discovered open port 445/tcp on 192.168.51.102
Discovered open port 13/tcp on 192.168.51.102
Discovered open port 8009/tcp on 192.168.51.102
Discovered open port 19/tcp on 192.168.51.102
Discovered open port 9/tcp on 192.168.51.102
Discovered open port 17/tcp on 192.168.51.102
Discovered open port 2103/tcp on 192.168.51.102
Discovered open port 1801/tcp on 192.168.51.102
Discovered open port 2107/tcp on 192.168.51.102
Discovered open port 7/tcp on 192.168.51.102
Discovered open port 2105/tcp on 192.168.51.102
Discovered open port 8443/tcp on 192.168.51.102
Discovered open port 5432/tcp on 192.168.51.102
Completed SYN Stealth Scan at 22:09, 1.35s elapsed (1000 total ports)
Nmap scan report for 192.168.51.102
Host is up (0.0014s latency).
Not shown: 982 closed tcp ports (reset)
PORT      STATE SERVICE
7/tcp     open  echo
9/tcp     open  discard
13/tcp    open  daytime
17/tcp    open  qotd
19/tcp    open  chargen
80/tcp    open  http
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
1801/tcp  open  msmq
2103/tcp  open  zephyr-clt
2105/tcp  open  eklogin
2107/tcp  open  msmq-mgmt
3389/tcp  open  ms-wbt-server
5432/tcp  open  postgresql
8009/tcp  open  ajp13
8080/tcp  open  http-proxy
8443/tcp  open  https-alt

Read data files from: /usr/share/nmap
Nmap done: 1 IP address (1 host up) scanned in 1.50 seconds
Raw packets sent: 1018 (44.768KB) | Rcvd: 1001 (40.100KB)
```

### 2.1.3 TCP connect

```
nmap -sT 192.168.51.102
```

Output:

Starting Nmap 7.95 ( <https://nmap.org> ) at 2025-11-08 22:10 CET

Nmap scan report for 192.168.51.102

Host is up (0.0013s latency).

Not shown: 982 closed tcp ports (conn-refused)

PORT	STATE	SERVICE
7/tcp	open	echo
9/tcp	open	discard
13/tcp	open	daytime
17/tcp	open	qotd
19/tcp	open	chargen
80/tcp	open	http
135/tcp	open	msrpc
139/tcp	open	netbios-ssn
445/tcp	open	microsoft-ds
1801/tcp	open	msmq
2103/tcp	open	zephyr-clt
2105/tcp	open	eklogin
2107/tcp	open	msmq-mgmt
3389/tcp	open	ms-wbt-server
5432/tcp	open	postgresql
8009/tcp	open	ajp13
8080/tcp	open	http-proxy
8443/tcp	open	https-alt

Nmap done: 1 IP address (1 host up) scanned in 0.32 seconds

### 2.1.4 Version Detection

```
nmap -sV 192.168.51.102
```

Output:

Starting Nmap 7.95 ( <https://nmap.org> ) at 2025-11-08 22:16 CET

Nmap scan report for 192.168.51.102

Host is up (0.0015s latency).

Not shown: 982 closed tcp ports (reset)

PORT	STATE	SERVICE	VERSION
------	-------	---------	---------

7/tcp	open	echo	
-------	------	------	--

9/tcp	open	discard?	
-------	------	----------	--

13/tcp	open	daytime	Microsoft Windows International daytime
--------	------	---------	---

17/tcp	open	qotd	Windows qotd (English)
--------	------	------	------------------------

19/tcp	open	chargen	
--------	------	---------	--

80/tcp	open	http	Microsoft IIS httpd 10.0
--------	------	------	--------------------------

135/tcp	open	msrpc	Microsoft Windows RPC
---------	------	-------	-----------------------

139/tcp	open	netbios-ssn	Microsoft Windows netbios-ssn
---------	------	-------------	-------------------------------

445/tcp	open	microsoft-ds	Microsoft Windows 7 - 10 microsoft-ds (workgroup: WORKGRU...)
---------	------	--------------	---

1801/tcp	open	msmq?	
----------	------	-------	--

2103/tcp	open	msrpc	Microsoft Windows RPC
----------	------	-------	-----------------------

2105/tcp	open	msrpc	Microsoft Windows RPC
----------	------	-------	-----------------------

2107/tcp	open	msrpc	Microsoft Windows RPC
----------	------	-------	-----------------------

3389/tcp	open	ms-wbt-server	Microsoft Terminal Services
----------	------	---------------	-----------------------------

5432/tcp	open	postgresql?	
----------	------	-------------	--

8009/tcp	open	ajp13	Apache Jserv (Protocol v1.3)
----------	------	-------	------------------------------

8080/tcp	open	http	Apache Tomcat/Coyote JSP engine 1.1
----------	------	------	-------------------------------------

8443/tcp	open	ssl/https-alt	
----------	------	---------------	--

Service Info: Host: DESKTOP-9K104BT; OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at <https://nmap.org/>

Nmap done: 1 IP address (1 host up) scanned in 159.70 seconds

## 2.2 FIREWALL ATTIVATO:

### 2.2.1 OS Fingerprint

```
nmap -O 192.168.51.102
```

Output:

Starting Nmap 7.95 ( <https://nmap.org> ) at 2025-11-08 22:27 CET

Nmap scan report for 192.168.51.102

Host is up (0.0016s latency).

Not shown: 992 filtered tcp ports (no-response)

PORT	STATE	SERVICE
------	-------	---------

80/tcp	open	http
--------	------	------

135/tcp	open	msrpc
---------	------	-------

```
1801/tcp open  msmq
2103/tcp open  zephyr-clt
2105/tcp open  eklogin
2107/tcp open  msmq-mgmt
3389/tcp open  ms-wbt-server
8443/tcp open  https-alt
```

Warning: OSScan results may be unreliable because we could not find at least 1 open and running port on this host.  
Aggressive OS guesses: Microsoft Windows 10 1607 (97%), Microsoft Windows Phone 7.5 or Windows Phone 7.5 (97%), Microsoft Windows Embedded Standard 7 (93%), Microsoft Windows 10 1511 - 1607 (92%), Microsoft Windows 7 or Windows Server 2008 R2 (91%), Microsoft Windows Server 2008 R2 (91%), Microsoft Windows Server 2016 (91%), Microsoft Windows Vista SP0 or SP1, Windows Server 2008 SP1, or Windows 7 (91%), Microsoft Windows 11 21H2 (91%), Microsoft Windows Vista SP2, Windows 7 SP1, or Windows Server 2008 (90%)  
No exact OS matches for host (test conditions non-ideal).

OS detection performed. Please report any incorrect results at <https://nmap.org/submission>  
Nmap done: 1 IP address (1 host up) scanned in 8.49 seconds

## 2.2.2 Syn Scan

```
nmap -sS -v 192.168.51.102
```

Aggiunto il flag -v per far visualizzare al meglio che si trattasse dello Stealth Scan  
Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 22:29 CET
Initiating Ping Scan at 22:29
Scanning 192.168.51.102 [4 ports]
Completed Ping Scan at 22:29, 0.03s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 22:29
Completed Parallel DNS resolution of 1 host. at 22:29, 0.02s elapsed
Initiating SYN Stealth Scan at 22:29
Scanning 192.168.51.102 [1000 ports]
Discovered open port 3389/tcp on 192.168.51.102
Discovered open port 135/tcp on 192.168.51.102
Discovered open port 80/tcp on 192.168.51.102
Discovered open port 2103/tcp on 192.168.51.102
Discovered open port 2107/tcp on 192.168.51.102
Discovered open port 2105/tcp on 192.168.51.102
Discovered open port 1801/tcp on 192.168.51.102
Discovered open port 8443/tcp on 192.168.51.102
Completed SYN Stealth Scan at 22:29, 4.40s elapsed (1000 total ports)
```



```
Nmap scan report for 192.168.51.102
Host is up (0.0017s latency).
Not shown: 992 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
135/tcp   open  msrpc
1801/tcp  open  msmq
2103/tcp  open  zephyr-clt
2105/tcp  open  eklogin
2107/tcp  open  msmq-mgmt
3389/tcp  open  ms-wbt-server
8443/tcp  open  https-alt

Read data files from: /usr/share/nmap
Nmap done: 1 IP address (1 host up) scanned in 4.54 seconds
          Raw packets sent: 1997 (87.844KB) | Rcvd: 10 (424B)
```

### 2.2.3 TCP connect

```
nmap -sT 192.168.51.102
```

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 22:32 CET
Nmap scan report for 192.168.51.102
Host is up (0.0019s latency).
Not shown: 992 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
135/tcp   open  msrpc
1801/tcp  open  msmq
2103/tcp  open  zephyr-clt
2105/tcp  open  eklogin
2107/tcp  open  msmq-mgmt
3389/tcp  open  ms-wbt-server
8443/tcp  open  https-alt

Nmap done: 1 IP address (1 host up) scanned in 4.56 seconds
```

### 2.2.4 Version Detection

```
nmap -sV 192.168.51.102
```

Output:

Starting Nmap 7.95 ( <https://nmap.org> ) at 2025-11-08 22:33 CET

Nmap scan report for 192.168.51.102

Host is up (0.0012s latency).

Not shown: 992 filtered tcp ports (no-response)

PORT	STATE	SERVICE	VERSION
80/tcp	open	http	Microsoft IIS httpd 10.0
135/tcp	open	msrpc	Microsoft Windows RPC
1801/tcp	open	msmq?	
2103/tcp	open	msrpc	Microsoft Windows RPC
2105/tcp	open	msrpc	Microsoft Windows RPC
2107/tcp	open	msrpc	Microsoft Windows RPC
3389/tcp	open	ms-wbt-server	Microsoft Terminal Services
8443/tcp	open	ssl/https-alt	

Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at <https://nmap.org/>

Nmap done: 1 IP address (1 host up) scanned in 81.68 seconds

---

## 3 FASE 2: STESSA RETE

- Target: 192.168.50.102 (windows 10)
- Attaccante 192.168.50.100 (kali)

### 3.1 FIREWALL DISATTIVATO:

#### 3.1.1 OS Fingerprint

```
nmap -O 192.168.50.102
```

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 22:54 CET
Nmap scan report for windows (192.168.50.102)
Host is up (0.0011s latency).
Not shown: 981 closed tcp ports (reset)
PORT      STATE SERVICE
7/tcp     open  echo
9/tcp     open  discard
13/tcp    open  daytime
17/tcp    open  qotd
19/tcp    open  chargen
80/tcp    open  http
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
1801/tcp  open  msmq
2103/tcp  open  zephyr-clt
2105/tcp  open  eklogin
2107/tcp  open  msmq-mgmt
3389/tcp  open  ms-wbt-server
5357/tcp  open  wsdapi
5432/tcp  open  postgresql
8009/tcp  open  ajp13
8080/tcp  open  http-proxy
8443/tcp  open  https-alt
MAC Address: 08:00:27:67:DE:22 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Microsoft Windows 10
OS CPE: cpe:/o:microsoft:windows 10
OS details: Microsoft Windows 10 1507 - 1607
Network Distance: 1 hop

OS detection performed. Please report any incorrect results at https://nmap.org/submit
Nmap done: 1 IP address (1 host up) scanned in 2.84 seconds
```

### 3.1.2 Syn Scan

```
nmap -sS -v 192.168.50.102
```

Aggiunto il flag -v per far visualizzare al meglio che si trattasse dello Stealth Scan

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 22:56 CET
Initiating ARP Ping Scan at 22:56
```

```
Scanning 192.168.50.102 [1 port]
Completed ARP Ping Scan at 22:56, 0.05s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 22:56
Scanning windows (192.168.50.102) [1000 ports]
Discovered open port 139/tcp on 192.168.50.102
Discovered open port 3389/tcp on 192.168.50.102
Discovered open port 445/tcp on 192.168.50.102
Discovered open port 8080/tcp on 192.168.50.102
Discovered open port 80/tcp on 192.168.50.102
Discovered open port 135/tcp on 192.168.50.102
Discovered open port 7/tcp on 192.168.50.102
Discovered open port 2103/tcp on 192.168.50.102
Discovered open port 8009/tcp on 192.168.50.102
Discovered open port 9/tcp on 192.168.50.102
Discovered open port 19/tcp on 192.168.50.102
Discovered open port 2107/tcp on 192.168.50.102
Discovered open port 5432/tcp on 192.168.50.102
Discovered open port 8443/tcp on 192.168.50.102
Discovered open port 1801/tcp on 192.168.50.102
Discovered open port 2105/tcp on 192.168.50.102
Discovered open port 13/tcp on 192.168.50.102
Discovered open port 17/tcp on 192.168.50.102
Discovered open port 5357/tcp on 192.168.50.102
Completed SYN Stealth Scan at 22:56, 1.61s elapsed (1000 total ports)
Nmap scan report for windows (192.168.50.102)
Host is up (0.00070s latency).
Not shown: 981 closed tcp ports (reset)
PORT      STATE SERVICE
7/tcp     open  echo
9/tcp     open  discard
13/tcp    open  daytime
17/tcp    open  qotd
19/tcp    open  chargen
80/tcp    open  http
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
1801/tcp  open  msmq
2103/tcp  open  zephyr-clt
2105/tcp  open  eklogin
2107/tcp  open  msmq-mgmt
3389/tcp  open  ms-wbt-server
5357/tcp  open  wsapi
5432/tcp  open  postgresql
8009/tcp  open  ajp13
8080/tcp  open  http-proxy
```

8443/tcp open https-alt  
MAC Address: 08:00:27:67:DE:22 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Read data files from: /usr/share/nmap  
Nmap done: 1 IP address (1 host up) scanned in 1.73 seconds  
Raw packets sent: 1121 (49.308KB) | Rcvd: 1001 (40.104KB)

### 3.1.3 TCP connect

```
nmap -sT 192.168.50.102
```

Output:

```
nmap -sT 192.168.50.102
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 22:59 CET
Nmap scan report for windows (192.168.50.102)
Host is up (0.0018s latency).
Not shown: 981 closed tcp ports (conn-refused)
PORT      STATE SERVICE
7/tcp     open  echo
9/tcp     open  discard
13/tcp    open  daytime
17/tcp    open  qotd
19/tcp    open  chargen
80/tcp    open  http
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
1801/tcp  open  msmq
2103/tcp  open  zephyr-clt
2105/tcp  open  eklogin
2107/tcp  open  msmq-mgmt
3389/tcp  open  ms-wbt-server
5357/tcp  open  wsapi
5432/tcp  open  postgresql
8009/tcp  open  ajp13
8080/tcp  open  http-proxy
8443/tcp  open  https-alt
MAC Address: 08:00:27:67:DE:22 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 1.41 seconds
```

### 3.1.4 Version Detection

```
nmap -sV 192.168.50.102
```

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 23:00 CET
Nmap scan report for windows (192.168.50.102)
Host is up (0.00083s latency).
Not shown: 981 closed tcp ports (reset)
PORT      STATE SERVICE          VERSION
7/tcp     open  echo
9/tcp     open  discard?
13/tcp    open  daytime          Microsoft Windows International daytime
17/tcp    open  qotd              Windows qotd (English)
19/tcp    open  chargen
80/tcp    open  http              Microsoft IIS httpd 10.0
135/tcp   open  msrpc              Microsoft Windows RPC
139/tcp   open  netbios-ssn       Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds       Microsoft Windows 7 - 10 microsoft-ds (workgroup: WORKGR
1801/tcp  open  msmq?
2103/tcp  open  msrpc              Microsoft Windows RPC
2105/tcp  open  msrpc              Microsoft Windows RPC
2107/tcp  open  msrpc              Microsoft Windows RPC
3389/tcp  open  ms-wbt-server     Microsoft Terminal Services
5357/tcp  open  http               Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
5432/tcp  open  postgresql?
8009/tcp  open  ajp13              Apache Jserv (Protocol v1.3)
8080/tcp  open  http               Apache Tomcat/Coyote JSP engine 1.1
8443/tcp  open  ssl/https-alt
MAC Address: 08:00:27:67:DE:22 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Service Info: Host: DESKTOP-9K104BT; OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at https://nmap.org/
Nmap done: 1 IP address (1 host up) scanned in 159.17 seconds
```

## 3.2 FIREWALL ATTIVATO:

### 3.2.1 OS Fingerprint

```
nmap -O 192.168.50.102
```

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 23:07 CET
Nmap scan report for windows (192.168.50.102)
Host is up (0.00073s latency).
Not shown: 989 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
135/tcp    open  msrpc
139/tcp    open  netbios-ssn
445/tcp    open  microsoft-ds
1801/tcp   open  msmq
2103/tcp   open  zephyr-clt
2105/tcp   open  eklogin
2107/tcp   open  msmq-mgmt
3389/tcp   open  ms-wbt-server
5357/tcp   open  wsdapi
8443/tcp   open  https-alt
MAC Address: 08:00:27:67:DE:22 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Warning: OSScan results may be unreliable because we could not find at least 1 open an
Aggressive OS guesses: Microsoft Windows 10 1607 (97%),
Microsoft Windows Phone 7.5 or 8.0 (94%), Microsoft Windows 10 1511 - 1607 (92%),
Microsoft Windows Embedded Standard 7 (92%), Microsoft Windows 10 1511 (91%),
Microsoft Windows 7 or Windows Server 2008 R2 (91%),
Microsoft Windows Server 2008 R2 or Windows 8.1 (91%),
Microsoft Windows Server 2016 (91%), Microsoft Windows 7 Professional or Windows 8 (9
Microsoft Windows Vista SP0 or SP1, Windows Server 2008 SP1, or Windows 7 (91%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 1 hop

OS detection performed. Please report any incorrect results at https://nmap.org/submi
Nmap done: 1 IP address (1 host up) scanned in 9.43 seconds
```

### 3.2.2 Syn Scan

```
nmap -sS -v 192.168.50.102
```

Aggiunto il flag -v per far visualizzare al meglio che si trattasse dello Stealth Scan

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 23:09 CET
Initiating ARP Ping Scan at 23:09
Scanning 192.168.50.102 [1 port]
```

```
Completed ARP Ping Scan at 23:09, 0.05s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 23:09
Scanning windows (192.168.50.102) [1000 ports]
Discovered open port 3389/tcp on 192.168.50.102
Discovered open port 135/tcp on 192.168.50.102
Discovered open port 445/tcp on 192.168.50.102
Discovered open port 80/tcp on 192.168.50.102
Discovered open port 139/tcp on 192.168.50.102
Discovered open port 2103/tcp on 192.168.50.102
Discovered open port 1801/tcp on 192.168.50.102
Discovered open port 8443/tcp on 192.168.50.102
Discovered open port 5357/tcp on 192.168.50.102
Discovered open port 2107/tcp on 192.168.50.102
Discovered open port 2105/tcp on 192.168.50.102
Completed SYN Stealth Scan at 23:09, 4.44s elapsed (1000 total ports)
Nmap scan report for windows (192.168.50.102)
Host is up (0.00056s latency).
Not shown: 989 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
1801/tcp  open  msmq
2103/tcp  open  zephyr-clt
2105/tcp  open  eklogin
2107/tcp  open  msmq-mgmt
3389/tcp  open  ms-wbt-server
5357/tcp  open  wsapi
8443/tcp  open  https-alt
MAC Address: 08:00:27:67:DE:22 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Read data files from: /usr/share/nmap
Nmap done: 1 IP address (1 host up) scanned in 4.60 seconds
Raw packets sent: 1992 (87.632KB) | Rcvd: 14 (600B)
```

### 3.2.3 TCP connect

```
nmap -sT 192.168.50.102
```

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 23:10 CET
Nmap scan report for windows (192.168.50.102)
```



```
Host is up (0.0024s latency).
Not shown: 989 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
135/tcp    open  msrpc
139/tcp    open  netbios-ssn
445/tcp    open  microsoft-ds
1801/tcp   open  msmq
2103/tcp   open  zephyr-clt
2105/tcp   open  eklogin
2107/tcp   open  msmq-mgmt
3389/tcp   open  ms-wbt-server
5357/tcp   open  wsapi
8443/tcp   open  https-alt
MAC Address: 08:00:27:67:DE:22 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 5.24 seconds
```

### 3.2.4 Version Detection

```
nmap -sV 192.168.50.102
```

Output:

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-08 23:12 CET
Nmap scan report for windows (192.168.50.102)
Host is up (0.00059s latency).
Not shown: 989 filtered tcp ports (no-response)
PORT      STATE SERVICE      VERSION
80/tcp    open  http         Microsoft IIS httpd 10.0
135/tcp    open  msrpc        Microsoft Windows RPC
139/tcp    open  netbios-ssn  Microsoft Windows netbios-ssn
445/tcp    open  microsoft-ds Microsoft Windows 7 - 10 microsoft-ds (workgroup: WORKGRU
1801/tcp   open  msmq?
2103/tcp   open  msrpc        Microsoft Windows RPC
2105/tcp   open  msrpc        Microsoft Windows RPC
2107/tcp   open  msrpc        Microsoft Windows RPC
3389/tcp   open  ms-wbt-server Microsoft Terminal Services
5357/tcp   open  http         Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
8443/tcp   open  ssl/https-alt
MAC Address: 08:00:27:67:DE:22 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Service Info: Host: DESKTOP-9K104BT; OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at https://nmap.org/
Nmap done: 1 IP address (1 host up) scanned in 80.88 seconds
```

## 4 RIEPILOGO INFORMAZIONI RACCOLTE

### 4.1 Informazioni Generali trovate

- Target IP: 192.168.50.102
- Hostname: DESKTOP-9K1O4BT
- Sistema Operativo: Windows 10 Build 1607
- MAC Address: 08:00:27:67:DE:22
- Workgroup SMB: WORKGROUP

### 4.2 Porte e Servizi Identificati

#### 4.2.1 SCENARIO 1: FIREWALL OFF - STESSA RETE

Porte aperte: 18

Porta	Servizio	Descrizione	Versione/Dettagli
7	echo	Echo service	Standard TCP service
9	discard	Discard service	Non identificato precisamente
13	daytime	Daytime service	Microsoft Windows International daytime
17	qotd	Quote of the Day	Windows qotd (English)
19	chargen	Character Generator	Standard TCP service
80	http	Web server	<b>Microsoft IIS httpd 10.0</b>
135	msrpc	Microsoft RPC	Microsoft Windows RPC
139	netbios-ssn	NetBIOS Session Service	Microsoft Windows netbios-ssn
445	microsoft-ds	SMB File Sharing	Microsoft Windows 7-10 (workgroup: WORKGROUP)
1801	msmq	Microsoft Message Queue	Non identificato precisamente
2103	zephyr-clt	RPC service	Microsoft Windows RPC
2105	eklogin	RPC service	Microsoft Windows RPC
2107	msmq-mgmt	MSMQ Management	Microsoft Windows RPC
3389	ms-wbt-server	Remote Desktop Protocol	<b>Microsoft Terminal Services</b>
5432	postgresql	PostgreSQL Database	Non identificato precisamente
8009	ajp13	Apache JServ Protocol	<b>Apache Jserv (Protocol v1.3)</b>
8080	http-proxy	Apache Tomcat	<b>Apache Tomcat/Coyote JSP engine 1.1</b>
8443	https-alt	HTTPS Alternative	HTTPS alternativo

#### 4.2.2 SCENARIO 2: FIREWALL ON - STESSA RETE

- **Porte aperte: 8**
- **Porte filtrate: 992** (risposta: no-response)

Porta	Stato	Servizio
80	open	http
135	open	msrpc
1801	open	msmq
2103	open	zephyr-clt
2105	open	eklogin
2107	open	msmq-mgmt
3389	open	ms-wbt-server
8443	open	https-alt

#### 4.2.3 SCENARIO 3: FIREWALL OFF - RETI DIVERSE

**Porte aperte: 19**

**NUOVA PORTA RILEVATA:**

Porta	Servizio	Versione
5357	wsdapi	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)

**Nota:** WSD (Web Services for Devices) è un servizio Windows per discovery di dispositivi, probabilmente ha regole di visibilità diverse tra reti.

#### 4.2.4 SCENARIO 4: FIREWALL ON - RETI DIVERSE

- **Porte aperte: 8**
- **Porte filtrate: 992** (risposta: no-response)

Porta	Stato	Servizio
80	open	http
135	open	msrpc
1801	open	msmq
2103	open	zephyr-clt
2105	open	eklogin
2107	open	msmq-mgmt
3389	open	ms-wbt-server
8443	open	https-alt

## 5 CONCLUSIONI:

Alla fine delle due fasi abbiamo trovato una netta differenza tra le scansioni con il firewall acceso e il firewall chiuso. In particolare per quanto riguarda la scansione con il flag -O diminuisce la precisione di individuare il OS della macchina target. Inoltre abbiamo analizzato i risultati delle porte con il firewall acceso (riduce le porte visibili) che con il firewall spento.

---