Table 1 gives accuracy, precision, recall, and F_1 (mean ± standard deviation over five seeds) for every dataset, noise setting, and model.

Table 1: Complete results (mean ± standard deviation over five seeds).

Dataset	**Noise**	**Model**	**Acc.**	**Prec.**	**Recall**	$\boldsymbol{F_1}$
Iris	Ideal	RBF-SVM	0.993 ± 0.015	0.988 ± 0.028	1.000 ± 0.000	0.994 ± 0.014
	Ideal	VQC-COBYLA-300	0.613 ± 0.080	0.596 ± 0.068	0.747 ± 0.145	0.656 ± 0.074
	Ideal	VQC-SPSA-100	0.673 ± 0.092	0.678 ± 0.142	0.733 ± 0.176	0.689 ± 0.090
	Ideal	QSVC	0.807 ± 0.086	0.827 ± 0.138	0.813 ± 0.030	0.813 ± 0.060
	Low stress	VQC-COBYLA-300	0.640 ± 0.119	0.628 ± 0.120	0.773 ± 0.112	0.685 ± 0.085
	Low stress	VQC-SPSA-100	0.660 ± 0.121	0.688 ± 0.159	0.720 ± 0.152	0.682 ± 0.074
	Low stress	QSVC	0.820 ± 0.038	0.840 ± 0.114	0.827 ± 0.112	0.822 ± 0.024
	High stress	VQC-COBYLA-300	0.600 ± 0.047	0.592 ± 0.053	0.693 ± 0.101	0.633 ± 0.036
	High stress	VQC-SPSA-100	0.653 ± 0.102	0.645 ± 0.126	0.760 ± 0.161	0.686 ± 0.091
	High stress	QSVC	0.827 ± 0.043	0.868 ± 0.118	0.800 ± 0.082	0.824 ± 0.027
make_moons	Ideal	RBF-SVM	0.933 ± 0.041	0.947 ± 0.053	0.920 ± 0.056	0.932 ± 0.041
	Ideal	VQC-COBYLA-300	0.513 ± 0.077	0.511 ± 0.083	0.493 ± 0.121	0.500 ± 0.099
	Ideal	VQC-SPSA-100	0.613 ± 0.069	0.611 ± 0.059	0.613 ± 0.145	0.607 ± 0.099
	Ideal	QSVC	0.653 ± 0.038	0.671 ± 0.079	0.640 ± 0.112	0.646 ± 0.043
	Low stress	VQC-COBYLA-300	0.580 ± 0.069	0.588 ± 0.074	0.547 ± 0.087	0.565 ± 0.071
	Low stress	VQC-SPSA-100	0.580 ± 0.065	0.580 ± 0.065	0.520 ± 0.208	0.534 ± 0.154
	Low stress	QSVC	0.640 ± 0.064	0.663 ± 0.096	0.600 ± 0.156	0.619 ± 0.087
	High stress	VQC-COBYLA-300	0.527 ± 0.104	0.520 ± 0.088	0.573 ± 0.167	0.541 ± 0.123
	High stress	VQC-SPSA-100	0.587 ± 0.090	0.578 ± 0.100	0.560 ± 0.192	0.563 ± 0.146
	High stress	QSVC	0.653 ± 0.038	0.676 ± 0.078	0.627 ± 0.138	0.639 ± 0.060
make_circles	Ideal	RBF-SVM	0.953 ± 0.030	1.000 ± 0.000	0.907 ± 0.060	0.950 ± 0.032
	Ideal	VQC-COBYLA-300	0.740 ± 0.064	0.738 ± 0.107	0.800 ± 0.105	0.756 ± 0.030
	Ideal	VQC-SPSA-100	0.740 ± 0.068	0.727 ± 0.096	0.813 ± 0.087	0.760 ± 0.039
	Ideal	QSVC	0.673 ± 0.043	0.663 ± 0.037	0.707 ± 0.076	0.683 ± 0.049
	Low stress	VQC-COBYLA-300	0.753 ± 0.077	0.723 ± 0.097	0.867 ± 0.105	0.780 ± 0.050
	Low stress	VQC-SPSA-100	0.760 ± 0.095	0.736 ± 0.113	0.853 ± 0.056	0.785 ± 0.066
	Low stress	QSVC	0.700 ± 0.041	0.671 ± 0.033	0.787 ± 0.073	0.723 ± 0.043
	High stress	VQC-COBYLA-300	0.747 ± 0.069	0.730 ± 0.095	0.827 ± 0.089	0.767 ± 0.040
	High stress	VQC-SPSA-100	0.753 ± 0.069	0.733 ± 0.096	0.840 ± 0.076	0.776 ± 0.035
	High stress	QSVC	0.693 ± 0.076	0.659 ± 0.058	0.800 ± 0.094	0.722 ± 0.071
Breast Cancer	Ideal	RBF-SVM	0.973 ± 0.037	0.989 ± 0.024	0.968 ± 0.047	0.978 ± 0.030
	Ideal	VQC-COBYLA-300	0.593 ± 0.086	0.651 ± 0.064	0.779 ± 0.069	0.708 ± 0.059
	Ideal	VQC-SPSA-100	0.647 ± 0.038	0.702 ± 0.047	0.779 ± 0.069	0.736 ± 0.029
	Ideal	QSVC	0.753 ± 0.069	0.753 ± 0.063	0.916 ± 0.060	0.825 ± 0.047
	Low stress	VQC-COBYLA-300	0.633 ± 0.053	0.680 ± 0.032	0.800 ± 0.114	0.732 ± 0.051
	Low stress	VQC-SPSA-100	0.653 ± 0.038	0.683 ± 0.035	0.853 ± 0.086	0.756 ± 0.033
	Low stress	QSVC	0.760 ± 0.076	0.768 ± 0.063	0.895 ± 0.064	0.826 ± 0.055
	High stress	VQC-COBYLA-300	0.613 ± 0.069	0.668 ± 0.051	0.779 ± 0.078	0.718 ± 0.054
	High stress	VQC-SPSA-100	0.667 ± 0.047	0.688 ± 0.043	0.874 ± 0.060	0.768 ± 0.032
	High stress	QSVC	0.740 ± 0.072	0.739 ± 0.057	0.916 ± 0.047	0.818 ± 0.048
Wine	Ideal	RBF-SVM	0.893 ± 0.028	0.938 ± 0.078	0.877 ± 0.099	0.900 ± 0.030

Dataset	**Noise**	**Model**	**Acc.**	**Prec.**	**Recall**	$\boldsymbol{F_1}$
	Ideal	VQC-COBYLA-300	0.613 ± 0.119	0.628 ± 0.107	0.698 ± 0.235	0.652 ± 0.154
	Ideal	VQC-SPSA-100	0.673 ± 0.076	0.706 ± 0.080	0.724 ± 0.158	0.705 ± 0.082
	Ideal	QSVC	0.780 ± 0.038	0.755 ± 0.014	0.891 ± 0.079	0.816 ± 0.038
	Low stress	VQC-COBYLA-300	0.673 ± 0.086	0.698 ± 0.089	0.721 ± 0.096	0.708 ± 0.084
	Low stress	VQC-SPSA-100	0.747 ± 0.069	0.764 ± 0.075	0.793 ± 0.145	0.771 ± 0.082
	Low stress	QSVC	0.780 ± 0.051	0.755 ± 0.022	0.892 ± 0.087	0.816 ± 0.047
	High stress	VQC-COBYLA-300	0.693 ± 0.049	0.719 ± 0.060	0.749 ± 0.101	0.729 ± 0.045
	High stress	VQC-SPSA-100	0.727 ± 0.080	0.741 ± 0.075	0.782 ± 0.144	0.755 ± 0.089
	High stress	QSVC	0.787 ± 0.038	0.761 ± 0.052	0.904 ± 0.067	0.824 ± 0.030

Table 2: Paired t-tests on test accuracy over five random seeds (five pairs, no correction for multiple comparisons). Δ is the mean accuracy difference (QSVC $-$ VQC). Bold values indicate $p < 0.05$.

		QSVC vs. VQC-SPSA-100		QSVC vs. VQC-COBYLA-300	
Dataset	Noise setting	Δ	p-value	Δ	p-value
Iris	Ideal	$+0.133$	0.068	$+0.194$	**0.035**
	Low stress	$+0.160$	**0.040**	$+0.180$	**0.023**
	High stress	$+0.173$	**0.029**	$+0.227$	**0.003**
make_moons	Ideal	$+0.040$	0.359	$+0.140$	**0.012**
	Low stress	$+0.060$	0.295	$+0.060$	0.286
	High stress	$+0.067$	0.230	$+0.126$	0.095
make_circles	Ideal	-0.067	**0.047**	-0.067	0.089
	Low stress	-0.060	0.266	-0.053	0.212
	High stress	-0.060	0.105	-0.054	0.120
Breast Cancer	Ideal	$+0.107$	0.051	$+0.160$	**0.033**
	Low stress	$+0.107$	0.078	$+0.127$	0.053
	High stress	$+0.073$	0.108	$+0.127$	**0.034**
Wine	Ideal	$+0.107$	0.051	$+0.167$	**0.022**
	Low stress	$+0.033$	0.546	$+0.107$	0.089
	High stress	$+0.060$	0.167	$+0.094$	**0.019**

Table 3: Paired t-tests on test precision over five random seeds (five pairs, no correction for multiple comparisons). Δ is the mean precision difference (QSVC − VQC). Bold values indicate $p < 0.05$.

		QSVC vs. VQC-SPSA-100		QSVC vs. VQC-COBYLA-300	
Dataset	Noise setting	Δ	p-value	Δ	p-value
Iris	Ideal	+0.148	0.065	+0.231	**0.034**
	Low stress	+0.152	0.056	+0.212	**0.021**
	High stress	+0.223	**0.028**	+0.276	**0.013**
make_moons	Ideal	+0.059	0.253	+0.160	**0.004**
	Low stress	+0.084	0.231	+0.075	0.173
	High stress	+0.098	0.134	+0.156	0.074
make_circles	Ideal	−0.064	0.142	−0.075	0.176
	Low stress	−0.065	0.283	−0.052	0.298
	High stress	−0.074	0.123	−0.071	0.133
Breast Cancer	Ideal	+0.052	0.182	+0.102	**0.045**
	Low stress	+0.085	**0.047**	+0.089	**0.029**
	High stress	+0.051	0.075	+0.072	**0.047**
Wine	Ideal	+0.048	0.247	+0.127	0.059
	Low stress	−0.009	0.813	+0.056	0.269
	High stress	+0.020	0.458	+0.042	0.175

Table 4: Paired t-tests on test recall over five random seeds (five pairs, no correction for multiple comparisons). Δ is the mean recall difference (QSVC − VQC). Bold values indicate $p < 0.05$.

		QSVC vs. VQC-SPSA-100		QSVC vs. VQC-COBYLA-300	
Dataset	Noise setting	Δ	p-value	Δ	p-value
Iris	Ideal	+0.080	0.305	+0.067	0.298
	Low stress	+0.107	0.056	+0.053	0.242
	High stress	+0.040	0.426	+0.107	0.078
make_moons	Ideal	+0.027	0.717	+0.147	0.130
	Low stress	+0.080	0.414	+0.053	0.605
	High stress	+0.067	0.561	+0.053	0.654
make_circles	Ideal	−0.107	**0.016**	−0.093	0.052
	Low stress	−0.067	0.230	−0.080	0.109
	High stress	−0.040	0.426	−0.027	0.587
Breast Cancer	Ideal	+0.137	**0.019**	+0.137	**0.019**
	Low stress	+0.042	0.528	+0.095	0.255
	High stress	+0.042	0.374	+0.137	**0.025**
Wine	Ideal	+0.168	**0.045**	+0.193	0.071
	Low stress	+0.099	0.287	+0.171	**0.016**
	High stress	+0.122	0.175	+0.154	**0.046**

Table 5: Paired t-tests on test F_1 score over five random seeds (five pairs, no correction for multiple comparisons). Δ is the mean F_1 difference (QSVC $-$ VQC). Bold values indicate $p < 0.05$.

		QSVC vs. VQC-SPSA-100		QSVC vs. VQC-COBYLA-300	
Dataset	Noise setting	Δ	p-value	Δ	p-value
Iris	Ideal	+0.124	0.075	+0.157	**0.039**
	Low stress	+0.140	**0.009**	+0.136	**0.010**
	High stress	+0.138	**0.034**	+0.191	**0.001**
make_moons	Ideal	+0.039	0.427	+0.146	**0.041**
	Low stress	+0.085	0.319	+0.054	0.448
	High stress	+0.075	0.380	+0.098	0.236
make_circles	Ideal	−0.077	**0.009**	−0.074	**0.031**
	Low stress	−0.062	0.166	−0.057	0.078
	High stress	−0.054	0.088	−0.045	0.112
Breast Cancer	Ideal	+0.089	**0.040**	+0.117	**0.029**
	Low stress	+0.070	0.138	+0.094	0.087
	High stress	+0.049	0.151	+0.100	**0.033**
Wine	Ideal	+0.111	**0.034**	+0.164	**0.046**
	Low stress	+0.046	0.422	+0.108	0.058
	High stress	+0.069	0.170	+0.095	**0.024**