

CONTROLLED INSPECTION RECORD
PRE-SHIPMENT QUALITY INSPECTION CHECKLIST
KAISTEEL Outdoor Kitchen System | One unit, one traceable release record

Document Ref	KS-QC-2026-V1.0
Version / Issue Date	V1.0 14 August 2026
Inspection Stage	Final pre-shipment inspection
Related Specification	KS-PTS-2026-V1.0 + approved project documents
Record Status	Blank controlled master - complete one record per Serial Number

RELEASE RULE Any identity, safety, structural, missing-part or functional failure places the unit on HOLD. Rework must be reinspected and evidenced before authorized release.

1. Unit and Order Identification

Customer / Distributor	_____
Project / Destination	_____
PO / PI Number	_____
Model / Series	_____
Serial Number	_____
Quantity in Order / Unit No.	_____ total Unit _____ of _____
Use Classification	Residential [] Commercial []
Drawing / BOM Revision	Drawing _____ BOM _____ Technical Freeze _____
Inspection Date / Location	_____
Inspector / Organization	_____

2. Result Codes and Inspection Rules

Code	Meaning	Required Action
P	PASS	Requirement verified and evidence/reference recorded where required.
F	FAIL	Nonconformity; record NCR number. Unit cannot be released until disposition and reinspection.
N/A	NOT APPLICABLE	Item is outside the approved configuration; inspector initials required.
H	HOLD	Evidence, approval or test is incomplete. Unit remains blocked from shipment.

SAMPLING This checklist is written for 100% final inspection of each completed unit. Supplier batch tests may support component/material evidence but do not replace unit-level identity, appearance, functional and packaging checks.

3. Test Equipment

Equipment	ID / Serial	Calibration / Verification Due	Used For
Tape / steel rule	_____	_____	Dimensions
Caliper / thickness gauge	_____	_____	Material / openings
Level / square	_____	_____	Frame alignment
Multimeter / earth tester	_____	_____	Electrical tests
Insulation resistance tester	_____	_____	Electrical tests
Pressure / leak test equipment	_____	_____	Plumbing / gas scope
Scale / weighing device	_____	_____	Gross / net weight
Other	_____	_____	_____

4. Inspection Checklist

A. Document and Identity Control

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
A01	PO / PI matches inspection unit	PO/PI number, customer, model and quantity match the inspection file.	P [] F [] N/A [] H []	_____
A02	Approved drawing revision	Current approved drawing revision is available and matches the unit.	P [] F [] N/A [] H []	_____
A03	Approved BOM revision	Current approved BOM revision is available; substitutions are authorized.	P [] F [] N/A [] H []	_____
A04	Technical Freeze Sheet	Signed/approved freeze record is present; open TBC items are closed or accepted.	P [] F [] N/A [] H []	_____
A05	Serial Number	Unique serial number is assigned, legible and consistent across unit, QC and packing records.	P [] F [] N/A [] H []	_____
A06	Model / use classification	Model/series and residential/commercial classification are correct.	P [] F [] N/A [] H []	_____

B. Incoming Material and Traceability

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
B01	SUS304 worktop evidence	Supplier material certificate/declaration identifies SUS304 and applicable batch.	P [] F [] N/A [] H []	_____
B02	Worktop thickness	Selected 6/8/10 mm thickness matches BOM and measured record.	P [] F [] N/A [] H []	_____
B03	Structural frame material	Q235 galvanized steel evidence or approved supplier record is available.	P [] F [] N/A [] H []	_____
B04	Aluminum panel system	Material, finish and batch match approved BOM/sample.	P [] F [] N/A [] H []	_____
B05	Aluminum honeycomb panels	Specified locations and panel construction match approved BOM.	P [] F [] N/A [] H []	_____
B06	Fasteners / hardware	Specified type, finish and quantities are present; no unapproved mixed hardware.	P [] F [] N/A [] H []	_____
B07	Electrical components	Make/model/rating match approved electrical schedule and BOM.	P [] F [] N/A [] H []	_____
B08	Appliance identification	Make, model, serial and certification documents match order requirements.	P [] F [] N/A [] H []	_____

C. Dimensions and Structural Workmanship

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
C01	Overall L x W x H	Measured dimensions conform to approved drawing and project tolerances.	P [] F [] N/A [] H []	_____
C02	Squareness / level	Frame is stable, square and level; no rocking or distortion.	P [] F [] N/A [] H []	_____
C03	Critical openings / cut-outs	Sink, appliance, service and fixing openings match approved drawing.	P [] F [] N/A [] H []	_____
C04	Frame members	Section locations, joints and reinforcements match drawing; no missing members.	P [] F [] N/A [] H []	_____
C05	Weld quality	No cracks, burn-through, incomplete weld, sharp spatter or unapproved repair.	P [] F [] N/A [] H []	_____
C06	Fastener security	Fasteners are complete, seated and secured; torque evidence where specified.	P [] F [] N/A [] H []	_____
C07	Anchoring points	Quantity, location and access match approved installation drawing.	P [] F [] N/A [] H []	_____
C08	Sharp edges / burrs	No accessible hazardous edges, burrs or unfinished cut surfaces.	P [] F [] N/A [] H []	_____

D. Panels, Cabinetry and Surface Finish

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
D01	Exterior panel identity	Correct material, color code, gloss and orientation per approved sample.	P [] F [] N/A [] H []	_____
D02	Finish condition	No peeling, blistering, exposed substrate, unacceptable scratch, dent or contamination.	P [] F [] N/A [] H []	_____
D03	Panel gaps / flushness	Gaps and flushness are consistent and within approved tolerance.	P [] F [] N/A [] H []	_____
D04	Doors / drawers	Aligned; full travel without rubbing; positive close/latch; consistent gaps.	P [] F [] N/A [] H []	_____
D05	Hinges / slides / handles	Correct hardware installed, secure and operating smoothly.	P [] F [] N/A [] H []	_____
D06	Shelves / storage	Correct quantity and location; secure and free from sharp edges.	P [] F [] N/A [] H []	_____
D07	Internal cleanliness	Cabinets are clean, dry and free of swarf, debris, odor or loose items.	P [] F [] N/A [] H []	_____
D08	Sealant / gasket	Continuous and neat where specified; no gaps, contamination or unapproved material.	P [] F [] N/A [] H []	_____

E. Countertop and Sink

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
E01	Official texture	Sand Time / Floating Light / Cracked Realm / Mystic Engrave / Infinity matches order.	P [] F [] N/A [] H []	_____
E02	Texture direction / uniformity	Direction and appearance match approved sample across visible areas.	P [] F [] N/A [] H []	_____
E03	Surface condition	No cracks, dents, deep scratches, stains, embedded contamination or visible repair.	P [] F [] N/A [] H []	_____
E04	Edges / corners	Correct edge profile and radius; smooth, safe and dimensionally correct.	P [] F [] N/A [] H []	_____
E05	Worktop alignment	Level and supported; joints/abutments fit without unacceptable gap or step.	P [] F [] N/A [] H []	_____
E06	Sink identity / fit	Correct sink, waste fitting, faucet and accessories installed per BOM.	P [] F [] N/A [] H []	_____
E07	Sink / worktop leak test	No leakage at basin, waste, faucet or sealed interfaces during recorded test.	P [] F [] N/A [] H []	_____
E08	Protective film	Applied cleanly where specified; removable without residue; labels do not damage finish.	P [] F [] N/A [] H []	_____

F. Canopy, Shutter and Mechanical Functions

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
F01	Mechanism identity	Manual/electric lift/roller shutter system matches model and BOM.	P [] F [] N/A [] H []	_____
F02	Alignment and travel	Full travel without binding, impact, abnormal play or interference.	P [] F [] N/A [] H []	_____
F03	Open position	Mechanism reaches and safely retains the approved open/service position.	P [] F [] N/A [] H []	_____
F04	Closed position	Closes evenly and secures as designed; no exposed shipping gap or obstruction.	P [] F [] N/A [] H []	_____
F05	Actuator / motor data	Make/model, voltage, stroke/load/rating match approved schedule.	P [] F [] N/A [] H []	_____
F06	Limit operation	End limits stop travel correctly; no continued loading or abnormal noise.	P [] F [] N/A [] H []	_____
F07	Controls / remote	All controls and remotes work; labels and operating direction are correct.	P [] F [] N/A [] H []	_____
F08	Cycle test	Complete specified number of open/close cycles; record count and result.	P [] F [] N/A [] H []	_____
F09	Safety provisions	Approved guards, warnings, interlocks or emergency/manual release are present.	P [] F [] N/A [] H []	_____

G. Electrical and Lighting

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
G01	Electrical rating	Voltage, frequency, phase and maximum load match project schedule and nameplate.	P [] F [] N/A [] H []	_____
G02	Distribution / protection	Correct enclosure and protective devices installed, labeled and secured.	P [] F [] N/A [] H []	_____
G03	Cable and terminal workmanship	Correct routing, size, glands, strain relief and terminations; no exposed copper.	P [] F [] N/A [] H []	_____
G04	Earthing / bonding	Protective-earth path and bonding points installed and visually secure.	P [] F [] N/A [] H []	_____
G05	Protective-earth continuity	Measured result meets approved test limit; instrument and value recorded.	P [] F [] N/A [] H []	_____
G06	Insulation resistance	Measured result meets approved test limit; instrument and value recorded.	P [] F [] N/A [] H []	_____
G07	RCD/GFCI/RCBO function	Device test performed where fitted; rating and result recorded.	P [] F [] N/A [] H []	_____
G08	Sockets / track system	Correct type, quantity, orientation and covers; functional check passed.	P [] F [] N/A [] H []	_____
G09	Recessed lighting	All lamps illuminate evenly; correct color temperature and switching.	P [] F [] N/A [] H []	_____
G10	LED ambient lighting	Complete illumination and dimming/control function; no flicker or exposed wiring.	P [] F [] N/A [] H []	_____
G11	Labeling	Electrical ratings, circuits, switches and warnings are legible and destination-appropriate.	P [] F [] N/A [] H []	_____

H. Plumbing, Drainage and Gas Interfaces

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
H01	Water connections	Correct size/location and capped/protected for shipment.	P [] F [] N/A [] H []	_____
H02	Internal pipework	Secure, supported, unkinked and separated from heat/electrical hazards.	P [] F [] N/A [] H []	_____
H03	Pressure / leak test	Specified test completed with no visible pressure loss or leakage; data recorded.	P [] F [] N/A [] H []	_____
H04	Drainage	Waste, trap and outlet fitted as specified; free drainage and no leakage.	P [] F [] N/A [] H []	_____
H05	Gas appliance identity	Fuel type and appliance model match approved order and destination.	P [] F [] N/A [] H []	_____
H06	Gas connections	Specified components installed and protected; no unapproved fittings.	P [] F [] N/A [] H []	_____
H07	Gas test / limitation	Factory test completed only to approved scope; local commissioning requirement labeled.	P [] F [] N/A [] H []	_____

I. Appliances and Integrated Equipment

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
I01	Grill / cooktop	Correct model and quantity; secure fit; controls and ignition/function test passed where permitted.	P [] F [] N/A [] H []	_____
I02	Range hood	Correct model, secure mounting, lighting/fan speeds functional; duct interface protected.	P [] F [] N/A [] H []	_____
I03	Refrigerator	Correct model, secure fit, door clearance and power-up function checked.	P [] F [] N/A [] H []	_____
I04	Display / TV	Correct model/size, secure mount, power/control function and protection for shipment.	P [] F [] N/A [] H []	_____
I05	Audio / optional devices	Correct equipment fitted; power/control function and accessories verified.	P [] F [] N/A [] H []	_____
I06	Manuals / warranties	Manufacturer manuals, warranty documents and included accessories are complete.	P [] F [] N/A [] H []	_____
I07	Service access / ventilation	Required clearances and access are maintained; vents are unobstructed.	P [] F [] N/A [] H []	_____

J. Final Appearance, Cleaning and Completeness

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
J01	Overall appearance	Matches approved sample/render intent and configuration; no obvious asymmetry or damage.	P [] F [] N/A [] H []	_____
J02	Final cleaning	All visible and internal surfaces clean, dry and free of dust, grease, adhesive or swarf.	P [] F [] N/A [] H []	_____
J03	Protective treatment	Approved surface protection applied without trapping contaminants.	P [] F [] N/A [] H []	_____
J04	Loose parts	All loose parts counted, bagged, labeled and tied to packing list.	P [] F [] N/A [] H []	_____
J05	Keys / remotes	Correct quantity, batteries/accessories and identification provided.	P [] F [] N/A [] H []	_____
J06	Nameplate / serial label	Legible, durable, correctly located and consistent with documents.	P [] F [] N/A [] H []	_____

K. Packaging and Shipping Release

ID	Inspection Item	Acceptance Criteria / Reference	Result	Evidence / NCR
K01	Moving parts restrained	Doors, drawers, canopy/shutter and equipment locked/braced for transport.	P [] F [] N/A [] H []	_____
K02	Surface protection	Stainless, panels, corners, glass/screens and projecting parts adequately protected.	P [] F [] N/A [] H []	_____
K03	Moisture protection	Product is dry; moisture barrier/desiccant used where specified.	P [] F [] N/A [] H []	_____
K04	Internal restraint	Accessories and appliances cannot shift, abrade or impact during transit.	P [] F [] N/A [] H []	_____
K05	Outer packaging / crate	Specified export packaging complete and structurally suitable for handling mode.	P [] F [] N/A [] H []	_____
K06	Wood compliance	ISPM 15 mark/document available where applicable to destination and packaging.	P [] F [] N/A [] H []	_____
K07	Shipping marks	PO, model, serial, case number, destination and handling marks are correct.	P [] F [] N/A [] H []	_____
K08	Measured packed dimensions	Actual L x W x H recorded after final packaging.	P [] F [] N/A [] H []	_____
K09	Measured weight	Actual gross/net weight recorded; weighing method/equipment identified.	P [] F [] N/A [] H []	_____
K10	Packing list	Package count and all components/accessories match final packing list.	P [] F [] N/A [] H []	_____
K11	Photo record	Pre-pack, protection, closed package, labels and loading photos are complete.	P [] F [] N/A [] H []	_____

5. Measured Data and Functional Test Record

Characteristic	Specified / Drawing Value	Measured Result	Status / Notes
Overall length	_____ mm	_____ mm	_____
Overall width	_____ mm	_____ mm	_____
Overall height	_____ mm	_____ mm	_____
Worktop thickness	6 / 8 / 10 mm	_____ mm	_____
Critical opening 1	_____ mm	_____ mm	_____
Critical opening 2	_____ mm	_____ mm	_____
Canopy/shutter cycles	_____ cycles	_____ cycles	_____
Supply voltage/frequency	_____	_____	_____
Protective-earth continuity	Limit: _____	Result: _____	Instrument: _____
Insulation resistance	Limit: _____	Result: _____	Instrument: _____
RCD/GFCI/RCBO test	Rating: _____	Result: _____	_____
Water/plumbing test	Method/limit: _____	Result: _____	_____
Gas test (if in scope)	Method/limit: _____	Result: _____	_____
Net weight	Reference: _____	Actual: _____ kg	_____
Packed L x W x H	Reference: _____	Actual: _____	_____
Gross weight	Reference: _____	Actual: _____ kg	_____

6. Appliance and Component Identification

Component	Manufacturer / Model	Serial / Rating	Certificate / Manual Ref
Lift actuator / shutter motor	_____	_____	_____
Grill / gas appliance	_____	_____	_____
Induction cooktop	_____	_____	_____
Range hood	_____	_____	_____
Refrigerator	_____	_____	_____
Display / TV	_____	_____	_____
Lighting driver / controller	_____	_____	_____
Protective device / distribution	_____	_____	_____
Other	_____	_____	_____

7. Photo and Evidence Index

Photo / File No.	Required View / Evidence	Captured	Remarks
01	Front - unit open / operating mode	Yes []	_____
02	Front - unit closed / protected mode	Yes []	_____
03	Rear and both sides	Yes []	_____
04	Top / countertop texture and sink	Yes []	_____
05	Interior cabinets and storage	Yes []	_____
06	Frame / underside / anchoring points	Yes []	_____
07	Nameplate and Serial Number	Yes []	_____
08	Material labels / certificates	Yes []	_____
09	Critical dimension measurements	Yes []	_____
10	Electrical test readings / setup	Yes []	_____
11	Water/gas test setup if applicable	Yes []	_____
12	Canopy/shutter function video	Yes []	_____
13	Appliance labels and function	Yes []	_____
14	Accessories / loose parts	Yes []	_____
15	Protection before outer packaging	Yes []	_____
16	Final package and shipping marks	Yes []	_____
17	Loading / container restraint	Yes []	_____

8. Nonconformity and Reinspection Log

NCR No.	Requirement / Defect	Disposition / Corrective Action	Reinspection Result / Date
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

NCR CONTROL Use a separate NCR/corrective-action record where the space above is insufficient. Record the approved disposition, responsible person, completion evidence and reinspection. A concession/deviation requires written authorization by the appropriate KAISTEEL and customer authority.

9. Final Release Decision

Decision	Select One	Conditions / Reference
PASS - Released for packing/shipment	[]	All required checks pass and evidence is complete.
CONDITIONAL ACCEPTANCE	[]	Written concession/deviation reference: _____
HOLD - Not released	[]	Open NCR / missing evidence: _____
REJECT / REWORK	[]	Reinspection required after corrective action.

Checklist summary	Pass: ____ Fail: ____ N/A: ____ Hold: ____
Open NCR count	____ NCR references: _____
Final remarks	_____ _____

10. Authorization

Role	Name / Organization	Signature	Date
QC Inspector	_____	_____	_____
Factory Representative	_____	_____	_____
KAISTEEL Release Authority	_____	_____	_____
Third-Party / Customer Witness (if required)	_____	_____	_____

11. Shipment Release Record

Serial Number / Package No.	_____ / _____
Actual packed L x W x H	_____
Actual gross / net weight	_____ kg / _____ kg
Container / Seal No.	_____ / _____
Booking / B/L Reference	_____
Release Date / Time	_____

12. Controlled Record Package

Record	Attached / Reference	Record	Attached / Reference
Completed QC checklist	[] _____	Approved drawing / BOM	[] _____
Photo / video evidence	[] _____	Electrical / leak test data	[] _____
Material evidence	[] _____	Appliance certificates/manuals	[] _____
NCR and reinspection	[] _____	Packing list / shipping marks	[] _____

RECORD RETENTION KAISTEEL shall retain the completed checklist and linked evidence under the Serial Number and PO/PI reference. Electronic files should use a controlled folder name and must not be overwritten by later units or revisions.

KAISTEEL LIMITED (Hong Kong) | Outdoor Kitchen Systems | Controlled QC Record